



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2009 - June 30, 2009

Filing Deadline: July 15, 2009

Filing Confirmation Number: 0003901217

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: Kyocera Wireless Corp.
PO Box:
Street Address: 10300 Campus Point Drive
City: San Diego
State: CA
Zip Code: 92121

Contact Name: C. K. Li
Contact Phone: (858) 882-3945
Contact Fax: (858) 882-2010
Contact Email: cli@kyocera-wireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets with the Wi-Fi air interface have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.kyocera-wireless.com/accessible-solutions/hearing-aid-compatibility.htm>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Web pages to provide HAC and Accessibility information.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 2

Report Remarks

Handset 1: Kyocera E1100**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

E1100

OVFKWC-K3801, OVFKWC-K3802

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 11/08 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 09/30/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 09/30/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 2: Kyocera S2400**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

S2400

OVF-K33BI01

S2410

OVF-K33BI04

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 12/08 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 3: Kyocera M1000**Handset Maker**

Kyocera

Handset Model Name

M1000

FCC ID

OVFKWC-M1000-2J0, OVFKWC-M1000-2X0

Air Interfaces/Frequency Bands

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 09/07 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 4: Kyocera M1000 Lingo**Handset Maker**

Kyocera

Handset Model Name

M1000 Lingo

FCC ID

OVFKWC-M1000-2X0

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 08/07 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 06/11/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 06/11/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 5: Kyocera S4000 Mako**Handset Maker**

Kyocera

Handset Model Name

S4000 Mako

FCC ID

OVFKWC-K33B04

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 04/08 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 02/21/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/21/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 6: Kyocera S4000**Handset Maker**

Kyocera

Handset Model Name

S4000

FCC ID

OVFKWC-K33B01, OVFKWC-K33B04

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 04/08 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 02/27/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/27/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 7: Kyocera E2000**Handset Maker**

Kyocera

Handset Model Name

E2000

FCC ID

OVFK60-E2-5G5

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 09/07 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 8: Kyocera E1000**Handset Maker**

Kyocera

Handset Model Name

E1000

FCC ID

OVFE1000-255

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 07/07 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 05/15/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 05/15/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 9: Kyocera K132**Handset Maker**

Kyocera

Handset Model Name

K132

FCC ID

OVFKWC-K27

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 04/07 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 02/15/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 02/15/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 10: Kyocera MARBL K127**Handset Maker**

Kyocera

Handset Model Name

MARBL K127

FCC ID

OVFKWC-K27

Air Interfaces/Frequency Bands

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 03/07 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 01/29/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 01/29/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 11: Kyocera S1300**Handset Maker**

Kyocera

Handset Model Name

S1300

FCC ID

OVF-K33BIC01, OVF-K33BIC03

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 02/09 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 12/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 12/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 12: Kyocera M2000**Handset Maker**

Kyocera

Handset Model Name

M2000

FCC ID

OVF-K4801

Air Interfaces/Frequency Bands

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 04/09 to 06/09

Ratings

M-Rating: M4

M-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 13: Kyocera S6000**Handset Maker**

Kyocera

Handset Model Name

S6000

FCC ID

OVFKWC-S6000-150

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 05/07 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 03/12/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 03/12/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Certification**This Report has been certified by:**

C.K. Li Director of Regulatory Engineering

07/15/2009