



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2009 - June 30, 2010

Filing Confirmation Number: 0004407014

Filing Deadline: July 15, 2010

FRN: 0004265831

Filing Date: 09/30/2010 02:26 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

#### Company Information

Company Name: Kyocera Communications, Inc.

PO Box:

Street Address: 10300 Campus Point Drive

City: San Diego

State: CA

Zip Code: 92121

Contact Name: C. K. Li

Contact Phone: (858) 882-3945

Contact Fax:

Contact Email: ck.li@kyocera.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets with the Wi-Fi air interface have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation? Yes

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://kyocera-wireless.com/accessible-solutions/>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC and Accessibility information are available to consumers at Kyocera Website.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 13

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	16	100%					16

## Handset 1: Kyocera S1310 Domino

### Handset Maker

Kyocera

### Handset Model Name

S1310 Domino

### FCC ID

OVF-K33BIC06

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

### Dates

This handset model was offered from: 10/09 to 06/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 2: Kyocera M1400 Laylo

### Handset Maker

Kyocera

### Handset Model Name

M1400 Laylo

### FCC ID

OVFK50-03

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 08/09 to 06/10

**Ratings**

M-Rating: M3  
M-Rating Certification Date: 06/29/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 06/29/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 3: Kyocera S2300****Handset Maker**

Kyocera

**Handset Model Name****FCC ID**

S2300

OVF-K5302

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 04/10 to 06/10

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 02/10/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 02/10/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

## Handset 4: Kyocera S2300/K53-01

### Handset Maker

Kyocera

### Handset Model Name

S2300/K53-01

### FCC ID

OVF-K5301

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

### Dates

This handset model was offered from: 02/10 to 06/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 5: Kyocera S1310/K33BIC-04

### Handset Maker

Kyocera

### Handset Model Name

S1310/K33BIC-04

### FCC ID

OVF-K33BIC04

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

### Dates

This handset model was offered from: 10/09 to 06/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 6: Kyocera M6000

### Handset Maker

Kyocera

### Handset Model Name

M6000

### FCC ID

V65M6000

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

### Dates

This handset model was offered from: 05/10 to 06/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 7: Sanyo SCP-PRO700

### Handset Maker

Sanyo

### Handset Model Name

SCP-PRO700

### FCC ID

AEZSCP-PRO700

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 04/08 to 06/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks**

---

**Handset 8: Sanyo SCP-2700****Handset Maker**

Sanyo

**Handset Model Name**

SCP-2700

**FCC ID**

V65SCP-27H

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 04/09 to 06/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks**

---

**Handset 9: Sanyo SCP-3810****Handset Maker**

Sanyo

**Handset Model Name**

SCP-3810

**FCC ID**

V65SCP-3810

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 10/09 to 06/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/07/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/07/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 10: Sanyo SCP6760****Handset Maker**

Sanyo

**Handset Model Name**

SCP6760

**FCC ID**

V65SCP-6760

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 12/09 to 06/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 11: Kyocera M2000****Handset Maker**

Kyocera

**Handset Model Name**

M2000

**FCC ID**

OVF-K4802

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

#### Dates

This handset model was offered from: 08/09 to 06/10

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 12: Kyocera M2000/K48-01

#### Handset Maker

Kyocera

#### Handset Model Name

M2000/K48-01

#### FCC ID

OVF-K4801

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

#### Dates

This handset model was offered from: 02/09 to 06/10

#### Ratings

M-Rating: M4

M-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 12/23/08

Version of the ANSI C63.19 standard used during the certification process: 2006

#### Remarks

---

### Handset 13: Kyocera S2410

#### Handset Maker

Kyocera

#### Handset Model Name

S2410

#### FCC ID

OVF-K33BI04

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

#### Dates

This handset model was offered from: 12/08 to 06/10

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 10/03/08

Version of the ANSI C63.19 standard used during the certification process: 2006

#### Remarks

---

### Handset 14: Kyocera S2400

#### Handset Maker

Kyocera

#### Handset Model Name

S2400

#### FCC ID

OVF-K33BI01

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

#### Dates

This handset model was offered from: 06/08 to 06/10

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

#### Remarks

---

### Handset 15: Kyocera E2000

#### Handset Maker

Kyocera

#### Handset Model Name

E2000

#### FCC ID

OVFK60-E2-5G5

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 10/07 to 06/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 07/02/07

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks**

---

**Handset 16: Kyocera S6000****Handset Maker**

Kyocera

**Handset Model Name**

S6000

**FCC ID**

OVFKWC-S6000-150

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Wi-Fi Interface**

Is this handset capable of Wi-Fi voice operations? No

**Dates**

This handset model was offered from: 06/07 to 06/10

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/13/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 03/17/07

Version of the ANSI C63.19 standard used during the certification process: 2006

**Remarks**

---

**Certification****This Report has been certified by:**

C K Li Director of Regulatory Engineering

09/30/2010 02:26 PM