



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2010 - June 30, 2011

Filing Confirmation Number: 0004800635

Filing Deadline: July 15, 2011

FRN: 0006040703

Filing Date: 07/13/2011 08:01 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: Research In Motion Limited
Brand Names: BlackBerry
PO Box:
Street Address: 1776 I (Eye) St. NW, 9th Floor
City: Washington
State: DC
Zip Code: 20006

Contact Name: Jeremy Wijetunge
Contact Phone: (519) 597-9203
Contact Fax: (519) 593-2927
Contact Email: jwijetunge@rim.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: www.blackberry.com/accessibility

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: From July 2010 to June 2011, Research In Motion Limited (RIM) has participated in the following consumer outreach events. At these events, RIM provided consumers with opportunities to use various HAC-compliant BlackBerry smartphone models and/or provided consumers with information about HAC-compliant BlackBerry smartphone models and their hearing aid compatibility:

2011 Hearing Loss Association of America (HLAA) Convention (Washington DC, June 2011): At the HLAA convention, RIM participated on a CTIA panel discussion entitled Finding the Cell Phones or Mobile Devices To Meet Your Needs regarding HAC and mobile device accessibility apps for persons with hearing loss. RIM exhibited HAC compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss

2011 TDI Conference (Austin, TX, June 2011): At the TDI conference, RIM gave a presentation and provided an exhibit outlining HAC-compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss.

BlackBerry smartphone models rated for HAC have their HAC ratings listed on the Specifications tab of their respective product information pages on www.blackberry.com.

The full listing of BlackBerry devices that are HAC rated and an explanation of the HAC ratings are available from links at the following site: www.blackberry.com/accessibility.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 6

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 19

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	6	60%	2	20%	2	20%	10
CDMA	4	50%	4	50%			8
WCDMA	4	67%	1	17%	1	17%	6
iDEN			1	100%			1
Wi-Fi	8	53%	5	33%	2	13%	15

Handset 1: Research in Motion BlackBerry 9550

Handset Maker

Research in Motion

Handset Model Name

BlackBerry 9550

FCC ID

L6ARCK70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/09 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 10/18/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

Handset 2: Research in Motion BlackBerry 9650

Handset Maker

Research in Motion

Handset Model Name

BlackBerry 9650

FCC ID

L6ARCS70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

Handset 3: Research in Motion Blackberry 9700**Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

Blackberry 9700

L6ARCM70UW, L6ARCN70UW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/09 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 10/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

FCC ID L6ARCM70UW - WCDMA bands 2 & 5;

FCC ID L6ARCN70UW - WCDMA band 4

Handset 4: Research in Motion BlackBerry 9000

Handset Maker

Research in Motion

Handset Model Name

BlackBerry 9000

FCC ID

L6ARBT70UW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

5000 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/08 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz and 5800 MHz

Handset 5: Research in Motion BlackBerry 9530

Handset Maker

Research in Motion

Handset Model Name

BlackBerry 9530

FCC ID

L6ARBW70CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 11/08 to 09/10

Ratings

M-Rating: M3

M-Rating Certification Date: 10/21/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

Handset 6: Research in Motion BlackBerry 8900**Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BlackBerry 8900

L6ARBZ40GW

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 01/09 to 01/11

Ratings

M-Rating: M3

M-Rating Certification Date: 11/12/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 7: Research in Motion BlackBerry 8230****Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BlackBerry 8230

L6ARCE20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 04/09 to 11/10

Ratings

M-Rating: M4

M-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Research in Motion BlackBerry 8220

Handset Maker

Research in Motion

Handset Model Name

FCC ID

BlackBerry 8220

L6ARBY40GW

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/08 to 11/10

Ratings

M-Rating: M3

M-Rating Certification Date: 09/11/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/11/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Research in Motion BlackBerry 8310

Handset Maker

Research in Motion

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 10/07 to 09/10

Ratings

M-Rating: M3
M-Rating Certification Date: 08/13/07
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 08/13/07
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 10: Research in Motion BlackBerry 8350i**Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BlackBerry 8350i

L6ARCD20IN

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/08 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 11/12/08
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Research in Motion Blackberry 9630 Tour

Handset Maker

Research in Motion

Handset Model Name FCC ID

Blackberry 9630 Tour L6ARCF70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/09 to 08/10

Ratings

M-Rating: M3
M-Rating Certification Date: 06/29/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

Handset 12: Research in Motion Blackberry 8520

Handset Maker

Research in Motion

Handset Model Name FCC ID

Blackberry 8520 L6ARCG40GW

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/09 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 13: Research in Motion BlackBerry 8530****Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BlackBerry 8530

L6ARCL20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/09 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 11/05/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/05/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 14: Research in Motion BlackBerry 9780****Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BlackBerry 9780

L6ARCM70UW, L6ARCN70UW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 09/30/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 09/30/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

FCC ID L6ARCM70UW - WCDMA bands 2 & 5;
FCC ID L6ARCN70UW - WCDMA band 4

Handset 15: Research in Motion BlackBerry 9800

Handset Maker

Research in Motion

Handset Model Name

FCC ID

BlackBerry 9800

L6ARCY70UW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 08/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 16: Research in Motion BLACKBERRY 9100****Handset Maker**

Research in Motion

Handset Model Name**FCC ID**

BLACKBERRY 9100

L6ARCV70UW, L6ARCX70UW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

FCC ID L6ARCV70UW - WCDMA bands 2 & 5

FCC ID L6ARCX70UW - WCDMA band 4

Handset 17: Research in Motion BlackBerry 9300

Handset Maker

Research in Motion

Handset Model Name

BlackBerry 9300

FCC ID

L6ARDA70UW, L6ARDB70UW

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 07/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

FCC ID L6ARDA70UW - WCDMA bands 2 & 5

FCC ID L6ARDB70UW - WCDMA band 4

Handset 18: Research in Motion 9330

Handset Maker

Research in Motion

Handset Model Name

9330

FCC ID

L6ARCL20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Research in Motion 9670**Handset Maker**

Research in Motion

Handset Model Name

9670

FCC ID

L6ARCU20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 09/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification**This Report has been certified by:**

David Dougall Director, Sustainability & Accessibility

07/13/2011 08:01 AM