



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2010 - June 30, 2011

Filing Confirmation Number: 0004802994

Filing Deadline: July 15, 2011

FRN: 0018941682

Filing Date: 07/14/2011 07:10 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: HTC Corporation
Brand Names: HTC
PO Box:
Street Address: 13920 SE Eastgate Way, Suite 400
City: Bellevue
State: WA
Zip Code: 98005

Contact Name: Brooks M. Larsen
Contact Phone: (425) 679-5318
Contact Fax: (425) 679-5387
Contact Email: brooks_larsen@htc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: <http://www.htc.com/us/about/hearing-aid-compatibility>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Public outreach was carried out via the website and the training of our customer support personnel.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 13

Report Remarks

During this reporting period, our labeling and or website was updated for the inclusion of the following text; "This phone has been tested and rated for use with hearing aids for some of the wireless technologies that it uses. However, there may be some newer wireless technologies used in this phone that have not been tested yet for use with hearing aids. It is important to try the different features of this phone thoroughly and in different locations, using your hearing aid or cochlear implant, to determine if you hear any interfering noise. Consult your service provider or the manufacturer of this phone for information on hearing aid compatibility. If you have questions about return or exchange policies, consult your service provider or phone retailer."

You have reported the following handset model summary information.

Total number of handsets offered: 21

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	4	36%	6	55%	1	9%	11
CDMA	10	100%					10
WCDMA	4	36%	6	55%	1	9%	11

Handset 1: HTC PD29110

Handset Maker

HTC

Handset Model Name

PD29110

FCC ID

NM8PD29110

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 12/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 2: HTC PB99100**Handset Maker**

HTC

Handset Model Name

PB99100

FCC ID

NM8PB99100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 01/10 to 12/10

Ratings

M-Rating: M4

M-Rating Certification Date: 09/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: HTC PC10100**Handset Maker**

HTC

Handset Model Name

PC10100

FCC ID

NM8PC10100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/10 to 04/11

Ratings

M-Rating: M3

M-Rating Certification Date: 06/25/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: HTC PD15100

Handset Maker

HTC

Handset Model Name

PD15100

FCC ID

NM8PD15100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: HTC PG58100

Handset Maker

HTC

Handset Model Name

PG58100

FCC ID

NM8PG58100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: HTC HERO200

Handset Maker

HTC

Handset Model Name

HERO200

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/09 to 12/10

Ratings

M-Rating: M3

M-Rating Certification Date: 08/20/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/20/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: HTC PD98120**Handset Maker**

HTC

Handset Model Name

PD98120

FCC ID

NM8PD98120

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 8: HTC PD53100**Handset Maker**

HTC

Handset Model Name

PD53100

FCC ID

NM8PD53100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 07/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: HTC PB31200

Handset Maker

HTC

Handset Model Name

PB31200

FCC ID

NM8PB31200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/10 to 04/11

Ratings

M-Rating: M4

M-Rating Certification Date: 02/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: HTC PB81120

Handset Maker

HTC

Handset Model Name

PB81120

FCC ID

NM8PB81120

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: HTC PB65100

Handset Maker

HTC

Handset Model Name

PB65100

FCC ID

NM8PB65100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/10 to 04/11

Ratings

M-Rating: M3

M-Rating Certification Date: 04/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: HTC PB92110**Handset Maker**

HTC

Handset Model Name

PB92110

FCC ID

NM8PB92110

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 04/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: HTC PC36100**Handset Maker**

HTC

Handset Model Name

PC36100

FCC ID

NM8PC36100

Air Interfaces/Frequency Bands

800 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets.

Handset 14: HTC PG06100**Handset Maker**

HTC

Handset Model Name

PG06100

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 01/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 09/05/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 15: HTC PG86100

Handset Maker

HTC

Handset Model Name

PG86100

FCC ID

NM8PG86100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 16: HTC ADR6400L

Handset Maker

HTC

Handset Model Name

ADR6400L

FCC ID

NM8PG05100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 10/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports LTE air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 17: HTC ADR6350**Handset Maker**

HTC

Handset Model Name

ADR6350

FCC ID

NM8PG32100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/27/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 18: HTC PD26100****Handset Maker**

HTC

Handset Model Name

PD26100

FCC ID

NM8PD26100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 07/07/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 07/13/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: HTC PC93100

Handset Maker

HTC

Handset Model Name

PC93100

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 09/27/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 09/17/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: HTC ADR6325VW

Handset Maker

HTC

Handset Model Name

ADR6325VW

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/05/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: HTC MWP6985

Handset Maker

HTC

Handset Model Name

MWP6985

FCC ID

NM8PC40220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 02/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

James Scordato Executive Director, Field Engineering

07/14/2011 07:10 PM