



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2011 - June 30, 2012

Filing Confirmation Number: 0005311180

Filing Deadline: July 16, 2012

FRN: 0018941682

Filing Date: 09/11/2012 01:55 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: HTC Corporation
Brand Names: HTC
PO Box:
Street Address: 13920 SE Eastgate Way, Suite 200
City: Bellevue
State: WA
Zip Code: 98005

Contact Name: James Scordato
Contact Phone: (425) 894-7641
Contact Fax: (425) 679-5387
Contact Email: james_scordato@htc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: <http://www.htc.com/us/about/hearing>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Outreach is provided through our website as well as our customer support organization. We solicit input from customers as well as potential customers. Any input is fed back to our usability team to analyze and implement features which assist disabled people.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 10

Report Remarks

On September 11, 2012, HTC corrected the answer to the "labeling" section to state "Yes" because the notice for each handset was given on the website.

You have reported the following handset model summary information.

Total number of handsets offered: 30

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	10	71%	4	29%			14
CDMA	16	100%					16
WCDMA	10	71%	4	29%			14

Handset 1: HTC PG58100

Handset Maker

HTC

Handset Model Name

PG58100

FCC ID

NM8PG58100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/11 to 03/12

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 2: HTC PD98120****Handset Maker**

HTC

Handset Model Name

PD98120

FCC ID

NM8PD98120

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 12/11

Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 3: HTC PD53100****Handset Maker**

HTC

Handset Model Name

PD53100

FCC ID

NM8PD53100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 09/11

Ratings

M-Rating: M3

M-Rating Certification Date: 07/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: HTC PB31200

Handset Maker

HTC

Handset Model Name

PB31200

FCC ID

NM8PB31200

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 02/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: HTC PC36100

Handset Maker

HTC

Handset Model Name

PC36100

FCC ID

NM8PC36100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/10 to 08/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets.

Handset 6: HTC PG06100

Handset Maker

HTC

Handset Model Name

PG06100

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 12/10 to 02/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/05/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 7: HTC PG86100**Handset Maker**

HTC

Handset Model Name

PG86100

FCC ID

NM8PG86100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/11 to 01/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports WiMAX air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 8: HTC ADR6400L**Handset Maker**

HTC

Handset Model Name

ADR6400L

FCC ID

NM8PG05100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 04/12

Ratings

M-Rating: M4

M-Rating Certification Date: 10/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

This device supports LTE air interface used solely for data connectivity and no voice. This interface and its associated bands are used solely for data connectivity in limited domestic markets

Handset 9: HTC ADR6350

Handset Maker

HTC

Handset Model Name

ADR6350

FCC ID

NM8PG32100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/27/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: HTC PC93100

Handset Maker

HTC

Handset Model Name

PC93100

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 10/11

Ratings

M-Rating: M4
M-Rating Certification Date: 09/27/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 09/17/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: HTC ADR6325VW**Handset Maker**

HTC

Handset Model Name

ADR6325VW

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 05/12

Ratings

M-Rating: M4
M-Rating Certification Date: 08/05/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 08/06/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: HTC MWP6985

Handset Maker

HTC

Handset Model Name

MWP6985

FCC ID

NM8PC40220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: HTC PH39100

Handset Maker

HTC

Handset Model Name

PH39100

FCC ID

NM8PH39100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: HTC PI39100**Handset Maker**

HTC

Handset Model Name

PI39100

FCC ID

NM8PI39100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: HTC PI86100**Handset Maker**

HTC

Handset Model Name

PI86100

FCC ID

NM8PI86100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 09/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: HTC PJ83100

Handset Maker

HTC

Handset Model Name

PJ83100

FCC ID

NM8PJ83100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: HTC PH06130

Handset Maker

HTC

Handset Model Name

PH06130

FCC ID

NM8PH06130

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/11 to 03/12

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: HTC PG76240

Handset Maker

HTC

Handset Model Name

PG76240

FCC ID

NM8PG76240

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

2100 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 06/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 19: HTC PJ40110**Handset Maker**

HTC

Handset Model Name

PJ40110

FCC ID

NM8PJ40110

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

2100 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: HTC PH85110**Handset Maker**

HTC

Handset Model Name

PH85110

FCC ID

NM8PH85110

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: HTC PI06110

Handset Maker

HTC

Handset Model Name

PI06110

FCC ID

NM8PI06110

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

2100 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: HTC PG59100

Handset Maker

HTC

Handset Model Name

PG59100

FCC ID

NM8PG59100

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/11 to 04/12

Ratings

M-Rating: M3
M-Rating Certification Date: 05/03/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 05/09/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: HTC ADR6330

Handset Maker

HTC

Handset Model Name

ADR6330

FCC ID

NM8PI46110

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/04/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: HTC ADR6425LVW**Handset Maker**

HTC

Handset Model Name

ADR6425LVW

FCC ID

NM8PH98100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 02/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: HTC PJ75100**Handset Maker**

HTC

Handset Model Name

PJ75100

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: HTC PH44100**Handset Maker**

HTC

Handset Model Name

PH44100

FCC ID

NM8PH44100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 02/12

Ratings

M-Rating: M4

M-Rating Certification Date: 05/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 27: HTC PG76200**Handset Maker**

HTC

Handset Model Name

PG76200

FCC ID

NM8PG76200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 04/12

Ratings

M-Rating: M4
M-Rating Certification Date: 06/20/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 07/07/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 28: HTC PD42100

Handset Maker

HTC

Handset Model Name

PD42100

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 08/27/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 08/27/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 29: HTC PB99400

Handset Maker

HTC

Handset Model Name

PB99400

FCC ID

NM8PB99400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/10 to 10/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 30: HTC PD15100

Handset Maker

HTC

Handset Model Name

PD15100

FCC ID

NM8PD15100

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 12/11

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

James Scordato Executive Director, Field Engineering

09/11/2012 01:55 PM