



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2011 - June 30, 2012

Filing Confirmation Number: 0005307906

Filing Deadline: July 16, 2012

FRN: 0018939488

Filing Date: 07/12/2012 08:58 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

#### Company Information

Company Name: LG Electronics MobileComm USA

Brand Names: LG

PO Box:

Street Address: 1000 Sylvan Avenue

City: Englewood Cliffs

State: NJ

Zip Code: 07632

Contact Name: Jacob Cho

Contact Phone: (201) 266-2534

Contact Fax: (201) 816-2003

Contact Email: gyusik.cho@lge.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: <http://www.stg.lg.com/us/public-notices/general/hearing-aid-compatibility-20120702>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We always have been doing our best to provide HAC compliance handsets with a newer design and better functionality for consumers. Specifically, we made internal task team for HAC compliance and we have kept it to research and apply for HAC compliance. Additionally, we have been monitoring the HAC compliance rate on monthly basis and analyzing and applying HAC capability at the earlier development stage. Therefore, we believe we have been providing HAC compliance models more than the last reporting period related to 2G/3G air interfaces. We're not going to stop our effort for the customers and is going to do our best to provide our customers with good quality HAC compliance models.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 28

### Report Remarks

28 Handset models have been tested for HAC during the reporting period and they have been complied with HAC requirement.

Among 28 models, 9 models have not been launched yet. 9 models: ZNFUN272(CDMA), ZNFL46C(CDMA), ZNFAS730(CDMA), ZNFUS730(CDMA), ZNFLG440G(GSM/WCDMA), ZNFLG530G(GSM/WCDMA), ZNFLG840G(GSM/WCDMA), ZNFVS930(CDMA/LTE), ZNFVS950(CDMA/LTE)

You have reported the following handset model summary information.

Total number of handsets offered: 67

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	12	48%	1	4%	12	48%	25
CDMA	35	83%	7	17%			42
WCDMA	8	53%	1	7%	6	40%	15

### Handset 1: LG LG-AS680

#### Handset Maker

LG

#### Handset Model Name

LG-AS680

#### FCC ID

ZNFAS680

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Optimus2

**Handset 2: LG LG100C****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG100C

BEJLG100C

LG100

BEJLG100C

LG102

BEJLG100C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 3: LG LG220C****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG220C

BEJLG220C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 10/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 4: LG LG231C**

**Handset Maker**

LG

**Handset Model Name**

**FCC ID**

LG231C

BEJLG231C

LG230

BEJLG231C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 10/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 01/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

## Handset 5: LG LG-LN240

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-LN240      BEJLN240

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 10/11

### Ratings

M-Rating: M4  
M-Rating Certification Date: 12/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 12/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Remarq

---

## Handset 6: LG LG-MN270

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-MN270      BEJMN270

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 09/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 04/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Attune

---

**Handset 7: LG LG-MS690, LG-LW690****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-MS690, LG-LW690

BEJMS690

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Optimus M

---

**Handset 8: LG LG-MS695****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-MS695

ZNFMS695

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 04/12 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 11/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 11/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Optimus M+

---

## Handset 9: LG LG-MS910

### Handset Maker

LG

### Handset Model Name

LG-MS910

### FCC ID

BEJMS910

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 09/11 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 07/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 07/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Esteem

---

## Handset 10: LG LG-UN150

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-UN150	BEJUN150
LG221C	BEJUN150
LG235C	BEJUN150

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 03/31/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 11: LG LG-UN200

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-UN200	BEJUN200
LG-AN200	BEJUN200
LG501C	BEJUN200

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Saber

**Handset 12: LG LG-UN430****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-UN430

BEJUN430

LG430

BEJUN430

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 11/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Wine 2

**Handset 13: LG LG-LN510****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-LN510

BEJLN510

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 03/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Rumor Touch

**Handset 14: LG LG-LS670, LG-US670****Handset Maker**

LG

**Handset Model Name                      FCC ID**

LG-LS670, LG-US670                      BEJLS670

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 02/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/14/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/14/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Optimus S, Optimus U

**Handset 15: LG LG-VM701****Handset Maker**

LG

**Handset Model Name                      FCC ID**

LG-VM701                                      BEJLS700

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
 1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 04/12 to 06/12

**Ratings**

M-Rating: M4  
 M-Rating Certification Date: 07/13/11  
 Version of the ANSI C63.19 standard used during the certification process: 2007  
 T-Rating: T4  
 T-Rating Certification Date: 07/13/11  
 Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 16: LG LG-LS855****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-LS855	BEJLS855
LG-AS855	BEJLS855
LG855	BEJLS855

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
 1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 11/11 to 06/12

**Ratings**

M-Rating: M4  
 M-Rating Certification Date: 06/30/11  
 Version of the ANSI C63.19 standard used during the certification process: 2007  
 T-Rating: T4  
 T-Rating Certification Date: 06/30/11  
 Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Marquee, Ignite

## Handset 17: LG LG-MN180

### Handset Maker

LG

### Handset Model Name

LG-MN180

### FCC ID

BEJMN180

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 01/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Select

## Handset 18: LG LG-UN510

### Handset Maker

LG

### Handset Model Name

LG-UN510

LG-AN510

LG511C

### FCC ID

BEJUN510

BEJUN510

BEJUN510

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Bantner Touch, Prestige

---

**Handset 19: LG LG-VM101****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VM101

BEJVM101

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 04/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 20: LG LG-VM510****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VM510

BEJVM510

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently

have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/11 to 10/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 21: LG LG-VM670

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VM670

BEJVM670

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/11 to 04/12

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 22: LG LG-VN150, LG-VN150PP

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VN150, LG-VN150PP

BEJVN150

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 06/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 04/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Revere

---

## Handset 23: LG LG-VN251

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VN251

BEJVN251

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 06/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Cosmos 2

---

## Handset 24: LG LG-VN270

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-VN270

BEJVN270

LG-AN270 BEJVN270  
LG-UN270 BEJVN270  
LG505C BEJVN270

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/11 to 06/12

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 08/18/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 08/18/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Cosmos Touch, Exchange, Attune

### Handset 25: LG LG-VN530

#### Handset Maker

LG

#### Handset Model Name

#### FCC ID

LG-VN530

BEJVN530

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/11 to 12/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 06/03/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Octane

## Handset 26: LG LG-VP200

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-VP200                      BEJVP200

### Air Interfaces/Frequency Bands

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 07/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 27: LG LG-VS660

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-VS660                      BEJVS660

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 07/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Vortex

**Handset 28: LG LG-VS700, LGL75C****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VS700, LGL75C

BEJVS700

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 05/12 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Enlighten

**Handset 29: LG LG-VS740****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VS740

BEJVS740

LG-AS740

BEJVS740

LG-US740

BEJVS740

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 10/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 03/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Ally, Axis, Apex

**Handset 30: LG LG-US760****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-US760

BEJVS760

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 01/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Genesis

**Handset 31: LG LG-VS910****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VS910

BEJVS910

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 10/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 05/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 05/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Revolution

---

**Handset 32: LG LG-VS920****Handset Maker**

LG

**Handset Model Name**

LG-VS920

**FCC ID**

BEJVS920

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 12/11 to 06/12

**Ratings**

M-Rating: M3  
M-Rating Certification Date: 08/30/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Spectrum

---

## Handset 33: LG LG-VX5600

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-VX5600      BEJVX5600

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 07/11

### Ratings

M-Rating: M4  
M-Rating Certification Date: 09/30/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 09/30/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Accolade

---

## Handset 34: LG LGL45C

### Handset Maker

LG

### Handset Model Name      FCC ID

LGL45C      ZNFL45C

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/11 to 01/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 35: LG LGL55C****Handset Maker**

LG

**Handset Model Name**

LGL55C

**FCC ID**

ZNFL55C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 36: LG LGL85C****Handset Maker**

LG

**Handset Model Name**

LGL85C

**FCC ID**

ZNFL85C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 12/11 to 01/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 37: LG LG-LN272, LG272****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-LN272, LG272

ZNFLN272

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/12 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 10/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Rumor Refex

**Handset 38: LG LG-LS696, LG-VM696****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-LS696, LG-VM696

ZNFLS696

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 04/12 to 06/12

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 01/18/12  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 01/18/12  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Optimus Elite

### Handset 39: LG LG-LS840

#### Handset Maker

LG

#### Handset Model Name

LG-LS840

#### FCC ID

ZNFLS840

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 04/12 to 06/12

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 01/20/12  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 01/20/12  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Viper 4GLTE

## Handset 40: LG LG-MS840, LG-AS840

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-MS840, LG-AS840      ZNFMS840

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 02/12 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 11/17/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 11/17/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Connect 4G, Optimus

---

## Handset 41: LG LG-VN271

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-VN271      ZNFVN271

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Extravert

---

**Handset 42: LG LG-VS840****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-VS840

ZNFVS840

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 03/12 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Lucid

---

**Handset 43: LG LG-C729****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-C729

BEJC729

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 10/11 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Doubleplay

---

## Handset 44: LG LG-C800

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-C800

ZNFC800

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 10/11 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: my Touch Q

---

## Handset 45: LG LG-C900

### Handset Maker

LG

### Handset Model Name

### FCC ID

**Air Interfaces/Frequency Bands**

850 MHz GSM  
 850 MHz WCDMA  
 1900 MHz GSM  
 1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 09/11

**Ratings**

M-Rating:  
 M-Rating Certification Date:  
 Version of the ANSI C63.19 standard used during the certification process:  
 T-Rating:  
 T-Rating Certification Date:  
 Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Quantum

**Handset 46: LG LG-CF360****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-CF360

BEJCF360

**Air Interfaces/Frequency Bands**

850 MHz GSM  
 850 MHz WCDMA  
 1900 MHz GSM  
 1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 12/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Neon

---

**Handset 47: LG LG-E739****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-E739

ZNFE739

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/11 to 06/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: my Touch

---

**Handset 48: LG LG-GS170****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-GS170

BEJGS170

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 12/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 04/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 49: LG LG-GS390

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-GS390

BEJGS390

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 12/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 12/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 50: LG LG-GT365

### Handset Maker

LG

### Handset Model Name

### FCC ID

LG-GT365

BEJGT365

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 09/11

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 51: LG LG-GT550****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-GT550

BEJGT550

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 06/12

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Encore

---

## Handset 52: LG LG-GU295, LG-GU292

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-GU295, LG-GU292      BEJGU295

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 06/12

### Ratings

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 53: LG LG-GW370

### Handset Maker

LG

### Handset Model Name      FCC ID

LG-GW370      BEJGW370

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 09/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 07/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: Neon II

---

**Handset 54: LG LG320G****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG320G

BEJLG320G

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 02/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 55: LG LG325G****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG325G

BEJLG325G

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/12 to 06/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 56: LG LG420G****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG420G

BEJLG420G

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 02/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 04/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 57: LG LG430G****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG430G

ZNFLG430G

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 11/11 to 06/12

#### Ratings

M-Rating: M3  
M-Rating Certification Date: 07/26/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 07/26/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 58: LG LG500G

#### Handset Maker

LG

#### Handset Model Name

LG500G

#### FCC ID

BEJLG500G

#### Air Interfaces/Frequency Bands

850 MHz GSM  
1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/11 to 06/12

#### Ratings

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

## Handset 59: LG LG800G

### Handset Maker

LG

### Handset Model Name      FCC ID

LG800G                      BEJLG800G

### Air Interfaces/Frequency Bands

850 MHz GSM  
1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/11 to 06/12

### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 60: LG LG900G

### Handset Maker

LG

### Handset Model Name      FCC ID

LG900G                      BEJLG900G

### Air Interfaces/Frequency Bands

850 MHz GSM  
1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/11 to 04/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 61: LG LG-P505****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-P505

BEJP505

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 03/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Phonex

**Handset 62: LG LG-P509****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-P509

BEJP509

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA  
1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/11 to 11/11

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Marketing Name: Thunder

---

### Handset 63: LG LG-P925

#### Handset Maker

LG

#### Handset Model Name

LG-P925

#### FCC ID

BEJP925

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/11 to 04/12

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Marketing Name: Cosmo

---

## Handset 64: LG LG-P930

### Handset Maker

LG

### Handset Model Name

LG-P930

### FCC ID

BEJP930

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 11/11 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: Nitro HD

## Handset 65: LG LG-P999, LGL95G

### Handset Maker

LG

### Handset Model Name

LG-P999, LGL95G

### FCC ID

BEJP999DW

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/11 to 01/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Marketing Name: Optimus 2x, Power of Two

**Handset 66: LG LG-A340****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-A340

ZNFA340

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/12 to 06/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 01/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

Marketing Name: F4

**Handset 67: LG LG-C395****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG-C395

ZNFC395

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 04/12 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Marketing Name: In Touch

---

### Certification

#### This Report has been certified by:

Jacob Cho Director  
07/12/2012 08:58 PM