



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2011 - June 30, 2012

Filing Confirmation Number: 0005386016

Filing Deadline: July 16, 2012

FRN: 0004265831

Filing Date: 09/10/2012 05:05 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: Kyocera Communications, Inc.

Brand Names: Kyocera
Sanyo

PO Box:

Street Address: 8611 Balboa Avenue

City: San Diego

State: CA

Zip Code: 92123

Contact Name: C. K. Li

Contact Phone: (185) 888-2394

Contact Fax:

Contact Email: ck.li@kyocera.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: <http://www.kyocera-wireless.com/accessible-solutions/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC and Accessibility information are available to consumers at Kyocera website.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 25

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 25

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	25	100%					25

Handset 1: Kyocera SCP-6780

Handset Maker

Kyocera

Handset Model Name

SCP-6780

FCC ID

V65SCP-6780

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Kyocera SCP-3820

Handset Maker

Kyocera

Handset Model Name

SCP-3820

FCC ID

V65SCP-3820

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Kyocera E4100

Handset Maker

Kyocera

Handset Model Name

E4100

FCC ID

V65E4100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Kyocera M9300**Handset Maker**

Kyocera

Handset Model Name

M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Kyocera E3100 Rio**Handset Maker**

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Kyocera K55-01**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

K55-01

OVF-K5501

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Kyocera K55-02, K55-03**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

K55-02, K55-03

OVF-K5502

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 02/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 01/25/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 01/25/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Kyocera S1350

Handset Maker

Kyocera

Handset Model Name

FCC ID

S1350

OVFS13503CB

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 05/21/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 05/21/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Kyocera S1310 Domino

Handset Maker

Kyocera

Handset Model Name

S1310 Domino

FCC ID

OVF-K33BIC06

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 10/09 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Kyocera M1400 Laylo

Handset Maker

Kyocera

Handset Model Name

M1400 Laylo

FCC ID

OVFK50-03

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 08/09 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Kyocera S2300**Handset Maker**

Kyocera

Handset Model Name

S2300

FCC ID

OVF-K5302

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Kyocera S2300/K53-01**Handset Maker**

Kyocera

Handset Model Name

S2300/K53-01

FCC ID

OVF-K5301

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 02/10 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Kyocera S1310/K33BIC-04**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

S1310/K33BIC-04

OVF-K33BIC04

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 10/09 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/24/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: Kyocera M6000**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

M6000

V65M6000

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Sanyo SCP-PRO700

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-PRO700

AEZSCP-PRO700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 04/08 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/22/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 16: Sanyo SCP-2700

Handset Maker

Sanyo

Handset Model Name

SCP-2700

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 17: Sanyo SCP-3810

Handset Maker

Sanyo

Handset Model Name

SCP-3810

FCC ID

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/07/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/07/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 18: Sanyo SCP6760****Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP6760

V65SCP-6760

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 19: Kyocera M2000****Handset Maker**

Kyocera

Handset Model Name**FCC ID**

M2000

OVF-K4802

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Kyocera S3015

Handset Maker

Kyocera

Handset Model Name

S3015

FCC ID

V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Kyocera S2400

Handset Maker

Kyocera

Handset Model Name

S2400

FCC ID

OVF-K33BI01

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 06/08 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 04/24/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 22: Kyocera E4233**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

E4233

V65E4233

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: Kyocera E4255

Handset Maker

Kyocera

Handset Model Name FCC ID

E4255	V65E4255
E4277	V65E4255

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 08/11/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 08/11/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: Kyocera C5120 MILANO

Handset Maker

Kyocera

Handset Model Name FCC ID

C5120 MILANO	V65C5120
--------------	----------

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 08/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/09/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/09/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Kyocera E4210**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

E4210 V65E4210

DuraCore V65E4210

Duracore Pro 720 V65E4210

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification**This Report has been certified by:**

CK Li Director of Regulatory Engineering

09/10/2012 05:05 PM