



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005605289

Filing Deadline: January 15, 2013

FRN: 0004372827

Filing Date: 01/15/2013 04:42 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Sprint-Nextel Corp
Brand Names: Sprint Nextel
PO Box:
Street Address: 6220 Sprint Parkway
City: Overland Park
State: KS
Zip Code: 66251

Contact Name: Adrian Milner
Contact Phone: (913) 220-4468
Contact Fax:
Contact Email: Adrian.2.Milner@sprint.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.sprint.com/landings/accessibility/hearing.html>;

http://www.sprint.com/landings/accessibility/docs/HAC_PDF_List.pdf

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Through its membership in ATIS and the CTIA, Sprint Nextel participates in several events that allow interaction between consumers, service providers and manufacturers. Sprint Nextel regularly participates in the Hearing Loss Association of America HLAA conventions. And, in relation to its Sprint TRS organization, Sprint Nextel attends dozens of events throughout the year with some of the leading organizations for the deaf and hard of hearing including Alexander Graham Bell Association for the Deaf, Association for Late Deafened Adults, National Association for the Deaf, and the Rochester Institute for the Deaf.

Methodology for Functionality Levels

Each handset is evaluated by a Sprint Nextel product and technology committee who selects the appropriate functionality level based on handset capabilities from the simplest basic functionality to high-end smart devices with complex operating systems. The functionality levels defined for 2012 are Advanced, Middle, and Basic. Advanced handsets are based upon complex Smartphone type operating systems e.g., Android, Apple, and RIM/Blackberry. Middle handsets that are voice capable messaging phones such as QWERTY keyboards, enhanced browsers such as those that support HTML, and High Performance Push-To-Talk with high data rates. Basic handsets that are low end and low cost feature phones that support text messaging where alphanumeric text entry may require triple tapping. Simple web-browsing capability and other data services are typically supported.

Report Remarks

NA

You have reported the following handset model summary information.

Total number of handsets offered: 75

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	58	87%	7	10%	2	3%		67
iDEN	4	50%	3	38%	1	13%		8

Handset 1: Kyocera SCP-6780

Handset Maker

Kyocera

Handset Model Name

FCC ID

SCP-6780

V65SCP-6780

Innuendo

V65SCP-6780

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 03/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Sanyo Innuendo by Kyocera

Handset 2: Motorola Titanium

Handset Maker

Motorola

Handset Model Name

FCC ID

Titanium

IHDT56MH1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 07/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola Titanium

Handset 3: Kyocera SCP-3820**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

SCP-3820

V65SCP-3820

Vero

V65SCP-3820

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Sanyo Vero by Kyocera

Handset 4: Samsung SPH-M360

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-M360

A3LSPHM360

M360

A3LSPHM360

Pierre

A3LSPHM360

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 04/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as M360 by Samsung and Samsung Pierre

Handset 5: Samsung SPH-M380

Handset Maker

Samsung

Handset Model Name

SPH-M380
Trender

FCC ID

A3LSPHM380
A3LSPHM380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung Trender

Handset 6: Samsung SPH-M580

Handset Maker

Samsung

Handset Model Name

SPH-M580
Replenish

FCC ID

A3LSPHM580
A3LSPHM580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Samsung Replenish

Handset 7: Motorola i335

Handset Maker

Motorola

Handset Model Name

i335

FCC ID

IHDT56HG2

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as i335 by Motorola

Handset 8: Samsung SPH-M920

Handset Maker

Samsung

Handset Model Name

SPH-M920

Transform

FCC ID

A3LSPHM920

A3LSPHM920

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 04/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Transform

Handset 9: Samsung SPH-M930

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-M930	A3LSPHM930
Transform Ultra	A3LSPHM930

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Transform Ultra

Handset 10: Apple iPhone 4S 16GB

Handset Maker

Apple

Handset Model Name

FCC ID

iPhone 4S 16GB

BCG-E2430A

iPhone 4S 32GB

BCG-E2430A

iPhone 4S 64GB

BCG-E2430A

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 4S 16GB, 32GB, & 64GB

Handset 11: Apple iPhone 4 8GB

Handset Maker

Apple

Handset Model Name

iPhone 4 8GB

FCC ID

BCG-E2422B

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 4 8GB

Handset 12: Sanyo SCP-PRO700

Handset Maker

Sanyo

Handset Model Name

SCP-PRO700

FCC ID

AEZSCP-PRO700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 04/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as PRO-700 by Sanyo

Handset 13: LG LN510

Handset Maker

LG

Handset Model Name

FCC ID

LN510

BEJLN510

Rumor Touch

BEJLN510

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as LG Rumor Touch

Handset 14: LG LS670

Handset Maker

LG

Handset Model Name

FCC ID

LS670

BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Thunder- LS670 & LG Optimus S

Handset 15: LG LS855

Handset Maker

LG

Handset Model Name

FCC ID

LS855

BEJLS855

Marquee

BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Marquee

Handset 16: Motorola i365

Handset Maker

Motorola

Handset Model Name

i365

FCC ID

IHDP56HJ1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as i365 by Motorola

Handset 17: Motorola i576

Handset Maker

Motorola

Handset Model Name

i576

i576S refresh

FCC ID

IHDP56HS1

IHDP56HS1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as i576 by Motorola & i576S refresh

Handset 18: Motorola i686

Handset Maker

Motorola

Handset Model Name

FCC ID

i686

IHDT56KD1

Brute

IHDT56KD1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Motorola Brute i686

Handset 19: Kyocera E4255

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4255

V65E4255

DuraMax

V65E4255

DuraXT

V65E4255

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraMax and DuraXT

Handset 20: Research In Motion BlackberryCurve8350i

Handset Maker

Research In Motion

Handset Model Name

FCC ID

BlackberryCurve8350i

L6ARCD20IN

BB Curve 8350i NoCam

L6ARCD20IN

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 8350i smartphone & BlackBerry Curve 8350i no camera; GSM 850, 900, 1800 & 1900 MHz; UMTS 2100 Mhz supported internationally only.

Handset 21: Research In Motion Blackberry Curve8530

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Curve8530

L6ARCL20CW

Blackberry Curve 3G

L6ARCL20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 8530 smartphone & BlackBerry Curve 3G smartphone

Handset 22: Motorola Admiral

Handset Maker

Motorola

Handset Model Name

Admiral

FCC ID

IHDT56MP1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola ADMIRAL

Handset 23: Research In Motion Blackberry Torch9850

Handset Maker

Research In Motion

Handset Model Name

Blackberry Torch9850

FCC ID

L6ARDH70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 03/12

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Torch 9850 smartphone

Handset 24: Research In Motion Blackberry Curve9350

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Curve9350

L6ARDS40CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 9350 smartphone

Handset 25: Research In Motion Blackberry Bold 9930

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Bold 9930

L6ARDU70CW

BB Bold 9930 NoCamer

L6ARDU70CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Bold 9930 smartphone & BlackBerry Bold 9930 smartphone (non-camera); GSM 850, & 1900 MHz; supported internationally only.

Handset 26: HTC Evo 4G

Handset Maker

HTC

Handset Model Name

Evo 4G

FCC ID

NM8PC36100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 05/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 4G and HTC EVO V 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 27: HTC Arrive

Handset Maker

HTC

Handset Model Name

Arrive

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/11 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC Arrive

Handset 28: HTC EVO Shift 4G

Handset Maker

HTC

Handset Model Name

EVO Shift 4G

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 03/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO Shift 4G

This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 29: HTC EVO 3D

Handset Maker

HTC

Handset Model Name

EVO 3D

FCC ID

NM8PG86100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 3D
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 30: HTC EVO Design 4G

Handset Maker

HTC

Handset Model Name

FCC ID

EVO Design 4G

NM8PH44100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 06/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO Design 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 31: HTC TouchPro2

Handset Maker

HTC

Handset Model Name

TouchPro2

FCC ID

NM8RHOD400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC Touch Pro2; GSM 850, 900, 1800 & 1900 MHz; UMTS 2100 Mhz supported internationally only.

Handset 32: Kyocera Milano

Handset Maker

Kyocera

Handset Model Name

Milano

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Milano

Handset 33: Huawei Express

Handset Maker

Huawei

Handset Model Name

Express

FCC ID

QISM650

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Express from Sprint

Handset 34: Kyocera S3015

Handset Maker

Kyocera

Handset Model Name

S3015
BRIO

FCC ID

V65S3015
V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Kyocera Brio

Handset 35: Motorola ES400S

Handset Maker

Motorola

Handset Model Name

ES400S

FCC ID

UZ7ES405B

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 03/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola ES400S by Sprint; GSM 850, 900, 1800 & 1900 MHz; UMTS 2100 Mhz supported internationally only.

Handset 36: Kyocera E4100

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4100

V65E4100

Taho

V65E4100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Sanyo Tahoe by Kyocera

Handset 37: Kyocera E4210

Handset Maker

Kyocera

Handset Model Name	FCC ID
--------------------	--------

E4210	V65E4210
-------	----------

DuraCore	V65E4210
----------	----------

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraCore

Handset 38: Samsung SPH-D700

Handset Maker

Samsung

Handset Model Name	FCC ID
--------------------	--------

SPH-D700	A3LSPHD700
----------	------------

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 10/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Epic 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 39: Samsung SPH-D600**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-D600	A3LSPHD600
Conquer 4G	A3LSPHD600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Conquer 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 40: Samsung SPH-D710

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-D710

A3LSPHD710

Galaxy S II Epic 4G

A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy S II, Epic 4G Touch
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 41: Samsung SPH-D720

Handset Maker

Samsung

Handset Model Name

SPH-D720
Nexus S 4G

FCC ID

A3LSPHD720
A3LSPHD720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 05/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Nexus S 4G from Google
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHz.

Handset 42: Motorola XPRT

Handset Maker

Motorola

Handset Model Name

XPRT

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 09/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola XPRT

Handset 43: Motorola i886

Handset Maker

Motorola

Handset Model Name

i886

FCC ID

IHDP56LL1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 01/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola i886

Handset 44: Motorola PHOTON 4G

Handset Maker

Motorola

Handset Model Name

PHOTON 4G

FCC ID

IHDP56MD1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola PHOTON 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 45: Samsung SPH-M370

Handset Maker

Samsung

Handset Model Name

SPH-M370

FCC ID

A3LSPHM370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung M370

Handset 46: HTC EVO 4G LTE

Handset Maker

HTC

Handset Model Name

EVO 4G LTE

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 4G LTE

This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 47: Kyocera Rain

Handset Maker

Kyocera

Handset Model Name

Rain

FCC ID

V65C5170

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Rain

Handset 48: Kyocera DuraPlus**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

DuraPlus

V65E4233

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraPlus

Handset 49: LG Rumor Reflex

Handset Maker

LG

Handset Model Name

Rumor Reflex

FCC ID

ZNFLN272

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as LG Rumor Reflex

Handset 50: LG LS696

Handset Maker

LG

Handset Model Name

LS696

OPTIMUS ELITE

FCC ID

ZNFLS696

ZNFLS696

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Optimus Elite

Handset 51: LG LS840

Handset Maker

LG

Handset Model Name

FCC ID

LS840	ZNFLS840
Viper	ZNFLS840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Viper
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 52: LG LS860

Handset Maker

LG

Handset Model Name

LS860

Mach

FCC ID

ZNFLS860

ZNFLS860

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Mach.
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 53: LG LS970

Handset Maker

LG

Handset Model Name

LS970
Optimus G

FCC ID

ZNFLS970
ZNFLS970

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Optimus G
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 54: Motorola r765is

Handset Maker

Motorola

Handset Model Name

r765is

FCC ID

AZ489FT5856

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 08/09 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Motorola r765is

Handset 55: Motorola PHOTON Q

Handset Maker

Motorola

Handset Model Name

PHOTON Q

FCC ID

IHDT56NL2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola Photon Q
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 56: Samsung L300

Handset Maker

Samsung

Handset Model Name

L300

FCC ID

A3LSPHL300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Victory
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 57: Samsung L700**Handset Maker**

Samsung

Handset Model Name**FCC ID**

L700	A3LSPHL700
Galaxy Nexus	A3LSPHL700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Nexus
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 58: Samsung Galaxy 3

Handset Maker

Samsung

Handset Model Name

Galaxy 3

FCC ID

A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy S III
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 59: Samsung L900

Handset Maker

Samsung

Handset Model Name

L900

FCC ID

A3LSPHL900

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Note II
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 60: Samsung M390**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M390	A3LSPHM390
Array	A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Samsung Array and Montage

Handset 61: Samsung M400

Handset Maker

Samsung

Handset Model Name

M400

FCC ID

A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung M400

Handset 62: ZTE N850

Handset Maker

ZTE

Handset Model Name

N850

FURY

FCC ID

Q78-ZTEN850

Q78-ZTEN850

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Fury

Handset 63: ZTE N9500

Handset Maker

ZTE

Handset Model Name

FCC ID

N9500

Q78-ZTEN9500

Flash

Q78-ZTEN9500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Flash
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 64: HTC One V

Handset Maker

HTC

Handset Model Name

One V

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC One V

Handset 65: Research In Motion Curve 9310

Handset Maker

Research In Motion

Handset Model Name

Curve 9310

FCC ID

L6AREY20CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 9310

Handset 66: Telepooch Chaser

Handset Maker

Telepooch

Handset Model Name

Chaser

FCC ID

U46-WI921

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

"Marketed as Chaser

Handset 67: Kyocera Hydro

Handset Maker

Kyocera

Handset Model Name

Hydro

FCC ID

V65C5171

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Hydro

Handset 68: Samsung M270

Handset Maker

Samsung

Handset Model Name

M270

Entro

FCC ID

A3LSPHM270

A3LSPHM270

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung Entro

Handset 69: Kyocera C5155

Handset Maker

Kyocera

Handset Model Name

FCC ID

C5155	V65C5155
Rise	V65C5155
Bloom	V65C5155

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Rise and Bloom

Handset 70: Samsung M830

Handset Maker

Samsung

Handset Model Name

FCC ID

M830

A3LSPHM830

Galaxy Rush

A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Rush

Handset 71: Samsung M950

Handset Maker

Samsung

Handset Model Name

FCC ID

M950

A3LSPHM950

Reverb

A3LSPHM950

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Reverb

Handset 72: ZTE N861

Handset Maker

ZTE

Handset Model Name

FCC ID

N861

Q78-ZTEN861

Sequent

Q78-ZTEN861

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Warp Sequent

Handset 73: LG Venice

Handset Maker

LG

Handset Model Name

FCC ID

Venice

ZNFUS730

Splendor

ZNFUS730

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Splendor and LG Venice

Handset 74: TCT Mobile Limited Venture

Handset Maker

TCT Mobile Limited

Handset Model Name

FCC ID

Venture

RAD209

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Venture

Handset 75: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 5 16GB, 32GB, & 64GB.

This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Certification

This Report has been certified by:

Adrian Milner Product Development Engineer

01/15/2013 04:42 PM