



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005605336

Filing Deadline: January 15, 2013

FRN: 0015991664

Filing Date: 01/15/2013 04:51 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: PR Wireless Inc.

Brand Names: Open Mobile

PO Box:

Street Address: 1 Street, Suite 300, Chrysler Bldg., Metro Office Park

City: Guaynabo

State: PR

Zip Code: 00968

Contact Name: Adrian Gonzalez

Contact Phone: (787) 554-6736

Contact Fax: (787) 295-0101

Contact Email: adrian.gonzalez@openmobilepr.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Only the Samsung Galaxy S III does not include labeling. The rating is posted at our website.

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.openmobilepr.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Open Mobile's compliant handset models are publicly identified for consumers. Compliant models are listed on Open Mobile's website, which also includes a complete explanation of the hearing-aid ratings and capabilities. Also Open Mobile educate its retail sales people regarding digital wireless capabilities and hearing-aid compliance.

Methodology for Functionality Levels

Open Mobile's handset offerings are divided into five (5) categories considering their characteristics, features and retail prices. These categories go from a Low Tier category to a Smartphone category. Each category and category subdivision is assigned a letter and a number based on functionality levels and hearing-aid capabilities. Categories range from A1 to E6. For example, the Low Tier handsets are A1 for those handsets rated at least M3 but not T3, and A2 those handsets rated T3 and M3. For Medium and higher categories, functionality levels are assigned accordingly.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 27

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	24	89%	2	7%	1	4%		27

Handset 1: HTC Acquire

Handset Maker

HTC

Handset Model Name

Acquire

FCC ID

NM8PH44100

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 2: Motorola Citrus

Handset Maker

Motorola

Handset Model Name

Citrus

FCC ID

IHDP56LF1

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 10/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

C3

Remarks

Handset 3: Huawei M835

Handset Maker

Huawei

Handset Model Name

M835

FCC ID

QISM835

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 4: Kyocera Milano

Handset Maker

Kyocera

Handset Model Name

Milano

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 5: Samsung Admire

Handset Maker

Samsung

Handset Model Name

Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 6: RIM Blackberry Curve 9300 Style 9670

Handset Maker

RIM Blackberry Curve 9300

Handset Model Name

Style 9670

FCC ID

L6ARCU20CW

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 02/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 7: Samsung i-500 Galaxy

Handset Maker

Samsung

Handset Model Name

i-500 Galaxy

FCC ID

A3LSCHI500

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 10/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A2

Remarks

Handset 8: HTC Merge

Handset Maker

HTC

Handset Model Name

Merge

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 9: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B5

Remarks

Handset 10: RIM Blackberry Curve 9300 Curve 9330

Handset Maker

RIM Blackberry Curve 9300

Handset Model Name

Curve 9330

FCC ID

L6ARCL20CW

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 11: Samsung R680

Handset Maker

Samsung

Handset Model Name

R680

FCC ID

A3LSCHR680

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E2

Remarks

Handset 12: Samsung R261

Handset Maker

Samsung

Handset Model Name

R261

FCC ID

A3LSCHR261A

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A6

Remarks

Handset 13: Samsung Galaxy SIII

Handset Maker

Samsung

Handset Model Name

Galaxy SIII

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 14: Apple iPhone4

Handset Maker

Apple

Handset Model Name

iPhone4

FCC ID

BCG-E2422A

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 15: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 16: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 17: HTC Desire 4G

Handset Maker

HTC

Handset Model Name

Desire 4G

FCC ID

NM8PJ53100

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 18: HTC Desire C

Handset Maker

HTC

Handset Model Name

Desire C

FCC ID

NM8PL01210

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 19: HTC One V

Handset Maker

HTC

Handset Model Name

One V

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 20: HTC Cobalt

Handset Maker

HTC

Handset Model Name

Cobalt

FCC ID

NM8PG05100

Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 21: Pantech ADR8995(Breakout)

Handset Maker

Pantech

Handset Model Name

ADR8995(Breakout)

FCC ID

JYCAPACHE

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 22: Kyocera S2100 Luno

Handset Maker

Kyocera

Handset Model Name

S2100 Luno

FCC ID

OVF-K5502

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks**Handset 23: Alcatel 909B****Handset Maker**

Alcatel

Handset Model Name

909B

FCC ID

RAD210

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 24: Huawei M735

Handset Maker

Huawei

Handset Model Name

M735

FCC ID

QISM735

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

D5

Remarks

Handset 25: Huawei M886

Handset Maker

Huawei

Handset Model Name

M886

FCC ID

QISM886

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 26: LG AS695 OPTIMUS PLUS

Handset Maker

LG

Handset Model Name

FCC ID

AS695 OPTIMUS PLUS

ZNFMS695

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 27: LG 510 Prestige Touch

Handset Maker

LG

Handset Model Name

510 Prestige Touch

FCC ID

BEJVM510

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

B6

Remarks

Certification

This Report has been certified by:

Federico Grosso CFO
01/15/2013 04:51 PM