



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005598813

Filing Deadline: January 15, 2013

FRN: 0001754209

Filing Date: 01/10/2013 05:56 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Pine Belt Cellular, Inc. d/b/a Pine Belt Wireless

Brand Names: Motorola  
Kyocera  
LG  
HTC  
Samsung

PO Box: 279

Street Address: 3984 County Road 32

City: Arlington

State: AL

Zip Code: 36722

Contact Name: Cindy S Overstreet

Contact Phone: (334) 385-5007

Contact Fax: (334) 385-5021

Contact Email: cindy@pinebelt.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

## Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

## Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.pinebelttalk.com](http://www.pinebelttalk.com)

Explain:

## Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Pine Belt Wireless provides retail locations with signage and brochures regarding the availability of hearing aid compatible handsets.

## Methodology for Functionality Levels

Each handset model is described by its capabilities regarding features and functionalities. The categories are as follows:

- Basic handsets - Entry level handsets that are offered for low cost or no charge.
- Featured handsets - Handsets with more advanced capabilities.
- Smartphones/PDAs- Handsets that run complete operating system software as a platform for application developers.

## Report Remarks

---

You have reported the following handset model summary information.

Total number of handsets offered: 20

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	14	70%	6	30%				20

### Handset 1: Motorola Razr2

#### Handset Maker

Motorola

#### Handset Model Name

Razr2

#### FCC ID

IHDT56HT1

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Mostly compatible

#### Remarks

### Handset 2: Motorola QA4

#### Handset Maker

Motorola

#### Handset Model Name

QA4

#### FCC ID

IHDT56JW1

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Mostly tele-coil compatible

### Remarks

---

## Handset 3: Motorola V3m

### Handset Maker

Motorola

### Handset Model Name

V3m

### FCC ID

IHDT56FT1

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Very tele-coil compatible

### Remarks

---

## Handset 4: Motorola KRZR K1

### Handset Maker

Motorola

### Handset Model Name

KRZR K1

### FCC ID

IHDT56GT1

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Mostly Compatible

### Remarks

---

## Handset 5: Motorola RAZR

### Handset Maker

Motorola

### Handset Model Name

RAZR

### FCC ID

IHDT56HZ1

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mostly Compatible

**Remarks**

---

**Handset 6: Motorola Milestone**

**Handset Maker**

Motorola

**Handset Model Name**

**FCC ID**

Milestone

IHDP56KC6

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
900 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mostly compatible

**Remarks**

---

## Handset 7: Motorola W755

### Handset Maker

Motorola

### Handset Model Name

W755

### FCC ID

IHDT56JB1

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Very Tele-Coil Compatible

### Remarks

---

## Handset 8: Kyocera M1400

### Handset Maker

Kyocera

### Handset Model Name

M1400

### FCC ID

OVFK50-03

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/12 to 12/12

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very Tele-coil compatible

**Remarks**

---

**Handset 9: Kyocera S2300**

**Handset Maker**

Kyocera

**Handset Model Name**

S2300

**FCC ID**

OVF-K5302

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very Tele Coil Compatible

**Remarks**

---

**Handset 10: HTC 6800**

**Handset Maker**

HTC

**Handset Model Name**

6800

**FCC ID**

NM8TITA100

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very Tele Coil Compatible

**Remarks**

---

**Handset 11: Motorola W315****Handset Maker**

Motorola

**Handset Model Name**

W315

**FCC ID**

IHDT56GE1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mostly compatible

**Remarks**

---

**Handset 12: HTC Touch Diamond**

**Handset Maker**

HTC

**Handset Model Name**

Touch Diamond

**FCC ID**

NM8DM

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very compatible

**Remarks**

---

**Handset 13: HTC Touch**

**Handset Maker**

HTC

**Handset Model Name**

Touch

**FCC ID**

NM8VOGU100

**Air Interfaces/Frequency Bands**

850 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mostly Tele coil compatible

**Remarks**

---

**Handset 14: Kyocera S1310 Domino****Handset Maker**

Kyocera

**Handset Model Name**

S1310 Domino

**FCC ID**

OVF-K33BIC06

**Air Interfaces/Frequency Bands**

850 MHz CDMA

1900 MHz CDMA

**Dates**

This handset model was offered from: 05/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very tele-coil compatible

**Remarks**

---

**Handset 15: HTC Hero**

**Handset Maker**

HTC

**Handset Model Name**

Hero

**FCC ID**

NM8HERO200

**Air Interfaces/Frequency Bands**

850 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/12

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Mostly Tele-coil compatible

**Remarks**

---

**Handset 16: Kyocera Milano**

**Handset Maker**

Kyocera

**Handset Model Name**

Milano

**FCC ID**

V65C5120

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 08/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Very Tele-Coil Compatible

### Remarks

---

## Handset 17: LG Optimus 2/AS680

### Handset Maker

LG

### Handset Model Name

Optimus 2/AS680

### FCC ID

BEJP999DW

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 08/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Very Tele-Coil Compatible

#### Remarks

---

### Handset 18: Samsung R720

#### Handset Maker

Samsung

#### Handset Model Name

R720

#### FCC ID

A3LSCHR720

#### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 10/12 to 12/12

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Mostly Tele-Coil Compatible

#### Remarks

---

### Handset 19: LG AN855 Ignite

#### Handset Maker

LG

#### Handset Model Name

AN855 Ignite

#### FCC ID

BEJLS855

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 07/12 to 12/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Very Tele-Coil Compatible

### Remarks

---

## Handset 20: Samsung i500 Showcase

### Handset Maker

Samsung

### Handset Model Name

i500 Showcase

### FCC ID

A3LSCHI500

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/12 to 12/12

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Very Compatible

**Remarks**

---

**Certification**

**This Report has been certified by:**

Cindy S Overstreet Customer Service Manager  
01/10/2013 05:56 PM