



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604915

Filing Deadline: January 15, 2013

FRN: 0020964524

Filing Date: 01/15/2013 02:54 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cintex Wireless, LLC

Brand Names: Cintex Wireless

PO Box:

Street Address: 1800 I Rockville Pike

City: Rockville

State: MD

Zip Code: 22042

Contact Name: Robert Felgar

Contact Phone: (301) 363-4306

Contact Fax:

Contact Email: rfelgar@cintexwireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.cintexwireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Hearing Aid compatible phones are described on the website. Also, customer service representatives are trained to provide information on such phones.

Methodology for Functionality Levels

Low Tier: Voice centric phone that supports messaging. It has small displays. Mid Tier: Improved features, greater than 1 megapixel, with better resolution with at least QCIF display. High Tier: Improved camera features, greater than 2 megapixel with better resolution (QVGA or better). Includes a touch screen.

Report Remarks

None

You have reported the following handset model summary information.

Total number of handsets offered: 17

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	17	100%						17

Handset 1: Motorola V3m

Handset Maker

Motorola

Handset Model Name

V3m

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Lower Tier

Remarks

None.

Handset 2: Samsung U540

Handset Maker

Samsung

Handset Model Name

U540

FCC ID

A3LSCHU540

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 3: Samsung M540

Handset Maker

Samsung

Handset Model Name

M540

FCC ID

A3LSPHM540

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 4: Samsung U430

Handset Maker

Samsung

Handset Model Name

U430

FCC ID

A3LSCHU430

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 5: Samsung U360

Handset Maker

Samsung

Handset Model Name

U360

FCC ID

A3LSCHU360

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 6: LG VX5600

Handset Maker

LG

Handset Model Name

VX5600

FCC ID

BEJ VX5600

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 7: LG LX370

Handset Maker

LG

Handset Model Name

LX370

FCC ID

BEJ LX370

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 8: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name

Pro 200

FCC ID

AEZSCP-Pro200

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 9: Sanyo 3800

Handset Maker

Sanyo

Handset Model Name

3800

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 10: Sanyo 3810

Handset Maker

Sanyo

Handset Model Name

3810

FCC ID

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 11: Sanyo Zio by Kyocera

Handset Maker

Sanyo

Handset Model Name

FCC ID

Zio by Kyocera

V65SCP-8600

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High Tier

Remarks

None

Handset 12: LG LX260

Handset Maker

LG

Handset Model Name

LX260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Handset 13: Samsung M800 (Instinct)

Handset Maker

Samsung

Handset Model Name

M800 (Instinct)

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High Tier

Remarks

None

Handset 14: Samsung M810 (Instinct S30)

Handset Maker

Samsung

Handset Model Name

FCC ID

M810 (Instinct S30)

A3LSPHM810

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High Tier

Remarks

None

Handset 15: LG VX5500

Handset Maker

LG

Handset Model Name

VX5500

FCC ID

BEJVX5500

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 16: Samsung M320

Handset Maker

Samsung

Handset Model Name

M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

None

Handset 17: Samsung M360

Handset Maker

Samsung

Handset Model Name

M360

FCC ID

A3LSPHM360

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

None

Certification

This Report has been certified by:

Robert Felgar General Counsel
01/15/2013 02:54 PM