



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005601559

Filing Deadline: January 15, 2013

FRN: 0020322053

Filing Date: 01/13/2013 08:40 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 10/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Gulf Coast Home Phone Services, Inc

Brand Names: Gulf Coast Wireless

PO Box: 831658

Street Address:

City: Ocala

State: FL

Zip Code: 34483

Contact Name: Kristen Soucy

Contact Phone: (352) 233-2700

Contact Fax:

Contact Email: ksoucy.compliance@gulfcoasthomephoneservices.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Telecom Service Bureau

PO Box: 831478

Street Address:

City: Ocala

State: FL

Contact Name: Tina Allen
Contact Phone: (352) 233-2717
Contact Fax:
Contact Email: tallen@telecomservicebureau.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.GulfCoastWirelessPhones.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Outreach events

Methodology for Functionality Levels

Device Manual, FCC ID Lookup, PhoneScoop

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	13	72%	5	28%			18	

Handset 1: Research In Motion 8130

Handset Maker

Research In Motion

Handset Model Name

8130

FCC ID

L6ARBS20CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 11/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 2: Motorola IC502 (Buzz)

Handset Maker

Motorola

Handset Model Name

IC502 (Buzz)

FCC ID

AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 08/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 3: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name

SCP-3100

FCC ID

AEZSCP-31H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 03/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 4: Sanyo SCP-2300

Handset Maker

Sanyo

Handset Model Name

SCP-2300

FCC ID

AEZSCP-23H

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 10/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 5: Research In Motion 8330

Handset Maker

Research In Motion

Handset Model Name

8330

FCC ID

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 6: Palm 755p

Handset Maker

Palm

Handset Model Name

755p

FCC ID

O8F-895

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 07/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 7: Samsung M800 (Instinct)

Handset Maker

Samsung

Handset Model Name

M800 (Instinct)

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 8: Samsung M350 (Seek)

Handset Maker

Samsung

Handset Model Name

M350 (Seek)

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 9: LG LX260 (Rumor Scoop)

Handset Maker

LG

Handset Model Name

FCC ID

LX260 (Rumor Scoop)

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 10: Samsung M540 (Rant)

Handset Maker

Samsung

Handset Model Name

FCC ID

M540 (Rant)

A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 11: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name

SCP-3800

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 12: Samsung M300

Handset Maker

Samsung

Handset Model Name

M300

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 13: LG LX600 (Lotus)

Handset Maker

LG

Handset Model Name

LX600 (Lotus)

FCC ID

BEJLX600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 14: Samsung M220

Handset Maker

Samsung

Handset Model Name

M220

FCC ID

A3LSPHM220

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 15: Samsung M260 (Factor)

Handset Maker

Samsung

Handset Model Name

M260 (Factor)

FCC ID

A3LSPHM260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 16: Sanyo SCP-6780 (Innuendo)

Handset Maker

Sanyo

Handset Model Name

SCP-6780 (Innuendo)

FCC ID

V65SCP-6780

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 17: LG M510

Handset Maker

LG

Handset Model Name

M510

FCC ID

A3LSPHM510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 09/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 18: Samsung M520

Handset Maker

Samsung

Handset Model Name

M520

FCC ID

A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 11/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Certification

This Report has been certified by:

Kristen Soucy President
01/13/2013 08:40 PM