



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005601561

Filing Deadline: January 15, 2013

FRN: 0020322079

Filing Date: 01/13/2013 08:44 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 11/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Aegis Telecom, Inc dba Off The Hook Telecom

Brand Names: Off The Hook Telecom

PO Box: 830112

Street Address:

City: Ocala

State: FL

Zip Code: 34483

Contact Name: Robert Clark

Contact Phone: (352) 233-2700

Contact Fax:

Contact Email: rclark.compliance@aegistelecom.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Telecom Service Bureau

PO Box: 831478

Street Address:

City: Ocala

State: FL

Contact Name: Tina Allen  
Contact Phone: (352) 233-2717  
Contact Fax:  
Contact Email: tallen@telecomservicebureau.com

### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?  
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?  
N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.OffTheHookTelecom.net](http://www.OffTheHookTelecom.net)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Outreach events

### Methodology for Functionality Levels

Device Manual, FCC ID Lookup, PhoneScoop

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 14

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	9	64%	5	36%			14	

### Handset 1: Samsung M540 (Rant)

#### Handset Maker

Samsung

#### Handset Model Name

M540 (Rant)

#### FCC ID

A3LSPHM540

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/12 to 09/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

M4 & T4 Compatibility

#### Remarks

### Handset 2: Samsung M300

#### Handset Maker

Samsung

#### Handset Model Name

M300

#### FCC ID

A3LSPHM300

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 07/12 to 11/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T4 Compatibility

### Remarks

---

## Handset 3: Samsung M550 (Exclaim)

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

M550 (Exclaim)

A3LSPHM550

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 08/12 to 08/12

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T3 Compatibility

### Remarks

---

## Handset 4: Samsung M220

### Handset Maker

Samsung

### Handset Model Name

M220

### FCC ID

A3LSPHM220

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 09/12 to 09/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T4 Compatibility

### Remarks

---

## Handset 5: Sanyo SCP-2300

### Handset Maker

Sanyo

### Handset Model Name

SCP-2300

### FCC ID

AEZSCP-23H

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 09/12 to 09/12

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 6: Sanyo Pro 700**

**Handset Maker**

Sanyo

**Handset Model Name**

Pro 700

**FCC ID**

AEZSCP-PRO700

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 11/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 7: Samsung M520**

**Handset Maker**

Samsung

**Handset Model Name**

M520

**FCC ID**

A3LSPHM520

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 11/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 Compatibility

**Remarks**

---

**Handset 8: Research In Motion 8130****Handset Maker**

Research In Motion

**Handset Model Name****FCC ID**

8130

L6ARBS20CW

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 03/12

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 & T3 Compatibility

**Remarks**

---

**Handset 9: Motorola IC502 (Buzz)**

**Handset Maker**

Motorola

**Handset Model Name**

IC502 (Buzz)

**FCC ID**

AZ489FT7019

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/12 to 09/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 Compatibility

**Remarks**

---

**Handset 10: Sanyo SCP-6650**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-6650

**FCC ID**

AEZSCP-6650

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/12 to 10/12

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 Compatibility

### Remarks

---

## Handset 11: Sanyo SCP-3800

### Handset Maker

Sanyo

### Handset Model Name

### FCC ID

SCP-3800

AEZSCP-3800

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 08/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 12: Research In Motion 8330**

**Handset Maker**

Research In Motion

**Handset Model Name**

8330

**FCC ID**

L6ARBU20CW

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 05/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 13: Samsung A420**

**Handset Maker**

Samsung

**Handset Model Name**

A420

**FCC ID**

A3LSPHA420

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 06/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 14: Samsung M800 (Instinct)****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

M800 (Instinct)

A3LSPHM800

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 06/12

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 & T3 Compatibility

**Remarks**

---

**Certification**

**This Report has been certified by:**

Robert Clark President  
01/13/2013 08:44 PM