



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005601565

Filing Deadline: January 15, 2013

FRN: 0021180567

Filing Date: 01/13/2013 08:49 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 05/12

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Absolute Mobile, Inc

Brand Names: Absolute Mobile

PO Box: 830010

Street Address:

City: Ocala

State: FL

Zip Code: 34483

Contact Name: Chris Peltier

Contact Phone: (352) 233-2700

Contact Fax:

Contact Email: cpeltier.compliance@absolutehomephones.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Telecom Service Bureau

PO Box: 831478

Street Address:

City: Ocala

State: FL

Contact Name: Tina Allen  
Contact Phone: (352) 233-2717  
Contact Fax:  
Contact Email: tallen@telecomservicebureau.com

### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?  
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?  
N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.AbsoluteMobilePhones.com](http://www.AbsoluteMobilePhones.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Outreach events

### Methodology for Functionality Levels

Device Manual, FCC ID Lookup, PhoneScoop

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 22

| Air Interface | Fully Hearing Aid Compatible |         | Acoustic Coupling Compatible Only |         | Non-Compliant Handsets |         | Excluded Handsets Number | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|--------------------------|------------------------|
|               | Number                       | Percent | Number                            | Percent | Number                 | Percent |                          |                        |
| CDMA          | 12                           | 55%     | 10                                | 45%     |                        |         | 22                       |                        |

### Handset 1: Research In Motion 8330

#### Handset Maker

Research In Motion

#### Handset Model Name

8330

#### FCC ID

L6ARBU20CW

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 06/12 to 08/12

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

M4 & T4 Compatibility

#### Remarks

### Handset 2: Samsung M350 (Seek)

#### Handset Maker

Samsung

#### Handset Model Name

M350 (Seek)

#### FCC ID

A3LSPHM350

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 05/12 to 07/12

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 Compatibility

### Remarks

---

## Handset 3: Sanyo SCP-3100

### Handset Maker

Sanyo

### Handset Model Name

SCP-3100

### FCC ID

AEZSCP-31H

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 07/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T4 Compatibility

### Remarks

---

## Handset 4: Sanyo SCP-7050

### Handset Maker

Sanyo

### Handset Model Name

SCP-7050

### FCC ID

AEZSCP-7050

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 06/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T4 Compatibility

### Remarks

---

## Handset 5: Sanyo SCP-3820 (Vero)

### Handset Maker

Sanyo

### Handset Model Name

SCP-3820 (Vero)

### FCC ID

V65SCP-3820

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 05/12 to 05/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 6: Samsung M520**

**Handset Maker**

Samsung

**Handset Model Name**

M520

**FCC ID**

A3LSPHM520

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 12/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 Compatibility

**Remarks**

---

**Handset 7: Sanyo SCP-2300**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-2300

**FCC ID**

AEZSCP-23H

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/12 to 10/12

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M3 Compatibility

### Remarks

---

## Handset 8: Samsung M220

### Handset Maker

Samsung

### Handset Model Name

M220

### FCC ID

A3LSPHM220

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/12 to 08/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 9: Samsung M300**

**Handset Maker**

Samsung

**Handset Model Name**

M300

**FCC ID**

A3LSPHM300

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 07/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 10: Sanyo 6750X**

**Handset Maker**

Sanyo

**Handset Model Name**

6750X

**FCC ID**

JOYSCP-6750

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/12 to 06/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

M4 & T4 Compatibility

### Remarks

---

## Handset 11: Sanyo SCP6750X

### Handset Maker

Sanyo

### Handset Model Name

SCP6750X

### FCC ID

JOYSCP-6750

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 06/12 to 06/12

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 12: Sanyo SCP6750**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP6750

**FCC ID**

JOYSCP-6750

**Air Interfaces/Frequency Bands**

850 MHz CDMA

1900 MHz CDMA

**Dates**

This handset model was offered from: 06/12 to 06/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 13: Sanyo SCP-6650**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-6650

**FCC ID**

AEZSCP-6650

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 Compatibility

**Remarks**

---

**Handset 14: Samsung A640****Handset Maker**

Samsung

**Handset Model Name**

A640

**FCC ID**

A3LSPHA640S

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 15: UT Starcom CDM-120**

**Handset Maker**

UT Starcom

**Handset Model Name**

CDM-120

**FCC ID**

O6Y-CDM7025

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 16: Palm 700**

**Handset Maker**

Palm

**Handset Model Name**

700

**FCC ID**

O8FJIMI

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 17: Sanyo SCP-2400****Handset Maker**

Sanyo

**Handset Model Name****FCC ID**

SCP-2400

AEZSCP-24H

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 10/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 18: Palm 700w**

**Handset Maker**

Palm

**Handset Model Name**

700w

**FCC ID**

O8FJIMI

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 19: LG M510**

**Handset Maker**

LG

**Handset Model Name**

M510

**FCC ID**

A3LSPHM510

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M3 Compatibility

**Remarks**

---

**Handset 20: Samsung M500****Handset Maker**

Samsung

**Handset Model Name**

M500

**FCC ID**

A3LSPHM500

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 & T4 Compatibility

**Remarks**

---

**Handset 21: LG LX160 (Flare)**

**Handset Maker**

LG

**Handset Model Name**

LX160 (Flare)

**FCC ID**

BEJLX160

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/12 to 07/12

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

M4 Compatibility

**Remarks**

---

**Handset 22: Sanyo SCP-3800**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-3800

**FCC ID**

AEZSCP-3800

## Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

## Dates

This handset model was offered from: 08/12 to 08/12

## Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

## Functionality Level

M4 & T4 Compatibility

## Remarks

---

## Certification

### This Report has been certified by:

Christopher Peltier President  
01/13/2013 08:49 PM