



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005603814

Filing Deadline: January 15, 2013

FRN: 0003717709

Filing Date: 01/14/2013 10:04 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: PBT Communications

Brand Names: Comporium
PBT Communications

PO Box:

Street Address: 1660 Juniper Springs Rd

City: Gilbert

State: SC

Zip Code: 29054

Contact Name: Ben Spearman

Contact Phone: (803) 894-1104

Contact Fax: (803) 892-2123

Contact Email: ben.spearman@comporium.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.comporium.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months:

Methodology for Functionality Levels

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	15	100%						15
WCDMA	13	100%						13

Handset 1: Huawei Impulse

Handset Maker

Huawei

Handset Model Name

Impulse

FCC ID

QISU8800-51

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 10/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 2: LG Quantum

Handset Maker

LG

Handset Model Name

Quantum

Neon

Encore

GU295

Neon II GW 370

Phoenix

Thrill

XPRESSION

A340

Optimus G

FCC ID

BEJC900

BEJGT365

BEJGT550

BEJGU295

BEJGW370

BEJP505

BEJP925

ZNFC395

ZNFA340

ZNFE970

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi
2.5 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 3: HTC Aria

Handset Maker

HTC

Handset Model Name

FCC ID

Aria	NM8PB92110
Freestyle	NM8PD53100
Inspire	NM8PD98120
Titan	NM8PI39100
Vivid	NM8PH39100
Status	NM8PH06130
Tilt 2	BEJCF360
Surround	NM8PD26100
Windows 8x	NM8PM23300
ONE X	NM8PJ83100

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA

900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 4: Motorola Backflip MB300

Handset Maker

Motorola

Handset Model Name

FCC ID

Backflip MB300	IHDP56KD1
FLIPSIDE	IHDT56LE2
FLIPOUT	IHDT56LD1
Bravo	IHDP56LD1
Atrix 2	IHDT56MV1
Tundra	IHDP56HM1
ATRIX HD	IHDP56MB4

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 5: Hewlett-Packard IPAQ Glisten

Handset Maker

Hewlett-Packard

Handset Model Name

IPAQ Glisten
Veer

FCC ID

B94HHP21C
O8F-BROU

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz WCDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

N/A

Remarks

N/A

Handset 6: Apple iPhone 3GS (A1303)

Handset Maker

Apple

Handset Model Name

FCC ID

iPhone 3GS (A1303)

BCGA1303A, BCGA1303B

iPhone 4 (A1332)

BCG-E2380A, BCG-E2380B

4s

BCG-E2430A

iPhone 5

BCG-E2599A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz GSM

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Best

Remarks

Oct 2011 iOS5 software made these devices M3,T3 compliant with power down at 2g 1900

Handset 7: Pantech Reveal

Handset Maker

Pantech

Handset Model Name

FCC ID

Reveal	JYCC790
Breeze II	JYCP2000
Ease	JYCP2020
Breeze III	JYCP2030
Impact	JYCP7000
Link	JYCP7040
P8000(Crossover)	JYCP8000
Pursuit	JYCP9020
Laser	JYCP9050
P6020(Swift)	JYCP6020
Link II	JYCP5000
Pursuit II	JYCP6010
Pocket	JYCP9060
Renue P6030	JYCP6030
P9070(Burst)	JYCP9070
P8010 (Flex)	JYCP8010

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 8: Samsung a597 Eternity II

Handset Maker

Samsung

Handset Model Name

FCC ID

a597 Eternity II	A3LSGHA597
Evergreen A667	A3LSGHA667
SGH-A687	A3LSGHA687
SGH-A697	A3LSGHA697
Solstice II	A3LSGHA817
SGH-A847	A3LSGHA847
Solstice	A3LSGHA887
Mythic	A3LSGHA897
SGH-A927 Flight II	A3LSGHA927
Galaxy S II	A3LSGHI777
Rugby II	A3LSGHA847
Captivate	A3LSGHI897
Focus	A3LSGHI917
a777	A3LSGHA777
Focus Flash	A3LSGHI677
DoubleTime	A3LSGHI857
Captivate Glide	A3LSGHI927
FOCUS II	A3LSGHI667
GT-N7000 Galaxy Note	A3LSGHI717
RUGBY SMART	A3LSGHI847
Rugby Pro I547	A3LSGHI547
Galaxy Note 2	A3LSGHI317
i9300 Galaxy S 3	A3LSGHI747
Rugby III	A3LSGHA997

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 9: Nokia 6350

Handset Maker

Nokia

Handset Model Name

FCC ID

6350

QMNRM-455

6650

QMNRM-324H

Lumia 920

PYAA

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz WCDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 10: Research In Motion Limited BLACKBERRY 9100

Handset Maker

Research In Motion Limited

Handset Model Name FCC ID

BLACKBERRY 9100	L6ARCV70UW
BlackBerry 9300	L6ARDA70UW
9360	L6ARDC70UW
Blackberry 9700	L6ARCN70UW
9800	L6ARCY70UW
Torch 9810	L6ARDM70UW
9900	L6ARDE70UW
BlackBerry 9000	L6ARBT70UW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 11: Palm Pre Plus-U

Handset Maker

Palm

Handset Model Name

FCC ID

Pre Plus-U

O8F-CASG

Pixi Plus-U

O8F-PIXUW

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 05/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 12: PCD SHARP FX PLUS

Handset Maker

PCD

Handset Model Name

SHARP FX PLUS

FCC ID

APYNAR0068

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

N/A

Remarks

N/A

Handset 13: Sony Ericsson Xperia Play 4G

Handset Maker

Sony Ericsson

Handset Model Name

Xperia Play 4G
W518a
Vivaz

FCC ID

PY7A3880087
PY7A3880017
PY7A3880070

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

N/A

Handset 14: ZTE AT7T Z331**Handset Maker**

ZTE

Handset Model Name**FCC ID**

AT7T Z331

Q78-Z331

AT&T Z331

Q78-Z331

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/12 to 09/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

N/A

Remarks

N/A

Handset 15: Sharp FX

Handset Maker

Sharp

Handset Model Name

FX

FCC ID

APYNAR0068

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 04/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Best

Remarks

Certification

This Report has been certified by:

Lewis B Spearman Mr VP of Business Development

01/14/2013 10:04 PM

Reference Copy