



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858853

Filing Deadline: July 15, 2013

FRN: 0005810205

Filing Date: 07/15/2013 09:23 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Samsung Telecommunications America

Brand Names: Samsung

PO Box:

Street Address: 1301 E. Lookout Drive

City: Richardson

State: TX

Zip Code: 75082

Contact Name: Kendra M. Green

Contact Phone: (972) 761-7123

Contact Fax:

Contact Email: k.green@samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address:

http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung has a website for accessibility that includes a list HAC ratings for and posting estimated M1/M2 information for non-HAC devices. Samsung's website also provides information that enables customers to contact and speak to a designated agent for HAC. Samsung's website also helps to explain the meaning of M and T-coil ratings

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 41

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 104

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	19	37%	23	45%	9	18%		51
CDMA	34	57%	26	43%				60
WCDMA	17	38%	20	44%	8	18%		45

Handset 1: Samsung Contour R250

Handset Maker

Samsung

Handset Model Name

Contour R250

FCC ID

A3LSCHR250

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Samsung CONVOY 2

Handset Maker

Samsung

Handset Model Name

CONVOY 2

FCC ID

A3LSCHU660

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Samsung Galaxy Express

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Express
SGH-I437Z

A3LSGHI437
A3LSGHI437

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz support

Handset 4: Samsung GT-I9505X

Handset Maker

Samsung

Handset Model Name

GT-I9505X

FCC ID

A3LGTI9505

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 04/13 to 04/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 5: Samsung I937

Handset Maker

Samsung

Handset Model Name

I937

FCC ID

A3LSGHI937

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz WiMax
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 6: Samsung Intensity U460

Handset Maker

Samsung

Handset Model Name

Intensity U460

FCC ID

A3LSCHU460

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/29/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Samsung M270

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 8: Samsung M390****Handset Maker**

Samsung

Handset Model Name

M390

FCC ID

A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

820 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Samsung M400

Handset Maker

Samsung

Handset Model Name

M400

FCC ID

A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

820 MHz CDMA

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Samsung M830

Handset Maker

Samsung

Handset Model Name

M830

FCC ID

A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHZ support

Handset 11: Samsung M950

Handset Maker

Samsung

Handset Model Name

M950

FCC ID

A3LSPHM950

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 12: Samsung Prevail

Handset Maker

Samsung

Handset Model Name

FCC ID

Prevail

A3LSPHM820

Air Interfaces/Frequency Bands

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Samsung R261

Handset Maker

Samsung

Handset Model Name

R261

FCC ID

A3LSCHR261

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 03/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/07/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: Samsung R375C

Handset Maker

Samsung

Handset Model Name

R375C

FCC ID

A3LSCHR375C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

R640 Character

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 04/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/26/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Samsung R680

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA
 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 02/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 17: Samsung R720 Admire****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R720 Admire	A3LSCHR720
Vitality (R720)	A3LSCHR720

Air Interfaces/Frequency Bands

800 MHz CDMA
 1700 MHz CDMA
 1900 MHz CDMA
 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 01/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: Samsung SCH-i110

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-i110

A3LSCHII110

SCH-S720C

A3LSCHII110

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz WiMax

5800 MHz WLAN

5200 MHz WLAN

5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 19: Samsung SCH-I200

Handset Maker

Samsung

Handset Model Name

SCH-I200

FCC ID

A3LSCHI200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz support

Handset 20: Samsung SCH-i405

Handset Maker

Samsung

Handset Model Name

SCH-i405

FCC ID

A3LSCHI405

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz support

Handset 21: Samsung SCH-i405U

Handset Maker

Samsung

Handset Model Name

SCH-i405U

FCC ID

A3LSCHI405U

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz also supported

Handset 22: Samsung SCH-i415

Handset Maker

Samsung

Handset Model Name

SCH-i415

FCC ID

A3LSCHI415

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz also supported

Handset 23: Samsung i500 Galaxy Showcase

Handset Maker

Samsung

Handset Model Name

FCC ID

i500 Galaxy Showcase	A3LSCHI500
SCH-i500 Fascinate	A3LSCHI500
SCH-I500 Mesmerize	A3LSCHI500
SCH-S950C	A3LSCHI500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 11/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/14/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: Samsung SCH-I510

Handset Maker

Samsung

Handset Model Name

SCH-I510

FCC ID

A3LSCHI510

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/01/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Samsung SCH-i515

Handset Maker

Samsung

Handset Model Name

SCH-i515

FCC ID

A3LSCHI515

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 11/15/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz support

Handset 26: Samsung SCH-I535

Handset Maker

Samsung

Handset Model Name

SCH-I535

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz WLAN
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 27: Samsung SCH-I545

Handset Maker

Samsung

Handset Model Name

SCH-I545

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 28: Samsung SCH-I605

Handset Maker

Samsung

Handset Model Name

SCH-I605

FCC ID

A3LSCHI605

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz Wi-Fi

5800 MHz WLAN

5200 MHz WLAN

5300 MHz WLAN

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 29: Samsung SCH-i930

Handset Maker

Samsung

Handset Model Name

SCH-i930

FCC ID

A3LSCHI930

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 30: Samsung SCH-R220

Handset Maker

Samsung

Handset Model Name

SCH-R220

FCC ID

A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 31: Samsung SCH-R260

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 32: Samsung SCH-R270****Handset Maker**

Samsung

Handset Model Name

SCH-R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 33: Samsung COMMENT

Handset Maker

Samsung

Handset Model Name

FCC ID

COMMENT	A3LSCHR380
S380C	A3LSCHR380
SCH-R380	A3LSCHR380

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/22/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 34: Samsung SCH-R390

Handset Maker

Samsung

Handset Model Name

SCH-R390

FCC ID

A3LSCHR390

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 35: Samsung SCH-R480

Handset Maker

Samsung

Handset Model Name

SCH-R480

FCC ID

A3LSCHR480

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/02/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/02/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 36: Samsung SCH-R530

Handset Maker

Samsung

Handset Model Name

SCH-R530

FCC ID

A3LSCHR530

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 37: Samsung SCH-R530C

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R530C

A3LSCHR530M

SCH-R530M

A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 38: Samsung SCH-R680

Handset Maker

Samsung

Handset Model Name

SCH-R680

FCC ID

A3LSCHR680

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 02/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 39: Samsung SCH-R760

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA
 2.4 GHz Wi-Fi
 5800 MHz WLAN
 5200 MHz WLAN
 5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 40: Samsung SCH-R820**Handset Maker**

Samsung

Handset Model Name

SCH-R820

FCC ID

A3LSCHR820

Air Interfaces/Frequency Bands

800 MHz CDMA
 1700 MHz CDMA
 1700 MHz LTE
 1900 MHz CDMA
 1900 MHz LTE
 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 41: Samsung SCH-R830

Handset Maker

Samsung

Handset Model Name

SCH-R830

FCC ID

A3LSCHR830

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 42: Samsung SCH-R860U

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R860U

A3LSCHR860U

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 43: Samsung SCH-R920

Handset Maker

Samsung

Handset Model Name

SCH-R920

FCC ID

A3LSCHR920

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 11/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 44: Samsung SCH-R930

Handset Maker

Samsung

Handset Model Name

SCH-R930

FCC ID

A3LSCHR930

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 01/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 45: Samsung SCH-R940

Handset Maker

Samsung

Handset Model Name

SCH-R940

FCC ID

A3LSCHR940

Air Interfaces/Frequency Bands

700 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 46: Samsung SCH-R950

Handset Maker

Samsung

Handset Model Name

SCH-R950

FCC ID

A3LSCHR950

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 47: Samsung SCH-R970

Handset Maker

Samsung

Handset Model Name

SCH-R970

FCC ID

A3LSCHR970

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.5 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 48: Samsung SCH-R970X

Handset Maker

Samsung

Handset Model Name

SCH-R970X

FCC ID

A3LSCHR970C

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 49: Samsung SCH-S735C

Handset Maker

Samsung

Handset Model Name

SCH-S735C

FCC ID

A3LSCHS735C

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 50: Samsung SCH-S738C

Handset Maker

Samsung

Handset Model Name

SCH-S738C

FCC ID

A3LSCHS738C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/03/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 51: Samsung SCH-U365

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-U365

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 52: Samsung SCH-U380

Handset Maker

Samsung

Handset Model Name

SCH-U380

FCC ID

A3LSCHU380

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/10/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 53: Samsung SCH-U485

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 54: Samsung SGH-A157****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-A157

A3LSGHA157

Air Interfaces/Frequency Bands

800 MHz WCDMA
850 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 55: Samsung SGH-A667

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-A667

A3LSGHA667

SGH-S425G

A3LSGHA667

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 56: Samsung SGH-A847

Handset Maker

Samsung

Handset Model Name

SGH-A847

FCC ID

A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/09/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 57: Samsung SGH-A997

Handset Maker

Samsung

Handset Model Name

SGH-A997

FCC ID

A3LSGHA997

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 10/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 58: Samsung SGH-I337

Handset Maker

Samsung

Handset Model Name

SGH-I337

FCC ID

A3LSGHI337

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 59: Samsung SGH-I407

Handset Maker

Samsung

Handset Model Name

SGH-I407

FCC ID

A3LSGHI407

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/09/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/09/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 60: Samsung SGH-I537

Handset Maker

Samsung

Handset Model Name

SGH-I537

FCC ID

A3LSGHI537

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 61: Samsung SGH-I577

Handset Maker

Samsung

Handset Model Name

SGH-I577

FCC ID

A3LSGHI577

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM

850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 62: Samsung SGH-I667

Handset Maker

Samsung

Handset Model Name

SGH-I667

FCC ID

A3LSGHI667

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 63: Samsung SGH-I677

Handset Maker

Samsung

Handset Model Name

SGH-I677

FCC ID

A3LSGHI677

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 64: Samsung SGH-I717

Handset Maker

Samsung

Handset Model Name

SGH-I717

FCC ID

A3LSGHI717

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 65: Samsung SGH-I727

Handset Maker

Samsung

Handset Model Name

SGH-I727

FCC ID

A3LSGHI727

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE

1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 04/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/01/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 66: Samsung SGH-I747

Handset Maker

Samsung

Handset Model Name

SGH-I747

FCC ID

A3LSGHI747

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 67: Samsung SGH-I827

Handset Maker

Samsung

Handset Model Name

SGH-I827

FCC ID

A3LSGHI827

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 05/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 68: Samsung SGH-I847

Handset Maker

Samsung

Handset Model Name

SGH-I847

FCC ID

A3LSGHI847

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 69: Samsung SGH-I857

Handset Maker

Samsung

Handset Model Name

SGH-I857

FCC ID

A3LSGHI857

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 01/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/19/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 70: Samsung SGH-I927

Handset Maker

Samsung

Handset Model Name

SGH-I927

FCC ID

A3LSGHI927

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 04/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/10/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 71: Samsung SGH-S125G

Handset Maker

Samsung

Handset Model Name

SGH-S125G

FCC ID

A3LSGHS125G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 72: Samsung SGH-S150G

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 73: Samsung SGH-A207****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-A207	A3LSGHS275G
SGH-S275G	A3LSGHS275G

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/27/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 74: Samsung SGH-S390G

Handset Maker

Samsung

Handset Model Name

SGH-S390G

FCC ID

A3LSGHS390G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 75: Samsung SGH-S959G

Handset Maker

Samsung

Handset Model Name

SGH-S959G

FCC ID

A3LSGHI777

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/28/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 76: Samsung SGH-T159

Handset Maker

Samsung

Handset Model Name

SGH-T159

FCC ID

A3LSGHT159

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 77: Samsung SGH-T259

Handset Maker

Samsung

Handset Model Name

SGH-T259

FCC ID

A3LSGHT259

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M3

M-Rating Certification Date: 12/28/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/28/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 78: Samsung SGH-T289

Handset Maker

Samsung

Handset Model Name

SGH-T289

FCC ID

A3LSGHT289

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 79: Samsung SGH-T359

Handset Maker

Samsung

Handset Model Name

SGH-T359

FCC ID

A3LSGHT359

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 80: Samsung SGH-T379

Handset Maker

Samsung

Handset Model Name

SGH-T379

FCC ID

A3LSGHT379

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/07/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 81: Samsung SGH-T499

Handset Maker

Samsung

Handset Model Name

SGH-T499

FCC ID

A3LSGHT499

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/22/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 82: Samsung SGH-T599

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T599

A3LSGHT599

SGH-T599N

A3LSGHT599

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 83: Samsung SGH-T679

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T679

A3LSGHT679

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 84: Samsung SGH-T699

Handset Maker

Samsung

Handset Model Name

SGH-T699

FCC ID

A3LSGHT699

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/11/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 85: Samsung SGH-T769

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T769

A3LSGHT769

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 86: Samsung SGH-T879

Handset Maker

Samsung

Handset Model Name

SGH-T879

FCC ID

A3LSGHT879

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 87: Samsung SGH-T889

Handset Maker

Samsung

Handset Model Name

SGH-T889

FCC ID

A3LSGHT889

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE

1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 88: Samsung SGH-T959V

Handset Maker

Samsung

Handset Model Name

SGH-T959V

FCC ID

A3LSGHT959V

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 89: Samsung SGH-T989

Handset Maker

Samsung

Handset Model Name

SGH-T989

FCC ID

A3LSGHT989

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5800 MHz WLAN

5200 MHz WLAN

5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/25/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported

Handset 90: Samsung SGH-T999

Handset Maker

Samsung

Handset Model Name

SGH-T999

FCC ID

A3LSGHT999

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

5800 MHz WLAN

5200 MHz WLAN

5300 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 91: Samsung SGH-T999L

Handset Maker

Samsung

Handset Model Name

SGH-T999L

FCC ID

A3LSGHT999L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

Handset 92: Samsung SPH-D710

Handset Maker

Samsung

Handset Model Name

SPH-D710

FCC ID

A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.5 GHz WiMax
5800 MHz WLAN
820 MHz CDMA
5200 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/26/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

WLAN 5500 MHz supported
WLAN 5300 MHz supported

Handset 93: Samsung SPH-L300

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-L300

A3LSPHL300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/18/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz CDMA supported
WLAN 5500 MHz supported

Handset 94: Samsung SPH-L700

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-L700

A3LSPHL700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
820 MHz CDMA

Dates

This handset model was offered from: 07/12 to 04/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 95: Samsung SCH-L710

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-L710	A3LSPHL710
SCH-S960L	A3LSPHL710
SPH-L710	A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WiMax
820 MHz CDMA
5800 MHz WLAN
5200 MHz WLAN

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported
WLAN 5300 MHz supported

Handset 96: Samsung SPH-L720

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-L720	A3LSPHL720
----------	------------

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1900 MHz GSM

1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz CDMA supported
WLAN 5500 MHz supported

Handset 97: Samsung SPH-L900

Handset Maker

Samsung

Handset Model Name

SPH-L900

FCC ID

A3LSPHL900

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5800 MHz WLAN
5200 MHz WLAN
5300 MHz WLAN

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/02/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

820 MHz support
5500 MHz support

Handset 98: Samsung SPH-M260

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-M260

A3LSPHM260

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 04/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 99: Samsung SPH-M370

Handset Maker

Samsung

Handset Model Name

SPH-M370

FCC ID

A3LSPHM370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Dates

This handset model was offered from: 07/12 to 09/12

Ratings

M-Rating: M4

M-Rating Certification Date: 10/10/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 100: Samsung SPH-M575

Handset Maker

Samsung

Handset Model Name

SPH-M575

FCC ID

A3LSPHM575

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 101: Samsung SPH-M930

Handset Maker

Samsung

Handset Model Name

SPH-M930

FCC ID

A3LSPHM930

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

820 MHz CDMA

5800 MHz WLAN

5200 MHz WLAN

Dates

This handset model was offered from: 07/12 to 10/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/27/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

WLAN 5500 MHz supported

WLAN 5300 MHz supported

Handset 102: Samsung t139

Handset Maker

Samsung

Handset Model Name

t139

FCC ID

A3LSGHT139

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 103: Samsung T245G

Handset Maker

Samsung

Handset Model Name

T245G

FCC ID

A3LSGHT255G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 11/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/06/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 104: Samsung T528G

Handset Maker

Samsung

Handset Model Name

T528G

FCC ID

A3LSGHT528G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager

07/15/2013 09:23 PM

Reference Copy