



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858095

Filing Deadline: July 15, 2013

FRN: 0018919456

Filing Date: 07/15/2013 01:01 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: Sony Mobile Communications (USA), Inc.

Brand Names: Xperia

PO Box:

Street Address: 3333 Piedmont Road, Suite 600

City: Atlanta

State: GA

Zip Code: 30305

Contact Name: Wayne Moyung

Contact Phone: (650) 581-6971

Contact Fax:

Contact Email: Wayne.Moyung@sonymobile.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://blogs.sonymobile.com/about-us/sustainability/accessibility/overview/>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Sony Mobile is providing the information about Accessibility features available in our smart phones through the Global Accessibility Reporting Initiative (GARI). <http://www.mobileaccessibility.info/> The GARI database is an initiative by the Mobile Manufacturers Forum (MMF) and provides a quick and easy comparison of relevant Accessibility features for mobile phone users that live with impaired hearing, vision, dexterity or other special needs. Our Accessibility information is linked not only from Sony Mobile Accessibility webpage <http://blogs.sonymobile.com/about-us/sustainability/accessibility/overview/> but also from but also from CTIA's AccessWireless.org <http://accesswireless.org/Find/Manufacturers.aspx> and FCC Accessibility Clearing house. Consumers can reach to Sony Mobile through the GARI contact page <http://www.mobileaccessibility.info/> or the Sony Mobile Sustainability website <http://blogs.sonymobile.com/about-us/sustainability/commitment/our-approach/>

In 2013, Sony Mobile refreshed and strengthened its engagement in Accessibility by setting up an internal group to review the internal procedures and enforce the activities as well as proactively participating in external Accessibility meetings such as CTIA's Accessibility Outreach Initiatives, Google's round table discussion, and MMF Accessibility Working Group meetings.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 6

### Report Remarks

---

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	11	42%	3	12%	12	46%		26
WCDMA	11	42%	3	12%	12	46%		26

## Handset 1: Sony Mobile Communications Xperia Advance

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia Advance

### FCC ID

PY7PM-0100

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 12/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 2: Sony Mobile Communications Xperia arc S

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia arc S

### FCC ID

PY7A3880098

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 12/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 3: Sony Mobile Communications Xperia arco S

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia arco S

### FCC ID

PY7PM-0210

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

**Dates**

This handset model was offered from: 09/12 to 02/13

**Ratings**

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 4: Sony Mobile Communications Xperia E****Handset Maker**

Sony Mobile Communications

**Handset Model Name****FCC ID**

Xperia E

PY7PM-0260

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

**Dates**

This handset model was offered from: 03/13 to 06/13

**Ratings**

M-Rating: M3

M-Rating Certification Date: 12/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

---

## Handset 5: Sony Mobile Communications Xperia E dual

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia E dual

PY7PM-0261

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz GSM

2100 MHz WCDMA

### Dates

This handset model was offered from: 12/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 12/17/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/17/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

## Handset 6: Sony Mobile Communications Xperia ion LT28at

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia ion LT28at

### FCC ID

PY7A8880001

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1700 MHz LTE  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 7: Sony Mobile Communications Xperia ion LT28h

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia ion LT28h

### FCC ID

PY7PM-0200

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA

1700 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 09/12 to 12/12

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 8: Sony Mobile Communications Xperia J

#### Handset Maker

Sony Mobile Communications

#### Handset Model Name

#### FCC ID

Xperia J

PY7PM-0170

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 11/12 to 06/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 9: Sony Mobile Communications Xperia L

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia L

PY7PM-0300

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 05/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/04/13

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

---

## Handset 10: Sony Mobile Communications Xperia micro

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia micro

PY7PM-0190

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 08/12 to 06/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

## Handset 11: Sony Mobile Communications Xperia P

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia P

### FCC ID

PY7A3880135

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 02/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/26/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 12: Sony Mobile Communications Xperia PLAY

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia PLAY

### FCC ID

PY7A3880087

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

**Dates**

This handset model was offered from: 08/12 to 10/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 13: Sony Mobile Communications Xperia S****Handset Maker**

Sony Mobile Communications

**Handset Model Name****FCC ID**

Xperia S	PY7A3880120
Xperia SL	PY7A3880120

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

**Dates**

This handset model was offered from: 07/12 to 03/13

**Ratings**

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 14: Sony Mobile Communications Xperia Sola

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia Sola

PY7A3880134

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 01/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 15: Sony Mobile Communications Xperia SP C5302

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia SP C5302

### FCC ID

PY7PM-0360

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1700 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 06/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 06/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/05/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 16: Sony Mobile Communications Xperia SP C5306

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia SP C5306

### FCC ID

PY7PM-0390

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
900 MHz WCDMA

1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE

#### Dates

This handset model was offered from: 06/13 to 06/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/07/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/07/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 17: Sony Mobile Communications Xperia T

#### Handset Maker

Sony Mobile Communications

#### Handset Model Name

Xperia T

#### FCC ID

PY7PM-0030

#### Air Interfaces/Frequency Bands

850 MHz GSM  
900 MHz GSM  
900 MHz WCDMA  
1700 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 02/13 to 06/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

---

## Handset 18: Sony Mobile Communications Xperia tipo

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia tipo

PY7PM-0120

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

## Handset 19: Sony Mobile Communications Xperia tipo dual

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia tipo dual

### FCC ID

PY7PM-0121

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 06/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 20: Sony Mobile Communications Xperia TX

### Handset Maker

Sony Mobile Communications

### Handset Model Name

Xperia TX

### FCC ID

PY7PM-0010

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1700 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM

1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 01/13 to 06/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 21: Sony Mobile Communications Xperia U

#### Handset Maker

Sony Mobile Communications

#### Handset Model Name      FCC ID

Xperia U                      PY7A3880131

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 07/12 to 02/13

#### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

## Handset 22: Sony Mobile Communications Xperia Z C6602

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia Z C6602

PY7PM-0280

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 04/13 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

## Remarks

---

## Handset 23: Sony Mobile Communications Xperia ZL C6502

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia ZL C6502

PY7PM-0340

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 06/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/06/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/06/13

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 24: Sony Mobile Communications Xperia ZL C6506

### Handset Maker

Sony Mobile Communications

### Handset Model Name

### FCC ID

Xperia ZL C6506

PY7PM-0230

### Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1800 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2100 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 06/13

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

Test reports submitted to the TCB demonstrate that this model meets the criteria for M4/T3 from the date of initial certification (March 14, 2013), but the grant does not reflect the HAC ratings. The TCB has been contacted to address this.

## Handset 25: Sony Ericsson Xperia Pro

### Handset Maker

Sony Ericsson

### Handset Model Name

Xperia Pro

### FCC ID

PY7A3880111

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 08/12

### Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 26: Sony Ericsson XPERIA TL

### Handset Maker

Sony Ericsson

### Handset Model Name

XPERIA TL

### FCC ID

PY7PM-0140

### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1700 MHz WCDMA  
1700 MHz LTE  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 10/12 to 06/13

### Ratings

M-Rating: M3

M-Rating Certification Date: 09/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Certification

### This Report has been certified by:

Wayne Moyung Senior Verification Engineer  
07/15/2013 01:01 PM