



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006096526

Filing Deadline: January 15, 2014

FRN: 0004372827

Filing Date: 01/13/2014 04:34 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Sprint Corporation

Brand Names: Sprint
Boost Mobile
Virgin Mobile USA
Assurance Wireless

PO Box:

Street Address: 6220 Sprint Parkway

City: Overland Park

State: KS

Zip Code: 66251

Contact Name: Stephen Dekat

Contact Phone: (913) 235-7120

Contact Fax:

Contact Email: Stephen.2.Dekat@Sprint.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.sprint.com/landings/accessibility/docs/HAC_PDF_List.pdf

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Sprint Corporation posted information regarding hearing aid use with digital wireless phones on its website including a list of HAC compliant phones and their respective ratings. Sprint also provides information regarding HAC within its device User Guides. Sprint engages regularly with a number of consumer groups including but not limited to the National Association of the Deaf Hearing Loss Association of America Telecommunications for the Deaf Inc Alexander Graham Bell Association and Association for Late Deafened Adults. Through its membership in ATIS and the CTIA Sprint also participates in several events that allow interaction between consumers service providers and manufacturers. Sprint also participates in many conventions and industry meetings including C SUN and the M Enabling Summit.

Methodology for Functionality Levels

Each handset is evaluated by a Sprint Nextel product and technology committee who selects the appropriate functionality level based on handset capabilities from the simplest basic functionality to high-end smart devices with complex operating systems. The functionality levels defined for 2011 are Advanced Middle and Basic. Advanced handsets are based upon complex Smartphone type operating systems like Android RIM Blackberry Microsoft Windows Mobile or Windows Phone or Palms WebOS. Middle handsets are voice capable messaging phones with QWERTY keyboards and enhanced browsers such as those that support HTML. Basic handsets are low end and or

low cost feature phones that support text messaging. Alphanumeric text entry may require triple tapping. Simple web browsing capability and other data services are typically supported.

Report Remarks

NA

You have reported the following handset model summary information.

Total number of handsets offered: 111

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	96	86%	13	12%	2	2%		111

Handset 1: Apple iPhone 4 8GB

Handset Maker

Apple

Handset Model Name

iPhone 4 8GB

FCC ID

BCG-E2422B

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 4 8GB

Handset 2: Apple iPhone 4S 16GB

Handset Maker

Apple

Handset Model Name

iPhone 4S 16GB

FCC ID

BCG-E2430A

iPhone 4S 32GB
iPhone 4S 64GB

BCG-E2430A
BCG-E2430A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 4S 16GB, 32GB, & 64GB

Handset 3: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as iPhone 5 16GB, 32GB, & 64GB.
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 4: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed in 16 and 32GB sizes.

Handset 5: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed in 16, 32 and 64GB versions.

Handset 6: HTC 8XT

Handset Maker

HTC

Handset Model Name

8XT

FCC ID

NM8PO88100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 7: HTC Arrive

Handset Maker

HTC

Handset Model Name

Arrive

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC Arrive and 7 Pro.

Handset 8: HTC Desire

Handset Maker

HTC

Handset Model Name

Desire

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Also referred to as the Desire 601.

Handset 9: HTC EVO 3D

Handset Maker

HTC

Handset Model Name

EVO 3D

FCC ID

NM8PG86100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 3D
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 10: HTC Evo 4G

Handset Maker

HTC

Handset Model Name

Evo 4G

FCC ID

NM8PC36100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 4G and HTC EVO V 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 11: HTC EVO 4G LTE

Handset Maker

HTC

Handset Model Name

EVO 4G LTE

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO 4G LTE
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 12: HTC EVO Design 4G

Handset Maker

HTC

Handset Model Name

FCC ID

EVO Design 4G

NM8PH44100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO Design 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 13: HTC EVO Shift 4G

Handset Maker

HTC

Handset Model Name

EVO Shift 4G

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC EVO Shift 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 14: HTC ONE

Handset Maker

HTC

Handset Model Name

ONE

FCC ID

NM8PN07200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 15: HTC One Max

Handset Maker

HTC

Handset Model Name

One Max

FCC ID

NM8PN07200

Air Interfaces/Frequency Bands

700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 16: HTC One SV

Handset Maker

HTC

Handset Model Name

One SV

FCC ID

NM8PL80110

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 17: HTC One V

Handset Maker

HTC

Handset Model Name

One V

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC One V

Handset 18: HTC TouchPro2

Handset Maker

HTC

Handset Model Name

TouchPro2

FCC ID

NM8RHOD400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as HTC Touch Pro2; GSM 850, 900, 1800 & 1900 MHz; UMTS 2100 Mhz supported internationally only.

Handset 19: Huawei Express

Handset Maker

Huawei

Handset Model Name

Express

FCC ID

QISM650

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Express from Sprint

Handset 20: Kyocera Bloom

Handset Maker

Kyocera

Handset Model Name

Bloom

FCC ID

V65C5155

C5155
Rise

V65C5155
V65C5155

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Rise and Bloom

Handset 21: Kyocera DuraPlus

Handset Maker

Kyocera

Handset Model Name

DuraPlus

FCC ID

V65E4233

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraPlus

Handset 22: Kyocera E4100

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4100

V65E4100

Taho

V65E4100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Sanyo Taho by Kyocera

Handset 23: Kyocera DuraCore

Handset Maker

Kyocera

Handset Model Name

FCC ID

DuraCore

V65E4210

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraCore

Handset 24: Kyocera DuraMax**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

DuraMax	V65E4255
DuraXT	V65E4255
E4255	V65E4255

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Kyocera DuraMax and DuraXT

Handset 25: Kyocera Event

Handset Maker

Kyocera

Handset Model Name FCC ID

Event V65C5133

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 26: Kyocera Hydro

Handset Maker

Kyocera

Handset Model Name FCC ID

Hydro V65C5171

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Hydro

Handset 27: Kyocera Hydro Edge

Handset Maker

Kyocera

Handset Model Name	FCC ID
--------------------	--------

Hydro Edge	V65C5215
------------	----------

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 28: Kyocera Jax

Handset Maker

Kyocera

Handset Model Name

Jax

FCC ID

OVF-K33BIC03

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as the Assurance Wireless Jax.

Handset 29: Kyocera Kona

Handset Maker

Kyocera

Handset Model Name

Kona

FCC ID

V65S2151

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Also marketed as the Coast.

Handset 30: Kyocera Luno

Handset Maker

Kyocera

Handset Model Name

Luno

FCC ID

OVF-K5502

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as the S2100 Luno.

Handset 31: Kyocera Milano

Handset Maker

Kyocera

Handset Model Name

Milano

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Milano

Handset 32: Kyocera Rain

Handset Maker

Kyocera

Handset Model Name

Rain

FCC ID

V65C5170

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Kyocera Rain

Handset 33: Kyocera BRIO**Handset Maker**

Kyocera

Handset Model Name FCC ID

BRIO	V65S3015
S3015	V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Kyocera Brio

Handset 34: Kyocera SCP-3820

Handset Maker

Kyocera

Handset Model Name

FCC ID

SCP-3820

V65SCP-3820

Vero

V65SCP-3820

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Sanyo Vero by Kyocera

Handset 35: Kyocera Innuendo

Handset Maker

Kyocera

Handset Model Name

FCC ID

Innuendo

V65SCP-6780

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Sanyo Innuendo by Kyocera

Handset 36: Kyocera Torque**Handset Maker**

Kyocera

Handset Model Name **FCC ID**

Torque V65E6710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 37: LG G2

Handset Maker

LG

Handset Model Name

G2

FCC ID

ZNFLS980

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 38: LG LN510

Handset Maker

LG

Handset Model Name

LN510
Rumor Touch

FCC ID

BEJLN510
BEJLN510

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as LG Rumor Touch

Handset 39: LG LS670

Handset Maker

LG

Handset Model Name

FCC ID

LS670	BEJLS670
OPTIMUS S	BEJLS670
Thunder	BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Thunder- LS670 & LG Optimus S

Handset 40: LG LS696

Handset Maker

LG

Handset Model Name

FCC ID

LS696

ZNFLS696

OPTIMUS ELITE

ZNFLS696

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Optimus Elite

Handset 41: LG LS840

Handset Maker

LG

Handset Model Name

FCC ID

LS840

ZNFLS840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Viper
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 42: LG LS855**Handset Maker**

LG

Handset Model Name**FCC ID**

LS855	BEJLS855
Marquee	BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Marquee

Handset 43: LG LS860

Handset Maker

LG

Handset Model Name

FCC ID

LS860

ZNFLS860

Mach

ZNFLS860

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Mach.

This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 44: LG LS970

Handset Maker

LG

Handset Model Name

LS970
Optimus G

FCC ID

ZNFLS970
ZNFLS970

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Optimus G
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 45: LG Nexus 5

Handset Maker

LG

Handset Model Name

Nexus 5

FCC ID

ZNFD820

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as the Google Nexus 5.

Handset 46: LG Optimus F3

Handset Maker

LG

Handset Model Name

Optimus F3

FCC ID

ZNFLS720

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 47: LG Optimus F7

Handset Maker

LG

Handset Model Name

Optimus F7

FCC ID

ZNFLG870

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 48: LG Optimus V**Handset Maker**

LG

Handset Model Name**FCC ID**

Optimus V

BEJVM670

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 49: LG RUMOR 2

Handset Maker

LG

Handset Model Name

RUMOR 2

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 50: LG Rumor Reflex

Handset Maker

LG

Handset Model Name

Rumor Reflex

FCC ID

ZNFLN272

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as LG Rumor Reflex

Handset 51: LG Splendor

Handset Maker

LG

Handset Model Name

FCC ID

Splendor
Venice

ZNFUS730
ZNFUS730

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as LG Splendor and LG Venice

Handset 52: LG VM101

Handset Maker

LG

Handset Model Name

VM101

FCC ID

BEJVM101

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 53: Motorola Admiral

Handset Maker

Motorola

Handset Model Name

Admiral

FCC ID

IHDT56MP1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola ADMIRAL

Handset 54: Motorola ES400S

Handset Maker

Motorola

Handset Model Name

ES400S

FCC ID

UZ7ES405B

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola ES400S by Sprint; GSM 850, 900, 1800 & 1900 MHz; UMTS 2100 Mhz supported internationally only.

Handset 55: Motorola Moto X

Handset Maker

Motorola

Handset Model Name

Moto X

FCC ID

IHDT56PB2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 56: Motorola PHOTON 4G

Handset Maker

Motorola

Handset Model Name

PHOTON 4G

FCC ID

IHDP56MD1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola PHOTON 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 57: Motorola PHOTON Q

Handset Maker

Motorola

Handset Model Name

FCC ID

PHOTON Q

IHDT56NL2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola Photon Q
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 58: Motorola THEORY

Handset Maker

Motorola

Handset Model Name

THEORY

FCC ID

IHDT56MU1

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Also marketed as the Hallcrest and the WX430.

Handset 59: Motorola XPRT

Handset Maker

Motorola

Handset Model Name

XPRT

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Motorola XPRT

Handset 60: Research In Motion BB Bold 9930 NoCamer

Handset Maker

Research In Motion

Handset Model Name	FCC ID
--------------------	--------

BB Bold 9930 NoCamer	L6ARDU70CW
Blackberry Bold 9930	L6ARDU70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Bold 9930 smartphone & BlackBerry Bold 9930 smartphone (non-camera); GSM 850, & 1900 MHz; supported internationally only.

Handset 61: Research In Motion Blackberry Curve 3G

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Curve 3G

L6ARCL20CW

Blackberry Curve8530

L6ARCL20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 8530 smartphone & BlackBerry Curve 3G smartphone

Handset 62: Research In Motion Blackberry Curve9350

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Curve9350

L6ARDS40CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 9350 smartphone

Handset 63: Research In Motion Blackberry Torch9850

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Blackberry Torch9850

L6ARDH70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Torch 9850 smartphone

Handset 64: Research In Motion Curve 9310

Handset Maker

Research In Motion

Handset Model Name

Curve 9310

FCC ID

L6AREY20CW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as BlackBerry Curve 9310

Handset 65: Research In Motion Q10

Handset Maker

Research In Motion

Handset Model Name

Q10

FCC ID

L6ARFP120LW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating: M3
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 66: Samsung Array**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Array

A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Also marketed as the Montage.

Handset 67: Samsung ATIV S Neo

Handset Maker

Samsung

Handset Model Name

ATIV S Neo

FCC ID

A3LSPHI800

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 68: Samsung Factor

Handset Maker

Samsung

Handset Model Name

Factor

FCC ID

A3LSPHM260

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 69: Samsung Galaxy 3**Handset Maker**

Samsung

Handset Model Name

Galaxy 3

FCC ID

A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy S III
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 70: Samsung Galaxy Mega

Handset Maker

Samsung

Handset Model Name

Galaxy Mega

FCC ID

A3LSPHL600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 71: Samsung Galaxy Note 3

Handset Maker

Samsung

Handset Model Name

Galaxy Note 3

FCC ID

A3LSMN900P

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 72: Samsung GALAXY PREVAIL

Handset Maker

Samsung

Handset Model Name

FCC ID

GALAXY PREVAIL

A3LSPHM820

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 73: Samsung Galaxy Prevail II

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Prevail II

A3LSPHM840

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 74: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy S4

A3LSPHL720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

One of two handsets marketed under the Galaxy S 4 name. This handset runs on traditional single-band LTE.

Handset 75: Samsung Galaxy S4 Mini

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy S4 Mini

A3LSPHL520

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 76: Samsung Galaxy S4 Spark

Handset Maker

Samsung

Handset Model Name

Galaxy S4 Spark

FCC ID

A3LSPHL720T

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

One of two handsets marketed under the name 'Galaxy S4'. This handset utilizes Tri-Band LTE and was designed as a replacement for the original GS4 (A3LSPHL720)

Handset 77: Samsung Intercept

Handset Maker

Samsung

Handset Model Name

Intercept

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 78: Samsung Intrepid

Handset Maker

Samsung

Handset Model Name

Intrepid

FCC ID

A3LSPHI350

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Handset 79: Samsung Galaxy Victory

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Victory
L300

A3LSPHL300
A3LSPHL300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Victory
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 80: Samsung Galaxy Nexus

Handset Maker

Samsung

Handset Model Name

Galaxy Nexus
L700

FCC ID

A3LSPHL700
A3LSPHL700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Nexus

This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 81: Samsung Galaxy Note 2

Handset Maker

Samsung

Handset Model Name

Galaxy Note 2
L900

FCC ID

A3LSPHL900
A3LSPHL900

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Note II
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 82: Samsung Entro

Handset Maker

Samsung

Handset Model Name

FCC ID

Entro
M270

A3LSPHM270
A3LSPHM270

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung Entro

Handset 83: Samsung Array

Handset Maker

Samsung

Handset Model Name

FCC ID

Array
M390

A3LSPHM390
A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Samsung Array and Montage

Handset 84: Samsung M400

Handset Maker

Samsung

Handset Model Name

FCC ID

M400

A3LSPHM400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung M400

Handset 85: Samsung Galaxy Rush

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Rush
M830

A3LSPHM830
A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Rush

Handset 86: Samsung M950

Handset Maker

Samsung

Handset Model Name

FCC ID

M950
Reverb

A3LSPHM950
A3LSPHM950

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy Reverb

Handset 87: Samsung Moment with Google

Handset Maker

Samsung

Handset Model Name

Moment with Google

FCC ID

A3LSPHM900

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 88: Samsung Conquer 4G

Handset Maker

Samsung

Handset Model Name

FCC ID

Conquer 4G

A3LSPHD600

SPH-D600

A3LSPHD600

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Conquer 4G

This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 89: Samsung Epic 4G

Handset Maker

Samsung

Handset Model Name

Epic 4G
SPH-D700

FCC ID

A3LSPHD700
A3LSPHD700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Epic 4G
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHz.

Handset 90: Samsung Galaxy S II Epic 4G

Handset Maker

Samsung

Handset Model Name

Galaxy S II Epic 4G
SPH-D710

FCC ID

A3LSPHD710
A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Galaxy S II, Epic 4G Touch
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 91: Samsung Nexus S 4G

Handset Maker

Samsung

Handset Model Name

Nexus S 4G
SPH-D720

FCC ID

A3LSPHD720
A3LSPHD720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Nexus S 4G from Google
This device supports voice over CDMA and may simultaneously support data only on WiMax at 2.5 GHZ.

Handset 92: Samsung M360

Handset Maker

Samsung

Handset Model Name

FCC ID

M360	A3LSPHM360
Pierre	A3LSPHM360
SPH-M360	A3LSPHM360

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as M360 by Samsung and Samsung Pierre

Handset 93: Samsung SPH-M370

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-M370	A3LSPHM370
----------	------------

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung M370

Handset 94: Samsung SPH-M380

Handset Maker

Samsung

Handset Model Name

SPH-M380
Trender

FCC ID

A3LSPHM380
A3LSPHM380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Marketed as Samsung Trender

Handset 95: Samsung Replenish

Handset Maker

Samsung

Handset Model Name

Replenish

FCC ID

A3LSPHM580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as Samsung Replenish

Handset 96: Samsung SPH-M920**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M920

A3LSPHM920

Transform

A3LSPHM920

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Transform

Handset 97: Samsung SPH-M930

Handset Maker

Samsung

Handset Model Name FCC ID

SPH-M930 A3LSPHM930

Transform Ultra A3LSPHM930

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Samsung Transform Ultra

Handset 98: Sanyo SCP-PRO700

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-PRO700 AEZSCP-PRO700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Middle

Remarks

Marketed as PRO-700 by Sanyo

Handset 99: SONIM XP Strike

Handset Maker

SONIM

Handset Model Name

XP Strike

FCC ID

WYPC21F010AA

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 100: SONIM XP Strike IS

Handset Maker

SONIM

Handset Model Name

XP Strike IS

FCC ID

XAM500041GR01

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 101: TCT Mobile Limited Venture

Handset Maker

TCT Mobile Limited

Handset Model Name

Venture

FCC ID

RAD209

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as Venture

Handset 102: Telepooch Chaser**Handset Maker**

Telepooch

Handset Model Name**FCC ID**

Chaser

U46-WI921

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

"Marketed as Chaser

Handset 103: ZTE Awe

Handset Maker

ZTE

Handset Model Name

Awe

FCC ID

SRQ-ZTEN800

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 104: ZTE Force

Handset Maker

ZTE

Handset Model Name

Force

FCC ID

Q78-ZTEN9100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as the Sprint Force.

Handset 105: ZTE FURY

Handset Maker

ZTE

Handset Model Name

FURY
N850

FCC ID

Q78-ZTEN850
Q78-ZTEN850

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Fury

Handset 106: ZTE N861

Handset Maker

ZTE

Handset Model Name

FCC ID

N861

Q78-ZTEN861

Sequent

Q78-ZTEN861

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Warp Sequent

Handset 107: ZTE Flash

Handset Maker

ZTE

Handset Model Name

FCC ID

Flash

Q78-ZTEN9500

N9500

Q78-ZTEN9500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as ZTE Flash
This device supports voice over CDMA and may simultaneously support data only on LTE at 1900 MHz.

Handset 108: ZTE Reef

Handset Maker

ZTE

Handset Model Name

Reef

FCC ID

Q78-ZTEN810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 109: ZTE Vital

Handset Maker

ZTE

Handset Model Name

Vital

FCC ID

Q78-ZTEN9810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Marketed as the Sprint Vital and the Virgin Mobile Supreme.

Handset 110: ZTE Warp

Handset Maker

ZTE

Handset Model Name

Warp

FCC ID

Q78-ZTEN860

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Handset 111: ZTE Warp 4G

Handset Maker

ZTE

Handset Model Name

Warp 4G

FCC ID

Q78-ZTEN9510

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Advanced

Remarks

Certification

This Report has been certified by:

Stephen Dekat L Dekat Testing Specialist
01/13/2014 04:34 PM