



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006099041

Filing Deadline: January 15, 2014

FRN: 0022355762

Filing Date: 01/14/2014 12:36 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Inland Cellular LLC

Brand Names: Inland Cellular

PO Box: 688

Street Address:

City: Roslyn

State: WA

Zip Code: 98941

Contact Name: Greg Maras

Contact Phone: (509) 649-2500

Contact Fax:

Contact Email: gmaras@inlandnet.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: William J. Sill

PO Box:

Street Address: 2300 N Street, N.W., Suite 700

City: Washington

State: DC

Contact Name: William J. Sill
Contact Phone: (202) 783-4141
Contact Fax:
Contact Email: wsill@wbklaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.inlandcellular.com/main>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: In 2013, Inland Cellular offered only HAC-compliant handsets. Inland Cellular continued to train their retail employees to identify and provide information regarding HAC compliant handsets and potentially useful accessories to Inland Cellular's current and prospective subscribers. Inland Cellular believes that one of the most efficient ways to disseminate information to its customers is at the point of sale. Inland Cellular will continue to educate its retail staff on HAC issues and the developing technology offered through the equipment manufacturers, so that their retail staff will remain a valuable information resource for Inland's current and prospective subscribers.

Inland Cellular will continue to build on their efforts to educate both their potential subscribers and their current subscribers on the HAC compliant handsets being offered:

(1) Inland Cellular continues to supply its retail staff with informational materials concerning the compliant handsets and accessories. Inland Cellular also continues to provide informational literature at its retail stores concerning compliant handsets and accessories as it becomes available and the number of HAC compliant phones increases.

(2) Inland Cellular remains committed to regularly updating its web site as new HAC handset information becomes available, calling attention to the HAC compliant handsets, as well as accessories that may be helpful to persons with hearing disabilities; and

(3) Signs have been installed at each point of sale station along with updated information about HAC compliant handsets and other related accessories.

Methodology for Functionality Levels

Inland Cellular's hearing aid compatibility offerings encompass the entire range of handset functionalities. For illustrative purposes, Inland Cellular has designated its various categories as "High", "Mid" and "Basic." While some individual models may differ slightly, the descriptions below provide a general illustration of the types of features and characteristics typical of the models within each category.

High: Smart phones, data capable, e-mail capable

Mid: Media capable, text messaging, touch screen

Basic: Basic voice and text messaging capabilities

Report Remarks

Inland Cellular LLC is the successor licensee to the General Partner of Eastern Sub-RSA Partnership and the Washington RSA No. 8 Limited Partnership.

You have reported the following handset model summary information.

Total number of handsets offered: 30

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	27	90%	3	10%				30

Handset 1: Alcatel 960C

Handset Maker

Alcatel

Handset Model Name

960C

FCC ID

RAD278

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 2: Alcatel 988

Handset Maker

Alcatel

Handset Model Name

988

FCC ID

RAD284

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 3: HTC 0P4E100

Handset Maker

HTC

Handset Model Name

0P4E100

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 4: HTC 6280**Handset Maker**

HTC

Handset Model Name

6280

FCC ID

NM8PL01210

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/12 to 09/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 5: HTC 6290

Handset Maker

HTC

Handset Model Name

6290

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 6: LG 160

Handset Maker

LG

Handset Model Name

160

FCC ID

ZNFAN160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 7: LG 200 Saber

Handset Maker

LG

Handset Model Name

200 Saber

FCC ID

BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 8: LG 272

Handset Maker

LG

Handset Model Name

272

FCC ID

ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 9: LG 430

Handset Maker

LG

Handset Model Name

430

FCC ID

BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/10 to 05/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 10: LG 510**Handset Maker**

LG

Handset Model Name**FCC ID**

510

BEJUN510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 11: LG 695

Handset Maker

LG

Handset Model Name

695

FCC ID

ZNFAS695

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 12: LG 730

Handset Maker

LG

Handset Model Name

730

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 13: LG LG270 Exchange**Handset Maker**

LG

Handset Model Name

LG270 Exchange

FCC ID

BEJVN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 09/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 14: Motorola W845

Handset Maker

Motorola

Handset Model Name

W845

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/10 to 06/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 15: Motorola XT1050

Handset Maker

Motorola

Handset Model Name

XT1050

FCC ID

IHDT56PB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 16: Motorola XT556

Handset Maker

Motorola

Handset Model Name

XT556

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 17: Motorola XT861

Handset Maker

Motorola

Handset Model Name

XT861

FCC ID

IHDT56MF1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 18: Motorola XT908

Handset Maker

Motorola

Handset Model Name

XT908

FCC ID

IHDP56ME1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 19: Research In Motion Limited Blackberry 9350**Handset Maker**

Research In Motion Limited

Handset Model Name FCC ID

Blackberry 9350 L6ARDZ20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 20: Research In Motion Limited Blackberry 9930

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry 9930

FCC ID

L6ARDU70CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 21: Samsung i535/R530

Handset Maker

Samsung

Handset Model Name

i535/R530

FCC ID

A3LSCHI535

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 22: Samsung i545**Handset Maker**

Samsung

Handset Model Name

i545

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 23: Samsung R261

Handset Maker

Samsung

Handset Model Name

R261

FCC ID

A3LSCHR261A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 24: Samsung R270

Handset Maker

Samsung

Handset Model Name

R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 25: Samsung R390**Handset Maker**

Samsung

Handset Model Name

R390

FCC ID

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 26: Samsung R480

Handset Maker

Samsung

Handset Model Name

R480

FCC ID

A3LSCHR480C

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 27: Samsung R640

Handset Maker

Samsung

Handset Model Name

R640

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 28: Samsung R760**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R760

A3LSCHR760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/12 to 08/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 29: SONIM XP3400

Handset Maker

SONIM

Handset Model Name

XP3400

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 30: Unimax MXE635

Handset Maker

Unimax

Handset Model Name

MXE635

FCC ID

P46-MXE635

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/13 to 09/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Certification

This Report has been certified by:

Gregory A Maras Secretary
01/14/2014 12:36 PM