



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006100324

Filing Deadline: January 15, 2014

FRN: 0019614908

Filing Date: 01/14/2014 06:41 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Kajeet, Inc

Brand Names: kajeet

PO Box:

Street Address: 7101 Wisconsin Ave, Ste 1111

City: Bethesda

State: MD

Zip Code: 20814

Contact Name: Molly Sim

Contact Phone: (240) 482-3530

Contact Fax: (240) 482-3531

Contact Email: msim@kajeet.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.kajeet.com/4u/faq/phones.html>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Describe consumer outreach efforts in the past 12 months: A full list of hearing aid compatible handsets, along with a definition of the rating categories, is available on the Kajeet, Inc. website cited in this filing. In addition, Customer Care agents are trained to be able to help customers select hearing aid compatible handsets. Product packaging includes hearing aid compatible ratings and the Kajeet Terms of Service provides information on hearing aid compatibility.

Methodology for Functionality Levels

1X-Basic: economy phone with basic voice, text, and 1X data capability, usually priced under \$75.

1X-Camera: mid-priced phone with a camera and voice, text, 1X data capability, usually priced between \$30 and \$100.

1X-QWERTY: high-tier phone with camera, voice, text, 1X data, and a QWERTY keypad. Some phones have music capabilities. Usually priced between \$50 and \$200.

PDA/Smartphone: High-tier phone with camera, voice, text, 3G and/or 4G data. Some phones have music capabilities, QWERTY keypad, and/or a touchscreen. Usually priced above \$75.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 34

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Excluded Handsets Number | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|--------------------------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | | |
| CDMA | 28 | 82% | 6 | 18% | | | | 34 |

Handset 1: HTC PG06100

Handset Maker

HTC

Handset Model Name

PG06100

FCC ID

NM8PG06100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 2: Kyocera C5120 MILANO

Handset Maker

Kyocera

Handset Model Name

C5120 MILANO

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 3: Kyocera DOMINO

Handset Maker

Kyocera

Handset Model Name

DOMINO

FCC ID

OVF-K33BIC04

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1XBasic

Remarks

Handset 4: Kyocera Echo

Handset Maker

Kyocera

Handset Model Name

Echo

FCC ID

V65M9300

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 5: LG L55C

Handset Maker

LG

Handset Model Name

L55C

FCC ID

ZNFL55C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 6: LG LG102

Handset Maker

LG

Handset Model Name

LG102

FCC ID

BEJVM101

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1XBasic

Remarks

Handset 7: LG LX160

Handset Maker

LG

Handset Model Name

LX160

FCC ID

BEJLX160

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Basic

Remarks

Handset 8: LG LX265**Handset Maker**

LG

Handset Model Name**FCC ID**

LX265

BEJAX265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 9: LG Marquee

Handset Maker

LG

Handset Model Name

Marquee

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 10: LG OPTIMUS ELITE

Handset Maker

LG

Handset Model Name

OPTIMUS ELITE

FCC ID

ZNFLS696

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 11: LG OPTIMUS S

Handset Maker

LG

Handset Model Name

OPTIMUS S

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 12: LG REMARQ

Handset Maker

LG

Handset Model Name

REMARQ

FCC ID

BEJMN240

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Qwerty

Remarks

Handset 13: LG Rumor Touch

Handset Maker

LG

Handset Model Name

Rumor Touch

FCC ID

BEJLN510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 14: Motorola V3m**Handset Maker**

Motorola

Handset Model Name

V3m

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Camera

Remarks

Handset 15: Samsung Conquer D600

Handset Maker

Samsung

Handset Model Name

Conquer D600

FCC ID

A3LSPHD600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 16: Samsung Galaxy S II

Handset Maker

Samsung

Handset Model Name

Galaxy S II

FCC ID

A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.5 GHz WiMax

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 17: Samsung Intercept

Handset Maker

Samsung

Handset Model Name

Intercept

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 18: Samsung Reclaim

Handset Maker

Samsung

Handset Model Name

Reclaim

FCC ID

A3LSPHM560

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 19: Samsung Replenish M580

Handset Maker

Samsung

Handset Model Name

Replenish M580

FCC ID

A3LSPHM580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 20: Samsung SPH-D700**Handset Maker**

Samsung

Handset Model Name

SPH-D700

FCC ID

A3LSPHD700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.5 GHz WiMax

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 21: Samsung SPH-L300

Handset Maker

Samsung

Handset Model Name

SPH-L300

FCC ID

A3LSPHL300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 22: Samsung SPH-L710

Handset Maker

Samsung

Handset Model Name

SPH-L710

FCC ID

A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 23: Samsung SPH-L720**Handset Maker**

Samsung

Handset Model Name

SPH-L720

FCC ID

A3LSPHL720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE

Dates

This handset model was offered from: 07/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 24: Samsung SPH-L900

Handset Maker

Samsung

Handset Model Name

SPH-L900

FCC ID

A3LSPHL900

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE

Dates

This handset model was offered from: 04/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 25: Samsung SPH-M320

Handset Maker

Samsung

Handset Model Name

SPH-M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Camera

Remarks

Handset 26: Samsung SPH-M350

Handset Maker

Samsung

Handset Model Name

SPH-M350

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 27: Samsung SPH-M380

Handset Maker

Samsung

Handset Model Name

SPH-M380

FCC ID

A3LSPHM380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 28: Samsung SPH-M820

Handset Maker

Samsung

Handset Model Name

SPH-M820

FCC ID

A3LSPHM820

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 29: Sanyo 2700**Handset Maker**

Sanyo

Handset Model Name

2700

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-QWERTY

Remarks

Handset 30: Sanyo 8600

Handset Maker

Sanyo

Handset Model Name

8600

FCC ID

V65SCP-8600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 31: Sanyo Katana LX

Handset Maker

Sanyo

Handset Model Name

Katana LX

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Camera

Remarks

Handset 32: Sanyo SCP-3810**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-3810

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

1X-Camera

Remarks

Handset 33: ZTE N850

Handset Maker

ZTE

Handset Model Name

N850

FCC ID

Q78-ZTEN850

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Handset 34: ZTE Warp

Handset Maker

ZTE

Handset Model Name

Warp

FCC ID

Q78-ZTEN860

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA/Smartphone

Remarks

Certification

This Report has been certified by:

Molly C Sim VP Operations
01/14/2014 06:41 PM