



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006101438

Filing Deadline: January 15, 2014

FRN: 0003740768

Filing Date: 01/15/2014 01:36 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: TelAlaska Cellular, Inc.
Brand Names: TelAlaska Cellular, Inc.
PO Box:
Street Address: 201 E 56th Avenue
City: Anchorage
State: AK
Zip Code: 99518

Contact Name: Robert W. Dunn
Contact Phone: (907) 563-2003
Contact Fax:
Contact Email: b_dunn@telalaska.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.telalaska.com/cellphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: TelAlaska Cellular provides detailed HAC handset information to its customers on its website. It also attends community meetings, handing out service brochures.

Methodology for Functionality Levels

TelAlaska Cellular offers HAC-compatible handsets in all major price categories and functionalities. Costs generally correlate with functionality and features. Low less than 100, Mid 100 to 200, Upper above 200.

Report Remarks

TelAlaska has 12 handsets available on an ongoing basis. Report Total by air interface shows 18, but some were discontinued and replaced during year as described in handset remarks. This filing demonstrates full compliance with FCC HAC rules.

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	9	50%	5	28%	4	22%		18

Handset 1: Alcatel 802

Handset Maker

Alcatel

Handset Model Name

802

FCC ID

RAD133

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 06/11 to 10/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

10/9/2013 Replaced with Alcatel Idol 6030A.

Handset 2: Alcatel 875T Mini Q

Handset Maker

Alcatel

Handset Model Name

875T Mini Q

FCC ID

RAD296

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Replaces Alcatel 808A as of 12/18/2013

Handset 3: Alcatel 888A

Handset Maker

Alcatel

Handset Model Name

888A

FCC ID

RAD173

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 08/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

12/17/2013 Replaced with Reach 9788.

Handset 4: Alcatel 990A

Handset Maker

Alcatel

Handset Model Name

990A

FCC ID

RAD158

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Handset 5: Alcatel Idol 6030A

Handset Maker

Alcatel

Handset Model Name

Idol 6030A

FCC ID

RAD313

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Replaces Alcatel OT-802 as of 10/10/2013.

Handset 6: Alcatel MPOP 5020W

Handset Maker

Alcatel

Handset Model Name

MPOP 5020W

FCC ID

RAD356

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Upper Tier

Remarks

Replaces Alcatel OT-606 as of 10/10/2013.

Handset 7: Alcatel OT 768T

Handset Maker

Alcatel

Handset Model Name

OT 768T

FCC ID

RAD287

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

replaces Alcatel OT-355

Handset 8: Alcatel OT-308

Handset Maker

Alcatel

Handset Model Name

OT-308

FCC ID

RAD222

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Replaced Alcatel OT-305A as of 10/09/2012.

Handset 9: Alcatel OT-355

Handset Maker

Alcatel

Handset Model Name

OT-355

FCC ID

RAD150

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/11 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

12/17/2013 Replaced with Alcatel 768T.

Handset 10: Alcatel OT-606

Handset Maker

Alcatel

Handset Model Name

OT-606

FCC ID

RAD136

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/10 to 10/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Low Tier

Remarks

10/9/2013 Replaced with Alcatel M'Pop 5020W.

Handset 11: Alcatel OT-808A

Handset Maker

Alcatel

Handset Model Name

OT-808A

FCC ID

RAD119

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/10 to 10/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

10/9/2013 Replaced with Alcatel Mini Q 875T.

Handset 12: Alcatel OT918A

Handset Maker

Alcatel

Handset Model Name

OT918A

FCC ID

RAD218

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid

Remarks

Replaced Huawei U8150-B 9/14/12.

Handset 13: Cat B25

Handset Maker

Cat

Handset Model Name

B25

FCC ID

ZL5B25

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

n/a

Remarks

Replaced Sonim XP1300. Sonim ended availability 4/12/12, CAT started availability 10/5/12.

Handset 14: Doro PhoneEasy 410

Handset Maker

Doro

Handset Model Name

PhoneEasy 410

FCC ID

WS5DORO410G

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Lower

Remarks

New handset 10/09/12.

Handset 15: Motorola WX345

Handset Maker

Motorola

Handset Model Name

WX345

FCC ID

IHDP56LJ5

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Lower

Remarks

Replaced Motorola EM330 1/2012.

Handset 16: Nokia 2720

Handset Maker

Nokia

Handset Model Name

2720

FCC ID

QTLRM-520

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 11/11 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Low Tier

Remarks

Handset 17: Reach Tech 9788

Handset Maker

Reach Tech

Handset Model Name

9788

FCC ID

Z5JREACH-9788

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Replaces Alcatel OT-888A as of 12/18/2013.

Handset 18: Samsung s5690 (Xcover)

Handset Maker

Samsung

Handset Model Name

FCC ID

s5690 (Xcover)

A3LGTS5690L

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 07/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

n/a

Remarks

Replaced Huawei U9000 7/14/12.

Certification

This Report has been certified by:

Robert W Dunn Director of Regulatory Affairs

01/15/2014 01:36 PM

Reference Copy