



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006099853

Filing Deadline: January 15, 2014

FRN: 0018080523

Filing Date: 01/14/2014 03:30 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: True Wireless, LLC
Brand Names: True Wireless
PO Box:
Street Address: 3124 Brother Blvd., Suite 104
City: Bartlett
State: TN
Zip Code: 38133

Contact Name: Shannon Bing
Contact Phone: (901) 415-1741
Contact Fax:
Contact Email: compliance@gotruewireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.gotruewireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: True Wireless provides hearing aid compatibility information for customers through a prominent link located on the front page our website. HAC information is also available at each of our corporate-operated retail stores, where consumers may test handset models for suitability with their hearing aids.

Methodology for Functionality Levels

True Wireless designated its handsets into functionality classifications based on the objective criteria provided by handset manufacturers. Handsets with touch-screen and rich access to media were classified as smartphones. Handsets with small screens and limited navigational functionality were classified as basic handsets. Other handsets were classified as mid-range handsets.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 112

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	9	90%	1	10%				10
CDMA	79	77%	20	20%	3	3%		102

Total number of handsets offered: 112

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
WCDMA							1	1

Handset 1: Casio Hitachi Boulder C711

Handset Maker

Casio Hitachi

Handset Model Name

Boulder C711

FCC ID

TYKNX9230

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 2: HTC 6875 Touch Pro II

Handset Maker

HTC

Handset Model Name

6875 Touch Pro II

FCC ID

NM8RHOD400

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 3: HTC Droid Incredible

Handset Maker

HTC

Handset Model Name

Droid Incredible

FCC ID

NM8PB31200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 4: HTC Droid Incredible 2

Handset Maker

HTC

Handset Model Name

Droid Incredible 2

FCC ID

NM8PG32100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 5: HTC HERO200

Handset Maker

HTC

Handset Model Name

HERO200

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 6: HTC Rezound

Handset Maker

HTC

Handset Model Name

Rezound

FCC ID

NM8PH98100

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 7: HTC Thunderbolt

Handset Maker

HTC

Handset Model Name

Thunderbolt

FCC ID

NM8PG05100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 8: Huawei M228

Handset Maker

Huawei

Handset Model Name

M228

FCC ID

QISM228

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 9: Huawei M328

Handset Maker

Huawei

Handset Model Name

M328

FCC ID

QISM328

Air Interfaces/Frequency Bands

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 10: Huawei Pillar (M615)

Handset Maker

Huawei

Handset Model Name

Pillar (M615)

FCC ID

QISC6070

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 11: Kyocera C5120 MILANO

Handset Maker

Kyocera

Handset Model Name

C5120 MILANO

FCC ID

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 12: Kyocera E1100

Handset Maker

Kyocera

Handset Model Name

E1100

FCC ID

OVFKWC-K3801, OVFKWC-K3802

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 13: Kyocera M2000

Handset Maker

Kyocera

Handset Model Name

M2000

FCC ID

OVF-K4802

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 14: Kyocera M9300**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

M9300

V65M9300

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 15: LG 700

Handset Maker

LG

Handset Model Name

700

FCC ID

bejux700

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 16: LG 740

Handset Maker

LG

Handset Model Name

740

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 17: LG AX260

Handset Maker

LG

Handset Model Name

AX260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 18: LG AX565

Handset Maker

LG

Handset Model Name

AX565

FCC ID

BEJLX570

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 19: LG Cosmos 2

Handset Maker

LG

Handset Model Name

Cosmos 2

FCC ID

BEJVN251

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 20: LG LG 101**Handset Maker**

LG

Handset Model Name**FCC ID**

LG 101

BEJVM101

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 21: LG LG8575

Handset Maker

LG

Handset Model Name

LG8575

FCC ID

BEJWX8575

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 22: LG LN510

Handset Maker

LG

Handset Model Name

LN510

FCC ID

BEJLN510

Air Interfaces/Frequency Bands

1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 23: LG LS670**Handset Maker**

LG

Handset Model Name

LS670

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 24: LG LX160

Handset Maker

LG

Handset Model Name

LX160

FCC ID

BEJLX160

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 25: LG LX260

Handset Maker

LG

Handset Model Name

LX260

FCC ID

BEJLX260

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 26: LG LX400**Handset Maker**

LG

Handset Model Name**FCC ID**

LX400

BEJLX400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 27: LG LX600

Handset Maker

LG

Handset Model Name

LX600

FCC ID

BEJLX600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 28: LG REVERE

Handset Maker

LG

Handset Model Name

REVERE

FCC ID

BEJVN150

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 29: LG RUMOR 2**Handset Maker**

LG

Handset Model Name

RUMOR 2

FCC ID

BEJAX265, BEJVM265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2000 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 30: LG UX265

Handset Maker

LG

Handset Model Name

UX265

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 31: LG Venus VX8800

Handset Maker

LG

Handset Model Name

Venus VX8800

FCC ID

BEJ VX8800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 32: LG VN250**Handset Maker**

LG

Handset Model Name**FCC ID**

VN250

BEJVN250

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 33: LG VN250 Cosmos

Handset Maker

LG

Handset Model Name

VN250 Cosmos

FCC ID

BEJVN250

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 34: LG VN270 Cosmos Touch

Handset Maker

LG

Handset Model Name

VN270 Cosmos Touch

FCC ID

BEJMN270, BEJVN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 35: LG VN530 Octane**Handset Maker**

LG

Handset Model Name**FCC ID**

VN530 Octane

BEJVN530

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 36: LG Voyager VX10000

Handset Maker

LG

Handset Model Name

Voyager VX10000

FCC ID

bejvx10000

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 37: LG VS660 Vortex

Handset Maker

LG

Handset Model Name

VS660 Vortex

FCC ID

BEJVS660

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 38: LG VS740

Handset Maker

LG

Handset Model Name

VS740

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 39: LG VS740 Ally

Handset Maker

LG

Handset Model Name

VS740 Ally

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 40: LG VX-6100

Handset Maker

LG

Handset Model Name

VX-6100

FCC ID

BEJVX6100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 41: LG VX3400**Handset Maker**

LG

Handset Model Name**FCC ID**

VX3400

BEJVX3400

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 42: LG VX5300

Handset Maker

LG

Handset Model Name

VX5300

FCC ID

BEJVX5300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 43: LG VX5400

Handset Maker

LG

Handset Model Name

VX5400

FCC ID

BEJVX5400

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 44: LG VX5500**Handset Maker**

LG

Handset Model Name**FCC ID**

VX5500

BEJVX5500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 45: LG VX5600

Handset Maker

LG

Handset Model Name

VX5600

FCC ID

BEJVX5600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 46: LG VX8300

Handset Maker

LG

Handset Model Name

VX8300

FCC ID

BEJVX8350

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 47: LG VX8350**Handset Maker**

LG

Handset Model Name**FCC ID**

VX8350

BEJVX8350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 48: LG VX8360

Handset Maker

LG

Handset Model Name

VX8360

FCC ID

BEJVX8360

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 49: LG VX8370 Clout

Handset Maker

LG

Handset Model Name

VX8370 Clout

FCC ID

bejvx8370

Air Interfaces/Frequency Bands

900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 50: LG VX8800**Handset Maker**

LG

Handset Model Name

VX8800

FCC ID

BEJLX600

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 51: LG VX9100

Handset Maker

LG

Handset Model Name

VX9100

FCC ID

BEJ VX9100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 52: LG VX9200M

Handset Maker

LG

Handset Model Name

VX9200M

FCC ID

BEJ VX9200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 53: LG VX9600**Handset Maker**

LG

Handset Model Name**FCC ID**

VX9600

BEJVX9600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 54: LG VX9700

Handset Maker

LG

Handset Model Name

VX9700

FCC ID

BEJVX9700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 55: LG VX9900

Handset Maker

LG

Handset Model Name

VX9900

FCC ID

bejvx9900

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid range

Remarks

Handset 56: Motorola A455**Handset Maker**

Motorola

Handset Model Name

A455

FCC ID

IHDT56KG1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 57: Motorola A555 Devour

Handset Maker

Motorola

Handset Model Name

A555 Devour

FCC ID

ihdp56kw1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid range

Remarks

Handset 58: Motorola A854

Handset Maker

Motorola

Handset Model Name

A854

FCC ID

IHDP56kc1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 59: Motorola A855 Droid

Handset Maker

Motorola

Handset Model Name

A855 Droid

FCC ID

IHDP56KC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 60: Motorola A955 Droid 2

Handset Maker

Motorola

Handset Model Name

A955 Droid 2

FCC ID

ihdp56lv1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 61: Motorola A957 Droid Pro

Handset Maker

Motorola

Handset Model Name

A957 Droid Pro

FCC ID

ihdt56mw1

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 62: Motorola Droid 2

Handset Maker

Motorola

Handset Model Name

Droid 2

FCC ID

ihdp56kc1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 63: Motorola K1m

Handset Maker

Motorola

Handset Model Name

K1m

FCC ID

IHDT56GH1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 64: Motorola Q

Handset Maker

Motorola

Handset Model Name

Q

FCC ID

IHDT56FQ1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 65: Motorola v265

Handset Maker

Motorola

Handset Model Name

v265

FCC ID

IHDT56ET1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 66: Motorola V323

Handset Maker

Motorola

Handset Model Name

V323

FCC ID

IHDT56FA1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 67: Motorola V3a

Handset Maker

Motorola

Handset Model Name

V3a

FCC ID

IHDT56HD1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 68: Motorola V3m**Handset Maker**

Motorola

Handset Model Name

V3m

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 69: Motorola V950

Handset Maker

Motorola

Handset Model Name

V950

FCC ID

IHDT56JA1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 70: Motorola W315

Handset Maker

Motorola

Handset Model Name

W315

FCC ID

IHDT56GE1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 71: Motorola W755**Handset Maker**

Motorola

Handset Model Name

W755

FCC ID

IHDT56JB1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 72: Motorola W766

Handset Maker

Motorola

Handset Model Name

W766

FCC ID

IHDP56KA1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 73: Motorola W840 Quantico

Handset Maker

Motorola

Handset Model Name

W840 Quantico

FCC ID

ihdt56ks1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 74: Motorola WX445 CITRUS**Handset Maker**

Motorola

Handset Model Name**FCC ID**

WX445 CITRUS

ihdp56lf1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid range

Remarks

Handset 75: Motorola Z6m

Handset Maker

Motorola

Handset Model Name

Z6m

FCC ID

IHDT56GU1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 76: Palm Pixi Plus

Handset Maker

Palm

Handset Model Name

Pixi Plus

FCC ID

O8F-PIXEW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 77: Palm Treo 700w**Handset Maker**

Palm

Handset Model Name

Treo 700w

FCC ID

O8FJIMI

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 78: Pantech CDM8635

Handset Maker

Pantech

Handset Model Name

CDM8635

FCC ID

PP4COACH

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 79: Research In Motion Limited 9330

Handset Maker

Research In Motion Limited

Handset Model Name

9330

FCC ID

l6arcl20cw

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 80: Research In Motion Limited BlackBerry 8130

Handset Maker

Research In Motion Limited

Handset Model Name FCC ID

BlackBerry 8130 L6ARBS20CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 81: Research In Motion Limited BlackBerry 8230

Handset Maker

Research In Motion Limited

Handset Model Name

FCC ID

BlackBerry 8230

l6arce20cw

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 82: Research In Motion Limited BlackBerry 8330

Handset Maker

Research In Motion Limited

Handset Model Name

FCC ID

BlackBerry 8330

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 83: Research In Motion Limited BlackBerry 8530

Handset Maker

Research In Motion Limited

Handset Model Name	FCC ID
--------------------	--------

BlackBerry 8530	L6ARCL20CW
-----------------	------------

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 84: Research In Motion Limited BlackBerry 8830

Handset Maker

Research In Motion Limited

Handset Model Name

BlackBerry 8830

FCC ID

L6ARBK40CG

Air Interfaces/Frequency Bands

800 MHz CDMA
900 MHz CDMA
1800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 85: Research In Motion Limited Blackberry 9630 Tour

Handset Maker

Research In Motion Limited

Handset Model Name FCC ID

Blackberry 9630 Tour L6ARCF70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 86: Research In Motion Limited BlackBerry 9650

Handset Maker

Research In Motion Limited

Handset Model Name FCC ID

BlackBerry 9650 L6ARCS70CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

smart phone

Remarks

Handset 87: Samsung M850

Handset Maker

Samsung

Handset Model Name

M850

FCC ID

A3LSPHM850

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 88: Samsung M900

Handset Maker

Samsung

Handset Model Name

M900

FCC ID

A3LSPHA900

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 89: Samsung M910**Handset Maker**

Samsung

Handset Model Name

M910

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 90: Samsung SCH-R410

Handset Maker

Samsung

Handset Model Name

SCH-R410

FCC ID

A3LSCHR410

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 91: Samsung SCH-U340

Handset Maker

Samsung

Handset Model Name

SCH-U340

FCC ID

A3LSCHU340

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 92: Samsung SCH-U540

Handset Maker

Samsung

Handset Model Name

SCH-U540

FCC ID

A3LSCHU540

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 93: Samsung SCH-U740

Handset Maker

Samsung

Handset Model Name

SCH-U740

FCC ID

A3LSCHU710

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 94: Samsung SPH-M240

Handset Maker

Samsung

Handset Model Name

SPH-M240

FCC ID

A3LSPHM240

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 95: Samsung SPH-M300**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M300

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 96: Samsung SPH-M320

Handset Maker

Samsung

Handset Model Name

SPH-M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 97: Samsung SPH-M360

Handset Maker

Samsung

Handset Model Name

SPH-M360

FCC ID

a3lsphm360

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 98: Samsung SPH-M500**Handset Maker**

Samsung

Handset Model Name

SPH-M500

FCC ID

A3LSPHM500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 99: Samsung SPH-M510

Handset Maker

Samsung

Handset Model Name

SPH-M510

FCC ID

A3LSPHM510

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 100: Samsung SPH-M575

Handset Maker

Samsung

Handset Model Name

SPH-M575

FCC ID

a3lsphm575

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 101: Samsung U430

Handset Maker

Samsung

Handset Model Name

U430

FCC ID

a3lschu430

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 102: Sanyo 2300

Handset Maker

Sanyo

Handset Model Name

2300

FCC ID

aezscp-23H

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 103: Sanyo 8600

Handset Maker

Sanyo

Handset Model Name

8600

FCC ID

V65M6000

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Handset 104: Sanyo SCP-2400

Handset Maker

Sanyo

Handset Model Name

SCP-2400

FCC ID

AEZSCP-24H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 105: Sanyo SCP-2700 (Juno)

Handset Maker

Sanyo

Handset Model Name

SCP-2700 (Juno)

FCC ID

v65scp-27h

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 106: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name

SCP-3100

FCC ID

AEZSCP-31H

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 107: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name

SCP-3800

FCC ID

aezscp-3800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 108: Sanyo SCP-3810

Handset Maker

Sanyo

Handset Model Name

SCP-3810

FCC ID

V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 109: Sanyo SCP-6650

Handset Maker

Sanyo

Handset Model Name

SCP-6650

FCC ID

AEZSCP-6650

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 110: Sanyo SCP-8300**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-8300

aezscp-83h

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

basic

Remarks

Handset 111: UT Starcom TXT8010

Handset Maker

UT Starcom

Handset Model Name

TXT8010

FCC ID

pp4elvis

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

mid-range

Remarks

Handset 112: ZTE N860

Handset Maker

ZTE

Handset Model Name

N860

FCC ID

Q78-ZTEN860C

Air Interfaces/Frequency Bands

800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

smart phone

Remarks

Certification

This Report has been certified by:

Shannon Bing Compliance Manager
01/14/2014 03:30 PM