



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006100298

Filing Deadline: January 15, 2014

FRN: 0015017189

Filing Date: 01/14/2014 06:12 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 01/12

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Bug Tussel Wireless, LLC

Brand Names: Bug Tussel

PO Box:

Street Address: 130 E. Walnut Street

City: Green Bay

State: WI

Zip Code: 54301

Contact Name: Mike Long

Contact Phone: (920) 940-0139

Contact Fax: (920) 884-0836

Contact Email: Mike.Long@bugtusselwireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Herman & Whiteaker, LC

PO Box:

Street Address: 3204 Tower Oaks Blvd., Suite 180

City: Rockville

State: MD

Contact Name: Gregory W. Whiteaker
Contact Phone: (202) 600-7274
Contact Fax: (202) 706-6056
Contact Email: greg@hermanwhiteaker.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.bugtusselwireless.com/media/2013/01/BugTusselWirelessHACchart.pdf>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Manufacturer packaging and user guides reflect hearing aid compatible rating and functionality. The Bug Tussel Wireless website also provides detailed hearing aid compatibility information.

Methodology for Functionality Levels

"Basic" phones are entry level phones offered at prices under \$130. "High-end/feature-rich" phones are phones with more advanced capabilities and are offered at prices over \$130.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	5	33%	3	20%	7	47%		15
WCDMA	2	50%	2	50%				4

Handset 1: Alcatel 355A

Handset Maker

Alcatel

Handset Model Name

355A

FCC ID

RAD150

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 2: Alcatel 918 MIX

Handset Maker

Alcatel

Handset Model Name

918 MIX

FCC ID

RAD260

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM

1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

High-end/Feature-rich

Remarks

Handset 3: Alcatel 995S

Handset Maker

Alcatel

Handset Model Name

995S

FCC ID

RAD231

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

High-end/feature-rich

Remarks

Handset 4: Alcatel OT-802

Handset Maker

Alcatel

Handset Model Name

OT-802

FCC ID

RAD133

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

Handset 5: BLU Quattro

Handset Maker

BLU

Handset Model Name

Quattro

FCC ID

YHLBLUQUATTRO45

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High end/feature rich

Remarks

Handset 6: Huawei Ideos

Handset Maker

Huawei

Handset Model Name

Ideos

FCC ID

QISU8150-B

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

High-end/Feature-rich

Remarks

Handset 7: Motorola WX290

Handset Maker

Motorola

Handset Model Name

WX290

FCC ID

IHDT56LY1

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 8: Motorola WX345

Handset Maker

Motorola

Handset Model Name

WX345

FCC ID

IHDP56LJ5

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks**Handset 9: Samsung B3410****Handset Maker**

Samsung

Handset Model Name

B3410

FCC ID

A3LGTB3410

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 10: Samsung c3520

Handset Maker

Samsung

Handset Model Name

c3520

FCC ID

A3LGTC3520

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 11: Samsung Nexus i9023

Handset Maker

Samsung

Handset Model Name

Nexus i9023

FCC ID

A3LGTI9023

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
900 MHz WCDMA
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

High-end/feature-rich

Remarks

Handset 12: Unnecto Pro Z

Handset Maker

Unnecto

Handset Model Name

Pro Z

FCC ID

OLEU240

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Handset 13: Verykool R23

Handset Maker

Verykool

Handset Model Name

R23

FCC ID

WA6R23

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Basic

Remarks

Handset 14: Verykool s758

Handset Maker

Verykool

Handset Model Name

s758

FCC ID

WA6S758

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

High end/Feature rich

Remarks

Handset 15: VisiKey LLC dba Snapfon Snapfon ezONE

Handset Maker

VisiKey LLC dba Snapfon

Handset Model Name

Snapfon ezONE

FCC ID

YMREZONE-B

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Basic

Remarks

Certification

This Report has been certified by:

Gregory W Whiteaker Authorized Agent
01/14/2014 06:12 PM