



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006099942

Filing Deadline: January 15, 2014

FRN: 0020419552

Filing Date: 01/14/2014 03:50 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 10/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Assurance Home Phone Services, Inc.

Brand Names: Surety Wireless

PO Box:

Street Address: 4352 SE 95th Street

City: Ocala

State: FL

Zip Code: 34480

Contact Name: Tina Allen

Contact Phone: (352) 233-2717

Contact Fax: (352) 233-2724

Contact Email: tallen@telecomservicebureau.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.mysuretywireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Customers can obtain new service by calling the company customer service number or by applying via the company website. The company has not performed local event outreach this year.

Methodology for Functionality Levels

Company used Phone Scoop, FCC ID lookup, and Manufacturer's information where available to determine the functionality of its handsets.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 35

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Excluded Handsets Number | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|--------------------------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | | |
| CDMA | 29 | 83% | 6 | 17% | | | | 35 |

Handset 1: Kyocera S1310

Handset Maker

Kyocera

Handset Model Name

S1310

FCC ID

OVF-K33BIC04

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 2: LG 265 (Rumor2)

Handset Maker

LG

Handset Model Name

265 (Rumor2)

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 3: LG LN510 (Rumor Touch)

Handset Maker

LG

Handset Model Name

FCC ID

LN510 (Rumor Touch)

BEJLN510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 4: LG LS670 (Optimus S)

Handset Maker

LG

Handset Model Name

FCC ID

LS670 (Optimus S)

BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/13 to 04/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 5: LG LX260 (Rumor Scoop)

Handset Maker

LG

Handset Model Name

FCC ID

LX260 (Rumor Scoop)

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 6: LG LX265 (Rumor2)

Handset Maker

LG

Handset Model Name

LX265 (Rumor2)

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 7: LG LX600 (Lotus)

Handset Maker

LG

Handset Model Name

LX600 (Lotus)

FCC ID

BEJLX600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 8: LG LX610 (Lotus Elite)

Handset Maker

LG

Handset Model Name

FCC ID

LX610 (Lotus Elite)

BEJLX610

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 03/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 9: LG VM101

Handset Maker

LG

Handset Model Name

VM101

FCC ID

BEJVM101

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/13 to 04/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 10: Motorola IC402 (Blend)

Handset Maker

Motorola

Handset Model Name

IC402 (Blend)

FCC ID

AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 11: Motorola IC502 (Buzz)

Handset Maker

Motorola

Handset Model Name

IC502 (Buzz)

FCC ID

AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 12: Motorola V3m RAZR

Handset Maker

Motorola

Handset Model Name

V3m RAZR

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 13: Motorola V9m RAZR2

Handset Maker

Motorola

Handset Model Name

V9m RAZR2

FCC ID

IHDT56HT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 05/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 14: Palm 755p

Handset Maker

Palm

Handset Model Name

755p

FCC ID

O8F-895

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 15: Research In Motion 8130

Handset Maker

Research In Motion

Handset Model Name

8130

FCC ID

L6ARBS20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 16: Research In Motion 8330

Handset Maker

Research In Motion

Handset Model Name

8330

FCC ID

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 17: Research In Motion 8330A

Handset Maker

Research In Motion

Handset Model Name

8330A

FCC ID

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 11/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 18: Research In Motion 8330B

Handset Maker

Research In Motion

Handset Model Name

8330B

FCC ID

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 19: Samsung M300

Handset Maker

Samsung

Handset Model Name

M300

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 20: Samsung M320

Handset Maker

Samsung

Handset Model Name

M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 21: Samsung M350 (Seek)

Handset Maker

Samsung

Handset Model Name FCC ID

M350 (Seek) A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 22: Samsung M400

Handset Maker

Samsung

Handset Model Name FCC ID

M400 A3LSPHM400

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 07/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 23: Samsung M540 (Rant)

Handset Maker

Samsung

Handset Model Name

M540 (Rant)

FCC ID

A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 24: Samsung M560 (Reclaim)

Handset Maker

Samsung

Handset Model Name

M560 (Reclaim)

FCC ID

A3LSPHM560

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 05/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 25: Samsung M800 (Instinct)

Handset Maker

Samsung

Handset Model Name

M800 (Instinct)

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 26: Samsung M900 Moment

Handset Maker

Samsung

Handset Model Name

M900 Moment

FCC ID

A3LSPHM900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 27: Samsung M910

Handset Maker

Samsung

Handset Model Name

M910

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 28: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name

Pro 200

FCC ID

AEZSCP-PRO200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 29: Sanyo SCP-2300**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-2300

AEZSCP-23H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 02/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 30: Sanyo SCP-2700 (Juno)

Handset Maker

Sanyo

Handset Model Name

SCP-2700 (Juno)

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 31: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name

SCP-3800

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 32: Sanyo SCP-3810 Mirro

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-3810 Mirro

V65SCP-3810

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 33: Sanyo SCP-3820 (Vero)

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-3820 (Vero)

V65SCP-3820

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 10/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 34: Sanyo SCP-6780 (Innuendo)

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-6780 (Innuendo)

V65SCP-6780

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 35: Sanyo Tahoe E4100

Handset Maker

Sanyo

Handset Model Name

Taho E4100

FCC ID

V65E4100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 03/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Certification

This Report has been certified by:

Joseph Fernandez President

01/14/2014 03:50 PM