



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013

Filing Confirmation Number: 0006103632

Filing Deadline: January 15, 2014

FRN: 0014802284

Filing Date: 01/15/2014 10:24 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: NEP Cellcorp Inc.

Brand Names: NEP Wireless

PO Box:

Street Address: 720 Main Street

City: Forest City

State: PA

Zip Code: 18421

Contact Name: Richard Kulasinsky

Contact Phone: (570) 785-2262

Contact Fax: (570) 785-9299

Contact Email: rk@nep.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.nep.net/index.php/wireless/hearing-aid-compatibility-consumer-rights>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: NEP maintains a public website displaying its entire selection of handsets and devices, including those that are HAC-compliant. Sales staff is trained to assist existing and prospective customers in identifying HAC-compatible handsets and devices. Existing and prospective customers can typically find whether a handset or device is HAC-compliant by either checking the packaging containing the handset or device, or by consulting the packaging insert or operations manual. For more information on HAC, customers are also directed to www.accesswireless.org/Disability-Categories/Hearing.aspx and other public websites dedicated to HAC education.

Methodology for Functionality Levels

NEP offers HAC-compatible handsets and devices in all major price and feature categories, including low-cost and features (generally less than \$100); moderate-cost and features (generally \$100-\$250); and high-end, feature rich (generally greater than \$250). At least one HAC-compliant handset or device with features and services typical of its price category can be found that meets each customer's price range

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 45

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	15	33%	3	7%	27	60%		45

Handset 1: Alcatel 768T

Handset Maker

Alcatel

Handset Model Name

768T

FCC ID

RAD287

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 2: Alcatel OT-880A

Handset Maker

Alcatel

Handset Model Name

OT-880A

FCC ID

RAD126

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

MID

Remarks

Handset 3: Alcatel OT-980A

Handset Maker

Alcatel

Handset Model Name

OT-980A

FCC ID

RAD130

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

HIGH

Remarks

Handset 4: Alcatel TRIBE

Handset Maker

Alcatel

Handset Model Name

TRIBE

FCC ID

RAD106

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

MID

Remarks

Handset 5: Cat B10

Handset Maker

Cat

Handset Model Name

B10

FCC ID

ZL5B10

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 6: Cat B25

Handset Maker

Cat

Handset Model Name

B25

FCC ID

ZL5B25

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 10/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 7: Motorola A1600

Handset Maker

Motorola

Handset Model Name

A1600

FCC ID

IHDP56HT1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 8: Motorola Backflip MB300**Handset Maker**

Motorola

Handset Model Name

Backflip MB300

FCC ID

IHDP56KD1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 9: Motorola DEFY+

Handset Maker

Motorola

Handset Model Name

DEFY+

FCC ID

IHDP56LC2

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 10: Motorola M900 Bag

Handset Maker

Motorola

Handset Model Name

M900 Bag

FCC ID

IHDT56CW1

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 11: Motorola Milestone 2

Handset Maker

Motorola

Handset Model Name

Milestone 2

FCC ID

IHDP56KD2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 03/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 12: Motorola RAZR V3

Handset Maker

Motorola

Handset Model Name

RAZR V3

FCC ID

IHDT56GN1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 13: Motorola V3xx

Handset Maker

Motorola

Handset Model Name

V3xx

FCC ID

IHDT56GN1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 14: Motorola V8

Handset Maker

Motorola

Handset Model Name

V8

FCC ID

IHDT56HZ1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 15: Motorola V9

Handset Maker

Motorola

Handset Model Name

V9

FCC ID

IHDT56JR1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 16: Motorola W230a

Handset Maker

Motorola

Handset Model Name

W230a

FCC ID

IHDP56HK1

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 17: Motorola WX345

Handset Maker

Motorola

Handset Model Name

WX345

FCC ID

IHDP56LC2

Air Interfaces/Frequency Bands

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 18: Motorola XT910

Handset Maker

Motorola

Handset Model Name

XT910

FCC ID

IHDP56ME2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 19: Nokia 2610

Handset Maker

Nokia

Handset Model Name

2610

FCC ID

QTLRH-87

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 20: Nokia 3600

Handset Maker

Nokia

Handset Model Name

3600

FCC ID

PPIRM-352

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 21: Nokia 5310

Handset Maker

Nokia

Handset Model Name

5310

FCC ID

PPIRM-304

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 22: Nokia 6030

Handset Maker

Nokia

Handset Model Name

6030

FCC ID

QTLRM-75

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 23: Nokia 7020**Handset Maker**

Nokia

Handset Model Name

7020

FCC ID

QTKRM-497

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 24: Nokia ASHA 302

Handset Maker

Nokia

Handset Model Name

ASHA 302

FCC ID

PPIRM-813

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 03/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 25: Nokia C3

Handset Maker

Nokia

Handset Model Name

C3

FCC ID

QTLRM-614

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 03/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 26: Nokia E5

Handset Maker

Nokia

Handset Model Name

E5

FCC ID

QTKRM-634

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

MID

Remarks

Handset 27: Nokia Lumia 920

Handset Maker

Nokia

Handset Model Name

Lumia 920

FCC ID

PYARM-821

Air Interfaces/Frequency Bands

- 850 MHz GSM
- 900 MHz GSM
- 1700 MHz GSM
- 1800 MHz GSM
- 1900 MHz GSM
- 2100 MHz GSM

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 28: Samsung B2710

Handset Maker

Samsung

Handset Model Name

B2710

FCC ID

A3LGTB2710

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 29: Samsung B5310

Handset Maker

Samsung

Handset Model Name

B5310

FCC ID

A3LGTB5310

Air Interfaces/Frequency Bands

800 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 30: Samsung B7510 Galaxy Pro

Handset Maker

Samsung

Handset Model Name

B7510 Galaxy Pro

FCC ID

A3LGTB7510L

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 31: Samsung Galaxy Ace (S5830)

Handset Maker

Samsung

Handset Model Name

Galaxy Ace (S5830)

FCC ID

a3lgts5690l

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 32: Samsung Galaxy Ace Plus

Handset Maker

Samsung

Handset Model Name

Galaxy Ace Plus

FCC ID

A3LGTS7500L

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 33: Samsung Galaxy Note II

Handset Maker

Samsung

Handset Model Name

Galaxy Note II

FCC ID

A3LGTN7100

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 34: Samsung Galaxy S 4 Active

Handset Maker

Samsung

Handset Model Name

Galaxy S 4 Active

FCC ID

A3LGTI9295

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 35: Samsung Galaxy S II

Handset Maker

Samsung

Handset Model Name

Galaxy S II

FCC ID

A3LGTI9100

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 05/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 36: Samsung Galaxy S III Mini

Handset Maker

Samsung

Handset Model Name

Galaxy S III Mini

FCC ID

A3LGTI8190

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM
2100 MHz GSM

Dates

This handset model was offered from: 01/13 to 08/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 37: Samsung Galaxy S4 Mini

Handset Maker

Samsung

Handset Model Name

Galaxy S4 Mini

FCC ID

A3LGTI9192

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 38: Samsung Galaxy SIII

Handset Maker

Samsung

Handset Model Name

Galaxy SIII

FCC ID

A3LGTI9300A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

HIGH

Remarks

Handset 39: Samsung Galaxy Xcover Rugged

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Xcover Rugged

A3LGTS5690L

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

MID

Remarks

Handset 40: Samsung t369

Handset Maker

Samsung

Handset Model Name

t369

FCC ID

A3LSGHT369

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 05/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 41: Snapfon ezONE-C

Handset Maker

Snapfon

Handset Model Name

ezONE-C

FCC ID

ZHN-W02

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

LOW

Remarks

Handset 42: SONIM XP3300 Force

Handset Maker

SONIM

Handset Model Name

XP3300 Force

FCC ID

WYPP25C005AA

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 43: Sony Ericsson LT28i Xperia ION

Handset Maker

Sony Ericsson

Handset Model Name

LT28i Xperia ION

FCC ID

PY7A8880001

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

HIGH

Remarks

Handset 44: Sony Ericsson Z310a

Handset Maker

Sony Ericsson

Handset Model Name

Z310a

FCC ID

PY7A1032021

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/13 to 01/13

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

LOW

Remarks

Handset 45: Verykool s758

Handset Maker

Verykool

Handset Model Name

s758

FCC ID

WA6S758

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 04/13 to 12/13

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

HIGH

Remarks

Certification

This Report has been certified by:

Richard Kulasinsky Wireless Engineering and Operations Mana
01/15/2014 10:24 PM

Reference Copy