



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014
Filing Deadline: July 15, 2014
Filing Date: 07/01/2014 01:37 PM

Filing Confirmation Number: 0006352893
FRN: 0004321311

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Motorola Mobility LLC
Brand Names: Motorola
PO Box:
Street Address: 8000 W. Sunrise Blvd.; Suite A
City: Plantation
State: FL
Zip Code: 33322

Contact Name: John Lewczak
Contact Phone: (954) 590-0254
Contact Fax: (954) 337-2377
Contact Email: JohnLewczak@motorola.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.motorola.com/hacphones>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: A Motorola staff member is the chair of the Accessibility Working Group (AWG) of the Mobile Manufacturers Forum (MMF), and attended several meetings gathering inputs from various regulatory, industry, and disability groups.

Motorola attended several meetings with the World Institute on Disability, with a Motorola staff member on the WID Board of Directors.

Several Motorola staff members conducted a focus group with blind and low-vision participants at the Hadley School for the Blind in Winnetka, IL.

A Motorola staff member worked with the Technology Access Program at Gallaudet University to understand the needs of the hearing loss community.

A Motorola staff member worked with the Chicago Lighthouse to provide an accessibility product review of the Moto X device.

A Motorola staff member participated in the Anixter Center's open house event in Chicago, IL to learn about the rehabilitation needs of individuals with disabilities.

A Motorola staff member participated in several webinars with various disability groups through industry trade associations (e.g. TIA and CTIA).

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 16

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 28

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	11	85%			2	15%		13
CDMA	13	100%						13
WCDMA	10	83%			2	17%		12
iDEN	1	17%	4	67%	1	17%		6

Handset 1: Motorola ATRIX HD

Handset Maker

Motorola

Handset Model Name

ATRIX HD

FCC ID

IHDP56MB4

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Motorola Defy XT

Handset Maker

Motorola

Handset Model Name

Defy XT

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 09/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Motorola DROID 4

Handset Maker

Motorola

Handset Model Name

DROID 4

FCC ID

IHDP56MN1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 12/05/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/05/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Motorola DROID RAZR HD

Handset Maker

Motorola

Handset Model Name FCC ID

DROID RAZR HD IHDT56NG1

DROID RAZR MAXX HD IHDT56NG1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Motorola DROID RAZR M

Handset Maker

Motorola

Handset Model Name FCC ID

DROID RAZR M IHDT56NS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 09/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Motorola Droid Ultra

Handset Maker

Motorola

Handset Model Name FCC ID

Droid Ultra IHDT56PE1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/13/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Motorola Droid Ultra MAXX

Handset Maker

Motorola

Handset Model Name

Droid Ultra MAXX

FCC ID

IHDT56PE2

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/03/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Motorola ELECTRIFY 2

Handset Maker

Motorola

Handset Model Name

ELECTRIFY 2

FCC ID

IHDT56NH5

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 02/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Motorola i365

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/21/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 10: Motorola i365IS****Handset Maker**

Motorola

Handset Model Name

i365IS

FCC ID

IHDP56HJ1

Air Interfaces/Frequency Bands

800 MHz iDEN
900 MHz iDEN

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Motorola i418

Handset Maker

Motorola

Handset Model Name

i418

FCC ID

IHDT56NP1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 12: Motorola i460

Handset Maker

Motorola

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz iDEN

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 13: Motorola i485**Handset Maker**

Motorola

Handset Model Name

i485

FCC ID

IHDT56NT1

Air Interfaces/Frequency Bands

800 MHz iDEN

900 MHz iDEN

Dates

This handset model was offered from: 06/12 to 03/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Motorola Moto G (XT1028)

Handset Maker

Motorola

Handset Model Name

FCC ID

Moto G (XT1028)

IHDT56PF3

Moto G (XT1031)

IHDT56PF3

Moto G (XT937C)

IHDT56PF3

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/15/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Motorola Moto G (XT1042)

Handset Maker

Motorola

Handset Model Name

Moto G (XT1042)

FCC ID

IHDT56PH2

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Motorola Photon Q 4G LTE

Handset Maker

Motorola

Handset Model Name

Photon Q 4G LTE

FCC ID

IHDT56NL2

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: Motorola Razr D1

Handset Maker

Motorola

Handset Model Name

Razr D1

FCC ID

IHDP56NE1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Motorola RAZR D3 (XT919)

Handset Maker

Motorola

Handset Model Name

RAZR D3 (XT919)

FCC ID

IHDT56ND1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 19: Motorola RAZR HD XT925

Handset Maker

Motorola

Handset Model Name

RAZR HD XT925

FCC ID

IHDT56NG9

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Motorola XT1002 Moto G

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1002 Moto G

IHDT56PF1

XT1032 Moto G

IHDT56PF1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 11/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 21: Motorola XT1034 Moto G

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1034 Moto G

IHDT56PF2

XT939G Moto G

IHDT56PF2

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 11/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/25/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: Motorola XT1045 Moto G

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1045 Moto G

IHDT56PG1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/14 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/13/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 23: Motorola XT1049 Moto X

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1049 Moto X

IHDT56PB2

XT1056 Moto X

IHDT56PB2

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: Motorola XT1050

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1050

IHDT56PB1

XT1060

IHDT56PB1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz CDMA

1900 MHz GSM

1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/24/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Motorola XT1053 MotoX

Handset Maker

Motorola

Handset Model Name

XT1053 MotoX

FCC ID

IHDT56PA2

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 11/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/26/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/26/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: Motorola XT1055 Moto X

Handset Maker

Motorola

Handset Model Name

XT1055 Moto X

FCC ID

IHDT56PB3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 06/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/18/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 27: Motorola XT1058

Handset Maker

Motorola

Handset Model Name

XT1058

FCC ID

IHDT56PA1

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/10/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 28: Motorola XT626

Handset Maker

Motorola

Handset Model Name

XT626

XT627

FCC ID

IHDT56NQ2

IHDT56NQ2

Air Interfaces/Frequency Bands

800 MHz iDEN

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

John Lewczak Engineering Manager
07/01/2014 01:37 PM