



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014  
Filing Deadline: July 15, 2014  
Filing Date: 07/15/2014 01:28 AM

Filing Confirmation Number: 0006370410  
FRN: 0018941682

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: HTC Corporation  
Brand Names: HTC  
PO Box:  
Street Address: 13920 SE Eastgate Way, Suite 200  
City: Bellevue  
State: WA  
Zip Code: 98005

Contact Name: Mark Bender  
Contact Phone: (425) 289-1280  
Contact Fax:  
Contact Email: Mark\_Bender@htc.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.htc.com/us/accessibility/hearing-aid-compatibility/>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HTC has conducted outreach events with the hearing loss community in order to better understand the smartphone needs of individuals with hearing loss. In addition to meeting with members of hearing loss associations, HTC has established a committee to conduct future outreach. Also, our customer support organization provides consumers with information about accessibility features online and during customer support calls. HTC provides input from outreach events, customers, and potential customers to our user research team for analysis and possible design improvements.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 7

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 23

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	13	100%						13
CDMA	13	100%						13
WCDMA	17	100%						17

## Handset 1: HTC 0P3P100

### Handset Maker

HTC

### Handset Model Name

0P3P100

### FCC ID

NM80P3P100

### Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 11/13 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 09/30/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/30/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 2: HTC 0P3P700

### Handset Maker

HTC

### Handset Model Name

0P3P700

### FCC ID

NM80P3P700

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 11/13 to 02/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/23/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 3: HTC 0P4E100

#### Handset Maker

HTC

#### Handset Model Name

0P4E100

#### FCC ID

NM80P4E100

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 07/13 to 04/14

#### Ratings

M-Rating: M3

M-Rating Certification Date: 09/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/18/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

## Handset 4: HTC 0P6B120

### Handset Maker

HTC

### Handset Model Name

0P6B120

### FCC ID

NM80P6B120

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 03/14 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 03/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 5: HTC 0P6B130

### Handset Maker

HTC

### Handset Model Name

0P6B130

### FCC ID

NM80P6B130

### Air Interfaces/Frequency Bands

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM  
2100 MHz WCDMA

### Dates

This handset model was offered from: 03/14 to 06/14

## Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

### Handset 6: HTC 0P6B200

#### Handset Maker

HTC

#### Handset Model Name

0P6B200

#### FCC ID

NM80P6B200

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

#### Dates

This handset model was offered from: 03/14 to 06/14

## Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 7: HTC 0P6B700

### Handset Maker

HTC

### Handset Model Name

0P6B700

### FCC ID

NM80P6B700

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 03/14 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 8: HTC PJ40110

### Handset Maker

HTC

### Handset Model Name

PJ40110

### FCC ID

NM8PJ40110

### Air Interfaces/Frequency Bands

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM  
2100 MHz WCDMA

### Dates

This handset model was offered from: 04/12 to 07/13

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 9: HTC PJ53100

### Handset Maker

HTC

### Handset Model Name

PJ53100

### FCC ID

NM8PJ53100

### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz GSM  
900 MHz GSM  
900 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz CDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/12 to 10/13

## Ratings

M-Rating: M4

M-Rating Certification Date: 03/08/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/08/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Class II Permissive change on 03/23/12: M4/T4 2007

## Handset 10: HTC PJ75100

### Handset Maker

HTC

### Handset Model Name

PJ75100

### FCC ID

NM8PJ75100

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 04/12 to 10/13

## Ratings

M-Rating: M4

M-Rating Certification Date: 04/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Class II Permissive Change on 05/22/12: M4/T3-2007.

---

### Handset 11: HTC PL80110

#### Handset Maker

HTC

#### Handset Model Name

PL80110

#### FCC ID

NM8PL80110

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/13 to 02/14

#### Ratings

M-Rating: M4

M-Rating Certification Date: 01/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/18/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 12: HTC PL80120

#### Handset Maker

HTC

#### Handset Model Name

#### FCC ID

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
 1700 MHz CDMA  
 1900 MHz CDMA  
 2100 MHz CDMA

**Dates**

This handset model was offered from: 12/12 to 02/14

**Ratings**

M-Rating: M4

M-Rating Certification Date: 12/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 13: HTC PL83200****Handset Maker**

HTC

**Handset Model Name**

PL83200

**FCC ID**

NM8PL83200

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
 850 MHz GSM  
 850 MHz WCDMA  
 900 MHz GSM  
 900 MHz WCDMA  
 1800 MHz GSM  
 1900 MHz GSM  
 1900 MHz CDMA  
 1900 MHz WCDMA  
 2100 MHz WCDMA

**Dates**

This handset model was offered from: 11/12 to 11/13

**Ratings**

M-Rating: M3

M-Rating Certification Date: 11/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 14: HTC PM23100

#### Handset Maker

HTC

#### Handset Model Name

PM23100

#### FCC ID

NM8PM23100

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 11/12 to 10/13

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 15: HTC PM23300

#### Handset Maker

HTC

#### Handset Model Name

PM23300

#### FCC ID

NM8PM23300

#### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

2100 MHz WCDMA

#### Dates

This handset model was offered from: 11/12 to 09/13

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 16: HTC PM33100

### Handset Maker

HTC

### Handset Model Name

PM33100

### FCC ID

NM8PM33100

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 02/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 03/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/22/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 17: HTC PM36100

### Handset Maker

HTC

### Handset Model Name

PM36100

### FCC ID

NM8PM36100

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 11/12 to 08/13

## Ratings

M-Rating: M3

M-Rating Certification Date: 09/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

## Handset 18: HTC PM59110

### Handset Maker

HTC

### Handset Model Name

PM59110

### FCC ID

NM8PM59110

### Air Interfaces/Frequency Bands

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM  
2100 MHz WCDMA

### Dates

This handset model was offered from: 07/13 to 05/14

## Ratings

M-Rating: M3

M-Rating Certification Date: 11/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

## Handset 19: HTC PN07120

### Handset Maker

HTC

### Handset Model Name

PN07120

### FCC ID

NM8PN07120

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 05/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/20/13

Version of the ANSI C63.19 standard used during the certification process: 2007

## Remarks

Class II Permissive Change On 03/14/13: M3/T4-2011

## Handset 20: HTC PN07130

### Handset Maker

HTC

### Handset Model Name

PN07130

### FCC ID

NM8PN07130

### Air Interfaces/Frequency Bands

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM  
2100 MHz WCDMA

### Dates

This handset model was offered from: 05/13 to 02/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/20/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Class II Permissive Change on 03/14/13: M3/T4-2011

## Handset 21: HTC PN07200

### Handset Maker

HTC

### Handset Model Name

PN07200

### FCC ID

NM8PN07200

### Air Interfaces/Frequency Bands

1800 MHz CDMA  
1900 MHz CDMA  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 03/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 02/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Class II Permissive Change on 03/12/13: M4/T4-2011

## Handset 22: HTC PO58220

### Handset Maker

HTC

### Handset Model Name

PO58220

### FCC ID

NM8PO58220

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 08/13 to 03/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 08/01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/01/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 23: HTC PO88100

#### Handset Maker

HTC

#### Handset Model Name

PO88100

#### FCC ID

NM8PO88100

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 07/13 to 05/14

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/07/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/07/13

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

Class II Permissive Change on 06/13/13: M4/T4-2011

---

# Certification

This Report has been certified by:

Mark Bender Compliance Management

07/15/2014 01:28 AM

Reference Copy