



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2013 - June 30, 2014  
Filing Deadline: July 15, 2014  
Filing Date: 07/15/2014 10:32 AM

Filing Confirmation Number: 0006370869  
FRN: 0019349547

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

#### Company Information

Company Name: ZTE USA Inc.  
Brand Names: ZTE  
PO Box:  
Street Address: 2425 N Central Expressway, Suite 600  
City: Richardson  
State: TX  
Zip Code: 75080

Contact Name: Gary Hu  
Contact Phone: (469) 939-7899  
Contact Fax:  
Contact Email: gary.hu@zteusa.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.zteusa.com

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC ratings have been clearly labeled on the box and user manual. The ratings are also listed on company website.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 15

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	6	100%						6
CDMA	9	100%						9
WCDMA	6	100%						6

### Handset 1: ZTE Grand S

#### Handset Maker

ZTE

#### Handset Model Name

Grand S

#### FCC ID

SRQ-ZTEGRANDS

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

### Dates

This handset model was offered from: 08/13 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 09/19/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/19/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 2: ZTE N800

### Handset Maker

ZTE

### Handset Model Name

N800

### FCC ID

SRQ-ZTEN800

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 07/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/26/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/26/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 3: ZTE N9510

#### Handset Maker

ZTE

#### Handset Model Name

N9510

#### FCC ID

Q78-ZTEN9510

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

#### Dates

This handset model was offered from: 07/13 to 06/14

#### Ratings

M-Rating: M4

M-Rating Certification Date: 07/24/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/24/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

## Handset 4: ZTE N9511

### Handset Maker

ZTE

### Handset Model Name

N9511

### FCC ID

SRQ-ZTEN9511

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
1900 MHz LTE  
2100 MHz CDMA  
2100 MHz LTE

### Dates

This handset model was offered from: 09/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/12/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

## Handset 5: ZTE N9520

### Handset Maker

ZTE

### Handset Model Name

N9520

### FCC ID

SRQ-ZTEN9520

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 11/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/26/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/26/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 6: ZTE N9835

#### Handset Maker

ZTE

#### Handset Model Name

N9835

#### FCC ID

SRQ-ZTEN9835

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

#### Dates

This handset model was offered from: 05/14 to 06/14

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

## Handset 7: ZTE S155

### Handset Maker

ZTE

### Handset Model Name

S155

### FCC ID

SRQ-S155

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 11/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/12/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/12/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 8: ZTE Z432

### Handset Maker

ZTE

### Handset Model Name

Z432

### FCC ID

SRQ-Z432

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 02/14 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 02/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

---

## Handset 9: ZTE Z660G

### Handset Maker

ZTE

### Handset Model Name

Z660G

### FCC ID

Q78-Z660G

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 08/13 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 08/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/23/13

Version of the ANSI C63.19 standard used during the certification process: 2011

## Remarks

## Handset 10: ZTE Z665C

### Handset Maker

ZTE

### Handset Model Name

Z665C

### FCC ID

Q78-Z665C

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 05/13 to 06/14

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/28/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 11: ZTE Z740

### Handset Maker

ZTE

### Handset Model Name

Z740

### FCC ID

SRQ-Z740

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

### Dates

This handset model was offered from: 09/13 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 09/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/04/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 12: ZTE Z750C

#### Handset Maker

ZTE

#### Handset Model Name

Z750C

#### FCC ID

Q78-Z750C

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 05/13 to 06/14

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/30/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/30/13

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 13: ZTE Z930L

#### Handset Maker

ZTE

#### Handset Model Name

#### FCC ID

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

**Dates**

This handset model was offered from: 10/13 to 06/14

**Ratings**

M-Rating: M3

M-Rating Certification Date: 10/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/28/13

Version of the ANSI C63.19 standard used during the certification process: 2011

**Remarks**

---

**Handset 14: ZTE Z932L****Handset Maker**

ZTE

**Handset Model Name**

Z932L

**FCC ID**

Q78-Z932L

**Air Interfaces/Frequency Bands**

700 MHz LTE  
800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/13 to 06/14

**Ratings**

M-Rating: M4

M-Rating Certification Date: 11/26/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/26/13

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Handset 15: ZTE ZTE Z730

### Handset Maker

ZTE

### Handset Model Name

ZTE Z730

### FCC ID

SRQ-ZTEZ730

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

### Dates

This handset model was offered from: 02/14 to 06/14

### Ratings

M-Rating: M3

M-Rating Certification Date: 06/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

### Remarks

---

## Certification

This Report has been certified by:

Gary Hu Director of Wireless Engineering  
07/15/2014 10:32 AM

Reference Copy