



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006630884

Filing Deadline: February 18, 2015

FRN: 0001754209

Filing Date: 01/22/2015 01:38 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Pine Belt Cellular, Inc.

Brand Names: Kyocera  
Motorola  
LG  
Samsung

PO Box: 279

Street Address: 3984 County Road 32

City: Arlington

State: AL

Zip Code: 36722

Contact Name: Cindy Pritchett

Contact Phone: (334) 385-5007

Contact Fax: (334) 385-5021

Contact Email: cindy@pinebelt.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

## Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

## Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.pinebelt.net](http://www.pinebelt.net)

Explain:

## Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Pine Belt provides retail locations with signage and brochures regarding the availability of hearing aid compatible handsets.

## Methodology for Functionality Levels

Each handset model is described by its capabilities regarding features and functionalities. The categories are as follows:

- Basic handsets - Entry level handsets that are offered for low cost or no charge.
- Featured handsets - Handsets with more advanced capabilities.
- Smartphones/PDAs- Handsets that run complete operating system software as a platform for application developers.

## Report Remarks

Pine Belt recently moved HAC Report filing responsibilities to another staffer and the deadline was missed because the staffer, while in charge of ensuring month-to-month HAC compliance, did not know that a Report was due on January 15th. Of course, when the Pine Belt Manager who ensures continued HAC compliance followed up the next day to see if the Report was filed, it was not and Pine Belt immediately contacted the FCC through its attorney. The Manager has since made steps to ensure that there are zero late-filed HAC Reports in the future.

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	13	81%	3	19%			16

## Handset 1: Kyocera E2000

### Handset Maker

Kyocera

### Handset Model Name FCC ID

E2000

OVFK60-E2-5G5

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 05/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY TELE-COIL COMPATIBLE

### Remarks

## Handset 2: Kyocera M1400 Laylo

### Handset Maker

Kyocera

### Handset Model Name FCC ID

M1400 Laylo

OVFK50-03

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY TELE-COIL COMPATIBLE

### Remarks

---

## Handset 3: Kyocera Milano

### Handset Maker

Kyocera

### Handset Model Name

Milano

### FCC ID

V65C5120

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY TELE-COIL COMPATIBLE

### Remarks

---

## Handset 4: Kyocera S1310 Domino

### Handset Maker

Kyocera

### Handset Model Name

S1310 Domino

### FCC ID

OVF-K33BIC06

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY TELE-COIL COMPATIBLE

### Remarks

---

## Handset 5: Kyocera S2100

### Handset Maker

Kyocera

### Handset Model Name

S2100

### FCC ID

OVF-K5501, OVF-K5502

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 02/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 6: Kyocera S2300 Torino**

**Handset Maker**

Kyocera

**Handset Model Name**

**FCC ID**

S2300 Torino

OVF-K5302, OVF-K5301

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 04/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 7: LG AN855 Ignite**

**Handset Maker**

LG

**Handset Model Name**

**FCC ID**

AN855 Ignite

BEJLS855

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY TELE-COIL COMPATIBLE

### Remarks

---

## Handset 8: LG AS730 Optimus Select

### Handset Maker

LG

### Handset Model Name

AS730 Optimus Select

### FCC ID

ZNFUS730, ZNFAS730

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 04/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 9: Motorola Defy XT**

**Handset Maker**

Motorola

**Handset Model Name**

Defy XT

**FCC ID**

IHDT56NC2

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 03/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

MOSTLY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 10: Motorola KRZR K1m**

**Handset Maker**

Motorola

**Handset Model Name**

KRZR K1m

**FCC ID**

IHDT56GH1

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

MOSTLY COMPATIBLE

### Remarks

---

## Handset 11: Motorola Moto G

### Handset Maker

Motorola

### Handset Model Name

Moto G

### FCC ID

IHDT56PF3

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 03/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 12: Motorola Motorola X**

**Handset Maker**

Motorola

**Handset Model Name**

Motorola X

**FCC ID**

IHDT56PB3

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

MOSTLY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 13: Samsung GALAXY S III (CDMA)**

**Handset Maker**

Samsung

**Handset Model Name**

GALAXY S III (CDMA)

**FCC ID**

A3LSCHR530, A3LSCHR530M, A3LSPHL710T

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 02/14 to 12/14

### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

VERY COMPATIBLE

### Remarks

---

## Handset 14: Samsung i500 Showcase

### Handset Maker

Samsung

### Handset Model Name

i500 Showcase

### FCC ID

A3LSCHI500

### Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 03/14 to 12/14

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY COMPATIBLE

**Remarks**

---

**Handset 15: Samsung R261**

**Handset Maker**

Samsung

**Handset Model Name**

R261

**FCC ID**

A3LSCHR261, A3LSCHR261A

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

VERY TELE-COIL COMPATIBLE

**Remarks**

---

**Handset 16: Samsung R720**

**Handset Maker**

Samsung

**Handset Model Name**

R720

**FCC ID**

A3LSCHR720

## Air Interfaces/Frequency Bands

850 MHz CDMA  
1900 MHz CDMA

## Dates

This handset model was offered from: 01/14 to 12/14

## Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

## Functionality Level

MOSTLY TELE-COIL COMPATIBLE

## Remarks

---

## Certification

### This Report has been certified by:

Cindy S Pritchett Customer Service Manager  
01/22/2015 01:38 PM