



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006597964

Filing Deadline: January 15, 2015

FRN: 0014820641

Filing Date: 12/29/2014 02:43 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: MTA Communications, LLC

Brand Names: MTA Wireless

PO Box:

Street Address: 1740 S. Chugach St

City: Palmer

State: AK

Zip Code: 99645

Contact Name: Sonja Nelson

Contact Phone: (907) 761-2439

Contact Fax:

Contact Email: snelson@mta-telco.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <https://www.mtasolutions.com/mobile/devices>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: MTA Wireless ensures that all of our sales and service staff are trained to identify hearing aid compatibility for each phone in order to assist customers in their phone selection. In addition the hearing aid compatibility rating for each phone is clearly provided on our website.

### Methodology for Functionality Levels

1 for low functionality basic features voice and text

2 for mid functionality basic features plus a camera Bluetooth and or internet capabilities

3 for high functionality basic features plus camera Bluetooth and or internet capabilities would also have increased RAM expandable memory music video and higher resolution color display

4 for PDA Smartphone functionality in addition to basic features PDA models usually have more advanced features higher memory capacity touch screen user interface faster processors email additional Bluetooth functionality music player enhanced camera video and memory

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 23

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	19	83%	3	13%	1	4%	23

## Handset 1: Apple iPhone 4 (A1349)

### Handset Maker

Apple

### Handset Model Name

iPhone 4 (A1349)

### FCC ID

BCG-E2422A, BCG-E2422B

### Air Interfaces/Frequency Bands

800 MHz CDMA

### Dates

This handset model was offered from: 04/12 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

4

### Remarks

---

## Handset 2: Apple iPhone 4S

### Handset Maker

Apple

### Handset Model Name

iPhone 4S

### FCC ID

BCG-E2430A

### Air Interfaces/Frequency Bands

800 MHz CDMA

### Dates

This handset model was offered from: 04/12 to 12/14

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 3: Apple iPhone 5**

**Handset Maker**

Apple

**Handset Model Name**

iPhone 5

**FCC ID**

BCG-E2599A

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 09/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 4: Apple iPhone 5c**

**Handset Maker**

Apple

**Handset Model Name**

iPhone 5c

**FCC ID**

BCG-E2644A

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 5: Apple iPhone 5s**

**Handset Maker**

Apple

**Handset Model Name**

iPhone 5s

**FCC ID**

BCG-E2642A

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 6: Apple iphone 6**

**Handset Maker**

Apple

**Handset Model Name**

iphone 6

**FCC ID**

BCG-E2816A

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 09/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 7: Apple iphone 6 plus**

**Handset Maker**

Apple

**Handset Model Name**

iphone 6 plus

**FCC ID**

BCG-E2817A

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 09/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 8: HTC Arrive**

**Handset Maker**

HTC

**Handset Model Name**

Arrive

**FCC ID**

NM8PC93100

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 08/11 to 03/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 9: LG 100**

**Handset Maker**

LG

**Handset Model Name**

100

**FCC ID**

BEJLG100C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 01/10 to 02/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

2

**Remarks**

---

**Handset 10: LG 200 Saber**

**Handset Maker**

LG

**Handset Model Name**

200 Saber

**FCC ID**

BEJUN200

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 09/11 to 03/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

2

**Remarks**

---

**Handset 11: LG 230 Nite**

**Handset Maker**

LG

**Handset Model Name**

230 Nite

**FCC ID**

BEJLG231C

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 01/10 to 01/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

2

**Remarks**

---

**Handset 12: LG 680**

**Handset Maker**

LG

**Handset Model Name**

680

**FCC ID**

ZNFAS680

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 12/11 to 02/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 13: LG 855**

**Handset Maker**

LG

**Handset Model Name**

855

**FCC ID**

BEJLS855

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 12/11 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 14: Motorola MB867 Milestone X 2**

**Handset Maker**

Motorola

**Handset Model Name          FCC ID**

MB867 Milestone X 2          IHDT56MJ1

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 12/11 to 03/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 15: Motorola Quantico W845**

**Handset Maker**

Motorola

**Handset Model Name**

Quantic W845

**FCC ID**

IHDT56KS1

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 01/10 to 03/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

3

**Remarks**

---

**Handset 16: Motorola Razr MAXX**

**Handset Maker**

Motorola

**Handset Model Name**

Razr MAXX

**FCC ID**

IHDP56ME1

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 17: Motorola X**

**Handset Maker**

Motorola

**Handset Model Name**

X

**FCC ID**

IHDT56PB1

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 18: Motorola XT609 Milestone Plus**

**Handset Maker**

Motorola

**Handset Model Name**

**FCC ID**

XT609 Milestone Plus

IHDP56LK1

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 08/11 to 03/14

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 19: Samsung Chrono 2**

**Handset Maker**

Samsung

**Handset Model Name**

**FCC ID**

Chrono 2

A3LSCHR270

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 12/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

2

**Remarks**

---

**Handset 20: Samsung GALAXY S III (CDMA)**

**Handset Maker**

Samsung

**Handset Model Name**

**FCC ID**

GALAXY S III (CDMA)

A3LSCHI535

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 21: Samsung R760 (Galaxy S2)**

**Handset Maker**

Samsung

**Handset Model Name**

R760 (Galaxy S2)

**FCC ID**

A3LSCHR760

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 08/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

4

**Remarks**

---

**Handset 22: SONIM 4400**

**Handset Maker**

SONIM

**Handset Model Name**

4400

**FCC ID**

WYPC21F007AC

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 05/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

3

**Remarks**

---

**Handset 23: SONIM XP3400 Armor**

**Handset Maker**

SONIM

**Handset Model Name**

XP3400 Armor

**FCC ID**

WYPC21F007AA

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Dates**

This handset model was offered from: 11/11 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

3

**Remarks**

---

**Certification**

**This Report has been certified by:**

Carolyn Hanson General Manager  
12/29/2014 02:43 PM