



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006620040

Filing Deadline: January 15, 2015

FRN: 0015991664

Filing Date: 01/14/2015 05:10 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: PR Wireless Inc.

Brand Names: Open Mobile

PO Box:

Street Address: 1 Street, Suite 300, Chrysler Bldg., Metro Office Park

City: Guaynabo

State: PR

Zip Code: 00968

Contact Name: Adrian Gonzalez

Contact Phone: (787) 554-6736

Contact Fax: (787) 782-8621

Contact Email: adrian.gonzalez@openmobilepr.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Only the Samsung Galaxy SIII and the UNIMAX U671 does not include labeling. The rating is posted at our website.

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.openmobilepr.com](http://www.openmobilepr.com)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Open Mobile's compliant handset models are publicly identified for consumers. Compliant models are listed on Open Mobile's website, which also includes a complete explanation of the hearing-aid ratings and capabilities. Also Open Mobile educate its retail sales people regarding digital wireless capabilities and hearing-aid compliance.

### Methodology for Functionality Levels

Open Mobile's handset offering are divided into five (5) categories considering their characteristics, features and retail prices. These categories go from a Low Tier category to a Smartphone category. Each category and category subdivision is assigned a letter and a number based on functionality levels and hearing-aid capabilities. Categories range from A1 to E6. For example, the Low Tier handsets are A1 for those handsets rated at least M3 but not T3, and A2 those handsets rated T3 and M3. For Medium and higher categories, functionality levels are assigned accordingly.

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 30

| Air Interface | Fully Hearing Aid Compatible |         | Acoustic Coupling Compatible Only |         | Non-Compliant Handsets |         | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
|               | Number                       | Percent | Number                            | Percent | Number                 | Percent |                        |
| CDMA          | 28                           | 93%     | 2                                 | 7%      |                        |         | 30                     |

You have reported the following handset model summary information.

Total number of handsets offered: 30

| Air Interface | Fully Hearing Aid Compatible |         | Acoustic Coupling Compatible Only |         | Non-Compliant Handsets |         | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
|               | Number                       | Percent | Number                            | Percent | Number                 | Percent |                        |
| LTE           | 16                           | 94%     | 1                                 | 6%      |                        |         | 17                     |

### Handset 1: Alcatel Shockwave

#### Handset Maker

Alcatel

#### Handset Model Name      FCC ID

Shockwave      RAD284

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Dates

This handset model was offered from: 12/13 to 12/14

#### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

E5

#### Remarks

### Handset 2: Apple iPhone 5

#### Handset Maker

Apple

#### Handset Model Name      FCC ID

iPhone 5      BCG-E2599A

#### Air Interfaces/Frequency Bands

700 MHz LTE  
1900 MHz CDMA

#### Dates

This handset model was offered from: 05/12 to 01/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks**

---

**Handset 3: Apple iPhone 5c****Handset Maker**

Apple

**Handset Model Name**

iPhone 5c

**FCC ID**

BCG-E2644A

**Air Interfaces/Frequency Bands**

700 MHz LTE

1900 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E4

**Remarks**

---

## Handset 4: Apple iPhone 5s

### Handset Maker

Apple

### Handset Model Name

iPhone 5s

### FCC ID

BCG-E2642A

### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

### Dates

This handset model was offered from: 10/13 to 12/14

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

E4

### Remarks

## Handset 5: Apple iphone 6

### Handset Maker

Apple

### Handset Model Name

iphone 6

### FCC ID

BCG-E2816A

### Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

### Dates

This handset model was offered from: 11/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks**

---

**Handset 6: Apple iphone 6 plus**

**Handset Maker**

Apple

**Handset Model Name**

iphone 6 plus

**FCC ID**

BCG-E2817A

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks**

---

**Handset 7: Coolpad 3700A DIAMANTE**

**Handset Maker**

Coolpad

**Handset Model Name**

3700A DIAMANTE

**FCC ID**

R38YL3700A

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 8: Coolpad Quattro II 4G****Handset Maker**

Coolpad

**Handset Model Name****FCC ID**

Quattro II 4G

R38YL801EM

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/13 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 9: HTC DESIRE 612**

**Handset Maker**

HTC

**Handset Model Name**

DESIRE 612

**FCC ID**

NM80P9O300

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 10: HTC Desire C**

**Handset Maker**

HTC

**Handset Model Name**

Desire C

**FCC ID**

NM8PL01210

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks****Handset 11: Huawei M835****Handset Maker**

Huawei

**Handset Model Name**

M835

**FCC ID**

QISM835

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/11 to 01/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 12: Kyocera E3100 Rio**

**Handset Maker**

Kyocera

**Handset Model Name**

E3100 Rio

**FCC ID**

OVF-K5402

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 11/10 to 01/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

B5

**Remarks**

---

**Handset 13: LG AN170**

**Handset Maker**

LG

**Handset Model Name**

AN170

**FCC ID**

ZNFVN170

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 12/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

A3

**Remarks**

---

**Handset 14: LG AS695 OPTIMUS PLUS**

**Handset Maker**

LG

**Handset Model Name**

**FCC ID**

AS695 OPTIMUS PLUS

ZNFMS695

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 08/12 to 06/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 15: LG F 90**

**Handset Maker**

LG

**Handset Model Name**

F 90

**FCC ID**

ZNFVS876

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 09/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks**

---

**Handset 16: LG L75C**

**Handset Maker**

LG

**Handset Model Name**

L75C

**FCC ID**

BEJVS700

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 09/13 to 06/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks****Handset 17: LG Optimus F5****Handset Maker**

LG

**Handset Model Name**

Optimus F5

**FCC ID**

ZNFVS870

**Air Interfaces/Frequency Bands**

700 MHz LTE

1900 MHz CDMA

**Dates**

This handset model was offered from: 08/13 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 18: Motorola Moto G**

**Handset Maker**

Motorola

**Handset Model Name**

**FCC ID**

Moto G

IHDT56PF3

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks**

---

**Handset 19: Motorola Moto X**

**Handset Maker**

Motorola

**Handset Model Name**

**FCC ID**

Moto X

IHDT56QA2

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

### Dates

This handset model was offered from: 12/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

E6

### Remarks

## Handset 20: Pantech ADR8995(Breakout)

### Handset Maker

Pantech

### Handset Model Name

ADR8995(Breakout)

### FCC ID

JYCAPACHE

### Air Interfaces/Frequency Bands

700 MHz LTE  
1900 MHz CDMA

### Dates

This handset model was offered from: 08/12 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks**

---

**Handset 21: Pantech ADR910L (Marauder)**

**Handset Maker**

Pantech

**Handset Model Name          FCC ID**

ADR910L (Marauder)          JYCSTARQ

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 10/13 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Handset 22: Samsung Galaxy S4**

**Handset Maker**

Samsung

**Handset Model Name          FCC ID**

Galaxy S4                          A3LSCHR970

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 09/13 to 12/14

**Ratings**

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E1

**Remarks**

---

**Handset 23: Samsung Galaxy S5****Handset Maker**

Samsung

**Handset Model Name**

Galaxy S5

**FCC ID**

A3LSMG900V

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 07/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks**

---

**Handset 24: Samsung Galaxy SIII**

**Handset Maker**

Samsung

**Handset Model Name**

Galaxy SIII

**FCC ID**

A3LSCHI535

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 11/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E6

**Remarks**

---

**Handset 25: Samsung R270**

**Handset Maker**

Samsung

**Handset Model Name**

R270

**FCC ID**

A3LSCHR270

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 06/13 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

A6

**Remarks**

---

**Handset 26: Samsung R680****Handset Maker**

Samsung

**Handset Model Name**

R680

**FCC ID**

A3LSCHR680

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 04/12 to 03/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E2

**Remarks**

---

**Handset 27: Samsung S4 Mini**

**Handset Maker**

Samsung

**Handset Model Name**

S4 Mini

**FCC ID**

A3LSCHI435

**Air Interfaces/Frequency Bands**

700 MHz LTE  
1900 MHz CDMA

**Dates**

This handset model was offered from: 02/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks**

---

**Handset 28: Unimax MXC 450**

**Handset Maker**

Unimax

**Handset Model Name**

MXC 450

**FCC ID**

P46-U675

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 06/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E3

**Remarks****Handset 29: Unimax U671C****Handset Maker**

Unimax

**Handset Model Name**

U671C

**FCC ID**

P46-U670C

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 10/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

No Labeling

---

**Handset 30: ZTE Groove (X501)**

**Handset Maker**

ZTE

**Handset Model Name**

Groove (X501)

**FCC ID**

Q78-X501

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Dates**

This handset model was offered from: 09/13 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

E5

**Remarks**

---

**Certification**

**This Report has been certified by:**

John Ranieri CFO  
01/14/2015 05:10 PM