



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006619528

Filing Deadline: January 15, 2015

FRN: 0002051720

Filing Date: 01/14/2015 02:17 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Virginia PCS Alliance, L.C. dba NTELOS

Brand Names: nTelos wireless
FRAWG

PO Box:

Street Address: 1154 Shenandoah Village Drive

City: Waynesboro

State: VA

Zip Code: 22980

Contact Name: Keili Young

Contact Phone: (540) 946-4554

Contact Fax:

Contact Email: youngkk@ntelos.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.ntelos.com/hearing-aid-compatibility>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Hearing Aid Compatibility information is available on the company's website. All retail locations provide devices for customers to test, and the company educates the sales and customer care departments about the basics of hearing aid compatibility.

Methodology for Functionality Levels

Handsets with "low" functionality are offered at low cost prices and are very affordable to prepay customers. These handsets have basic call functionality and text messaging capabilities. Mid-level handsets come with features for personalization such as ringtones, picture messages, and mobile web. High level handsets allow access to faster data speeds, video capture and music, among other features. Smart phones provide access to faster data speeds for internet browsing, email, full QWERTY keyboard, and advanced operating systems with the capability to install applications.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 22

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	22	100%					22

Handset 1: Alcatel One Touch Ultra 960C

Handset Maker

Alcatel

Handset Model Name FCC ID

One Touch Ultra 960C RAD278

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 2: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 5c BCG-E2644A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 3: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 4: Apple iphone 6

Handset Maker

Apple

Handset Model Name

iphone 6

FCC ID

bcg-e2816a

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 5: Apple iphone 6 plus

Handset Maker

Apple

Handset Model Name

iphone 6 plus

FCC ID

bcg-e2817a

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 6: HTC Desire 601

Handset Maker

HTC

Handset Model Name

Desire 601

FCC ID

NM80P4E100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 7: HTC Desire 816

Handset Maker

HTC

Handset Model Name

Desire 816

FCC ID

nm80p9c300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 8: HTC One M7**Handset Maker**

HTC

Handset Model Name

One M7

FCC ID

nm8pn07200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 9: Huawei Ascend Y210C

Handset Maker

Huawei

Handset Model Name

Ascend Y210C

FCC ID

qish868c

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 10: Huawei M881 Ascend Y300

Handset Maker

Huawei

Handset Model Name

M881 Ascend Y300

FCC ID

qism881

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 11: LG AN170 Fluid II

Handset Maker

LG

Handset Model Name

AN170 Fluid II

FCC ID

znfvn170

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 12: LG AN272 CONVERSE

Handset Maker

LG

Handset Model Name

AN272 CONVERSE

FCC ID

BEJVN270

Air Interfaces/Frequency Bands

900 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 13: LG AS990 G3

Handset Maker

LG

Handset Model Name

AS990 G3

FCC ID

znfus990

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 14: LG LG AN160 FLUID**Handset Maker**

LG

Handset Model Name**FCC ID**

LG AN160 FLUID

ZNFAN160

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 10/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 15: LG LGAS780 Optimus F7

Handset Maker

LG

Handset Model Name

FCC ID

LGAS780 Optimus F7

znfus780

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 16: Motorola XT1031 MoTo G

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1031 MoTo G

ihdt56pf3

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 17: Motorola XT1049 Moto X

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1049 Moto X

IHDT56PB2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 18: Motorola XT556 DEFY XT

Handset Maker

Motorola

Handset Model Name

XT556 DEFY XT

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 19: Samsung G900R7 Galaxy S5

Handset Maker

Samsung

Handset Model Name

G900R7 Galaxy S5

FCC ID

a3lsmg900r7

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart

Remarks

Handset 20: Samsung SCH-R270 Chrono 2

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R270 Chrono 2

A3LSCHR270

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 21: Samsung SCH-R480 Freeform 5

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R480 Freeform 5

A3LSCHR480C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 22: SONIM XP4400 Enduro

Handset Maker

SONIM

Handset Model Name

FCC ID

XP4400 Enduro

WYPC21F007ac

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/14 to 12/14

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Certification

This Report has been certified by:

Keili Young Staff Attorney
01/14/2015 02:17 PM