



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2014 - December 31, 2014

Filing Confirmation Number: 0006620033

Filing Deadline: January 15, 2015

FRN: 0006807309

Filing Date: 01/14/2015 04:59 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Total Call Mobile, Inc.

Brand Names: Total Call Mobile

PO Box:

Street Address: 1411 West 190th Street, Suite 700

City: Gardena

State: CA

Zip Code: 90248

Contact Name: Jonathan Perl

Contact Phone: (201) 585-3650

Contact Fax:

Contact Email: jonathanp@locus.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?  
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: [www.totalcallmobile.com/phones.aspx](http://www.totalcallmobile.com/phones.aspx)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Our website contains details on hearing aid compatible handsets and our customer service representatives are trained to explain the HAC ratings.

### Methodology for Functionality Levels

Basic - Basic voice/text messages

Feature - Additional features and/or WiFi capable.

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 32

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	29	91%	2	6%	1	3%	32

### Handset 1: HTC 6850

#### Handset Maker

HTC

#### Handset Model Name

6850

#### FCC ID

NM8RHOD500

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Feature.

### Remarks

---

## Handset 2: HTC Evo 4G

### Handset Maker

HTC

### Handset Model Name

Evo 4G

### FCC ID

NM8PJ75100

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 3: HTC EVO Shift 4G (7373)**

**Handset Maker**

HTC

**Handset Model Name**

EVO Shift 4G (7373)

**FCC ID**

NM8PG06100

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 4: HTC HERO200**

**Handset Maker**

HTC

**Handset Model Name**

HERO200

**FCC ID**

NM8HERO200

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Feature.

### Remarks

---

## Handset 5: Kyocera C5170

### Handset Maker

Kyocera

### Handset Model Name

C5170

### FCC ID

V65C5170

### Air Interfaces/Frequency Bands

1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 6: Kyocera SCP-2700**

**Handset Maker**

Kyocera

**Handset Model Name**

SCP-2700

**FCC ID**

V65SCP-27H

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 7: LG 101**

**Handset Maker**

LG

**Handset Model Name**

101

**FCC ID**

BEJVM101

**Air Interfaces/Frequency Bands**

1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 8: LG 260****Handset Maker**

LG

**Handset Model Name**

260

**FCC ID**

BEJLX260

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 9: LG LG-LN240**

**Handset Maker**

LG

**Handset Model Name**

LG-LN240

**FCC ID**

BEJLN240

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 10: LG LG-LN510**

**Handset Maker**

LG

**Handset Model Name**

LG-LN510

**FCC ID**

BEJLN510

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 11: LG LS670 (Optimus S)****Handset Maker**

LG

**Handset Model Name****FCC ID**

LS670 (Optimus S)

BEJLS670

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 12: Motorola A855**

**Handset Maker**

Motorola

**Handset Model Name**

A855

**FCC ID**

IHDP56KC5

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Good.

**Remarks**

---

**Handset 13: Motorola MB612 XPRT**

**Handset Maker**

Motorola

**Handset Model Name**

MB612 XPRT

**FCC ID**

IHDP56LK1

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Feature.

### Remarks

---

## Handset 14: Motorola PHOTON 4G

### Handset Maker

Motorola

### Handset Model Name

PHOTON 4G

### FCC ID

IHDP56MD1

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA  
2.4 GHz CDMA  
2.5 GHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 15: Motorola Q9c**

**Handset Maker**

Motorola

**Handset Model Name**

Q9c

**FCC ID**

IHDT56HS1

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 16: Palm Palm Pixi**

**Handset Maker**

Palm

**Handset Model Name**

Palm Pixi

**FCC ID**

O8F-PIXE

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 17: Samsung M300****Handset Maker**

Samsung

**Handset Model Name**

M300

**FCC ID**

A3LSPHM300

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 18: Samsung M320**

**Handset Maker**

Samsung

**Handset Model Name**

M320

**FCC ID**

A3LSPHM320

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 19: Samsung M340**

**Handset Maker**

Samsung

**Handset Model Name**

M340

**FCC ID**

A3LSPHM340

**Air Interfaces/Frequency Bands**

1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 20: Samsung M350****Handset Maker**

Samsung

**Handset Model Name**

M350

**FCC ID**

A3LSPHM350

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 21: Samsung M360**

**Handset Maker**

Samsung

**Handset Model Name**

M360

**FCC ID**

A3LSPHM350

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 22: Samsung M540**

**Handset Maker**

Samsung

**Handset Model Name**

M540

**FCC ID**

A3LSCHU540

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Basic.

### Remarks

---

## Handset 23: Samsung M800

### Handset Maker

Samsung

### Handset Model Name

M800

### FCC ID

A3LSPHM800

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 24: Samsung M810**

**Handset Maker**

Samsung

**Handset Model Name**

M810

**FCC ID**

A3LSPHM800

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 25: Samsung M900**

**Handset Maker**

Samsung

**Handset Model Name**

M900

**FCC ID**

A3LSPHM800

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Feature.

### Remarks

## Handset 26: Sanyo 3800

### Handset Maker

Sanyo

### Handset Model Name

3800

### FCC ID

AEZSCP-3800

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

### Dates

This handset model was offered from: 01/14 to 12/14

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 27: Sanyo Pro 700**

**Handset Maker**

Sanyo

**Handset Model Name**

Pro 700

**FCC ID**

AEZSCP-PRO700

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 28: Sanyo SCP-3100**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-3100

**FCC ID**

AEZSCP-31H

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Basic.

**Remarks**

---

**Handset 29: Sanyo SCP-6600****Handset Maker**

Sanyo

**Handset Model Name**

SCP-6600

**FCC ID**

AEZSCP-66H

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

N/A

**Remarks**

---

**Handset 30: Sanyo SCP-M9300**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP-M9300

**FCC ID**

V65M9300

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 31: Sanyo SCP8600**

**Handset Maker**

Sanyo

**Handset Model Name**

SCP8600

**FCC ID**

V65SCP-8600

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/12 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Handset 32: ZTE N850****Handset Maker**

ZTE

**Handset Model Name**

N850

**FCC ID**

Q78-ZTEN850

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1800 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/14 to 12/14

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Feature.

**Remarks**

---

**Certification**

**This Report has been certified by:**

John Chough CFO  
01/14/2015 04:59 PM