



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2014 - June 30, 2015
Filing Deadline: July 15, 2015
Filing Date: 07/15/2015 02:11 PM

Filing Confirmation Number: 0006876697
FRN: 0005810205

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Samsung Electronics America
Brand Names: Samsung
PO Box:
Street Address: 105 Challenger Road
City: Ridgefield Park
State: NJ
Zip Code: 07660

Contact Name: Kendra M. Green
Contact Phone: (972) 761-7123
Contact Fax:
Contact Email: k.green@samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.samsung.com/us/accessibility/mobile/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung participated in California State University Northridge CSUN demoing accessibility features including handsets that were certified as hearing aid compatible While at CSUN Samsung provided consumers with a Samsung Wireless Accessibility handout that provided the website for more information on Samsung hearing aid compatible handsets and ratings

Samsung has a website for accessibility that includes a list HAC ratings for and posting estimated M1 and M2 information for non HAC devices Samsung website also provides information that enables customers to contact and speak to a designated agent for HAC Samsung website also helps to explain the meaning of M and T-coil ratings

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 41

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 98

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	48	75%	14	22%	2	3%	64
CDMA	46	82%	10	18%			56

You have reported the following handset model summary information.

Total number of handsets offered: 98

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
WCDMA	48	77%	13	21%	1	2%	62
LTE	57	76%	18	24%			75
EDGE	38	86%	6	14%			44
WLAN	64	77%	19	23%			83
EDGE	38	86%	6	14%			44
WLAN	64	77%	19	23%			83

Handset 1: Samsung Galaxy Express

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy Express	A3LSGHI437
SGH-I437P	A3LSGHI437
SGH-I437Z	A3LSGHI437

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Samsung i547

Handset Maker

Samsung

Handset Model Name

i547

FCC ID

A3LSGHI547

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Samsung M270

Handset Maker

Samsung

Handset Model Name

M270

FCC ID

A3LSPHM270

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 10/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Samsung M390

Handset Maker

Samsung

Handset Model Name

M390

FCC ID

A3LSPHM390

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 06/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Samsung M830

Handset Maker

Samsung

Handset Model Name

M830

FCC ID

A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Samsung R530 GALAXY S III

Handset Maker

Samsung

Handset Model Name

R530 GALAXY S III

FCC ID

A3LSCHR530M

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Samsung rugby 4

Handset Maker

Samsung

Handset Model Name

rugby 4

FCC ID

A3LSMB780A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/02/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/02/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Samsung SCH-I200

Handset Maker

Samsung

Handset Model Name

SCH-I200

FCC ID

A3LSCHI200

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: Samsung SCH-I435

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-I435

A3LSCHI435

SCH-I435L

A3LSCHI435

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 10: Samsung SCH-I535

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-I535	A3LSCHI535
SCH-R530X	A3LSCHI535
SCH-S968C	A3LSCHI535

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Samsung SCH-I545

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-I545

A3LSCHI545

SCH-I545L

A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 12: Samsung SCH-R220G

Handset Maker

Samsung

Handset Model Name

SCH-R220G

FCC ID

A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Samsung SCH-R270X

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
 1700 MHz CDMA
 1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 03/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 14: Samsung SCH-R480****Handset Maker**

Samsung

Handset Model Name

SCH-R480

FCC ID

A3LSCHR480

Air Interfaces/Frequency Bands

800 MHz CDMA
 1700 MHz CDMA
 1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/02/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/02/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Samsung SCH-R480X

Handset Maker

Samsung

Handset Model Name

SCH-R480X

FCC ID

A3LSCHR480C

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Samsung SCH-R890

Handset Maker

Samsung

Handset Model Name

SCH-R890

FCC ID

A3LSCHR890

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Samsung SCH-R960

Handset Maker

Samsung

Handset Model Name

SCH-R960

FCC ID

A3LSCHR960

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Samsung SCH-R970

Handset Maker

Samsung

Handset Model Name

SCH-R970

FCC ID

A3LSCHR970

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/27/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 19: Samsung SCH-R970X

Handset Maker

Samsung

Handset Model Name

SCH-R970X

FCC ID

A3LSCHR970C

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 05/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 20: Samsung SCH-S336C

Handset Maker

Samsung

Handset Model Name

SCH-S336C

FCC ID

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Samsung SCH-S738C

Handset Maker

Samsung

Handset Model Name

SCH-S738C

FCC ID

A3LSCHS738C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz WLAN

Dates

This handset model was offered from: 07/14 to 01/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/03/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: Samsung SCH-U680

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-U680

A3LSCHU680

SCH-U680N

A3LSCHU680

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: Samsung SGH-A157V

Handset Maker

Samsung

Handset Model Name

SGH-A157V

FCC ID

A3LSGHA157V

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz EDGE

Dates

This handset model was offered from: 07/14 to 09/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/23/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: Samsung SGH-A207

Handset Maker

Samsung

Handset Model Name

SGH-A207

FCC ID

A3LSGHS275G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M3

M-Rating Certification Date: 07/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/27/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Samsung SGH-A997

Handset Maker

Samsung

Handset Model Name

SGH-A997

FCC ID

A3LSGHA997

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M3

M-Rating Certification Date: 10/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: Samsung SGH-I257

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-I257

A3LSGHI257

SM-S890L

A3LSGHI257

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 27: Samsung SGH-I317

Handset Maker

Samsung

Handset Model Name

SGH-I317

FCC ID

A3LSGHI317

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 28: Samsung SGH-I337

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-I337	A3LSGHI337
SGH-I337Z	A3LSGHI337
SM-S975L	A3LSGHI337

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 29: Samsung SGH-I537

Handset Maker

Samsung

Handset Model Name

SGH-I537

FCC ID

A3LSGHI537

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 10/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 30: Samsung SGH-I747

Handset Maker

Samsung

Handset Model Name

SGH-I747

FCC ID

A3LSGHI747

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M3

M-Rating Certification Date: 05/26/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 31: Samsung SGH-M919

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-M919	A3LSGHM919
SGH-M919N	A3LSGHM919
SGH-S970G	A3LSGHM919

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/05/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 32: Samsung SGH-S125G

Handset Maker

Samsung

Handset Model Name

SGH-S125G

FCC ID

A3LSGHS125G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 33: Samsung SGH-S150G

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 34: Samsung SGH-T199****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-T199

A3LSGHT199

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 850 MHz EDGE
 1700 MHz WCDMA
 1900 MHz GSM
 1900 MHz WCDMA
 1900 MHz EDGE

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 35: Samsung SGH-T399

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T399

A3LSGHT399

SGH-T399N

A3LSGHT399

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1800 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/13/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 36: Samsung SGH-T599

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T599

A3LSGHT599

SGH-T599N

A3LSGHT599

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz WLAN

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 37: Samsung SGH-T889

Handset Maker

Samsung

Handset Model Name

SGH-T889

FCC ID

A3LSGHT889

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz WLAN

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M3

M-Rating Certification Date: 09/28/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 38: Samsung SGH-T999L

Handset Maker

Samsung

Handset Model Name

SGH-T999L

FCC ID

A3LSGHT999L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM

1900 MHz WCDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 10/14

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 39: Samsung SM-B311V

Handset Maker

Samsung

Handset Model Name

SM-B311V

FCC ID

A3LSMB311V

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 40: Samsung SM-G360AZ

Handset Maker

Samsung

Handset Model Name

SM-G360AZ

FCC ID

A3LSMG360AZ

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

Dates

This handset model was offered from: 02/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 02/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 41: Samsung SM-G360P

Handset Maker

Samsung

Handset Model Name

SM-G360P

FCC ID

A3LSMG360P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz WLAN

2.5 GHz LTE

820 MHz CDMA

Dates

This handset model was offered from: 12/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 42: Samsung SM-G360T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G360T	A3LSMG360T
SM-G360T1	A3LSMG360T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/11/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/11/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 43: Samsung SM-G360V

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G360V	A3LSMG360V
SM-S820L	A3LSMG360V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 12/30/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/30/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 44: Samsung SM-G386T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G386T	A3LSMG386T
SM-G386T1	A3LSMG386T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 45: Samsung SM-G530AZ

Handset Maker

Samsung

Handset Model Name

SM-G530AZ

FCC ID

A3LSMG530AZ

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz EDGE
900 MHz GSM
900 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN

Dates

This handset model was offered from: 02/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 02/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 46: Samsung SM-G530P

Handset Maker

Samsung

Handset Model Name

SM-G530P

FCC ID

A3LSMG530P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.5 GHz LTE
2.5 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 06/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 47: Samsung SM-G530T

Handset Maker

Samsung

Handset Model Name

SM-G530T

FCC ID

A3LSMG530T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 48: Samsung SM-G730A

Handset Maker

Samsung

Handset Model Name

SM-G730A

FCC ID

A3LSMG730A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 12/14

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/08/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 49: Samsung SM-G730V

Handset Maker

Samsung

Handset Model Name

SM-G730V

FCC ID

A3LSMG730V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

1900 MHz CDMA

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 10/14

Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 50: Samsung SM-G750A

Handset Maker

Samsung

Handset Model Name

SM-G750A

FCC ID

A3LSMG750A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 07/24/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/24/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 51: Samsung SM-G800A

Handset Maker

Samsung

Handset Model Name

SM-G800A

FCC ID

A3LSMG800A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE

850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 02/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 52: Samsung SM-G800R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G800R4

A3LSMG800R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 53: Samsung SM-G850A

Handset Maker

Samsung

Handset Model Name

SM-G850A

FCC ID

A3LSMG850A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
900 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 08/14 to 02/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/14/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 54: Samsung SM-G860P

Handset Maker

Samsung

Handset Model Name

SM-G860P

FCC ID

A3LSMG860P

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
2.5 GHz LTE
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 06/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 55: Samsung SM-G870A

Handset Maker

Samsung

Handset Model Name

SM-G870A

FCC ID

A3LSMG870A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 56: Samsung SM-G890A

Handset Maker

Samsung

Handset Model Name

SM-G890A

FCC ID

A3LSMG890A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
2300 MHz LTE

Dates

This handset model was offered from: 05/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/12/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/12/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 57: Samsung SM-G900A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900A

A3LSMG900A

SM-G900AZ

A3LSMG900A

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 58: Samsung SM-G900P

Handset Maker

Samsung

Handset Model Name

SM-G900P

FCC ID

A3LSMG900P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

2.4 GHz WLAN

2.5 GHz LTE

5.0 GHz WLAN

820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 59: Samsung SM-G900R4

Handset Maker

Samsung

Handset Model Name

SM-G900R4

FCC ID

A3LSMG900R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 60: Samsung SM-G900R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900R6	A3LSMG900V
SM-G900V	A3LSMG900V
SM-S902L	A3LSMG900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 61: Samsung SM-G900R7

Handset Maker

Samsung

Handset Model Name

SM-G900R7

FCC ID

A3LSMG900R7

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 62: Samsung SM-G900T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G900T	A3LSMG900T
SM-G900T1	A3LSMG900T
SM-G900T3	A3LSMG900T
SM-G900T4	A3LSMG900T

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
850 MHz EDGE
1700 MHz LTE
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 63: Samsung SM-G920A

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920A	A3LSMG920A
SM-G920AZ	A3LSMG920A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
2300 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 64: Samsung SM-G920P

Handset Maker

Samsung

Handset Model Name

SM-G920P

FCC ID

A3LSMG920P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM

1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
2.5 GHz LTE
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 65: Samsung SM-G920R4

Handset Maker

Samsung

Handset Model Name

SM-G920R4

FCC ID

A3LSMG920R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
782 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 66: Samsung SM-G920R7

Handset Maker

Samsung

Handset Model Name

SM-G920R7

FCC ID

A3LSMG920R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
782 MHz LTE

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 67: Samsung SM-G920T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920T

A3LSMG920T

SM-G920T1

A3LSMG920T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 68: Samsung SM-G920R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G920R6

A3LSMG920V

SM-G920V

A3LSMG920V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

782 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 69: Samsung SM-G925A

Handset Maker

Samsung

Handset Model Name

SM-G925A

FCC ID

A3LSMG925A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
2300 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 70: Samsung SM-G925P

Handset Maker

Samsung

Handset Model Name

SM-G925P

FCC ID

A3LSMG925P

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
2.5 GHz LTE
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 71: Samsung SM-G925R4

Handset Maker

Samsung

Handset Model Name

SM-G925R4

FCC ID

A3LSMG925R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
782 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/03/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/03/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 72: Samsung SM-G925R7

Handset Maker

Samsung

Handset Model Name

SM-G925R7

FCC ID

A3LSMG925R7

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
782 MHz LTE

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/14/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 73: Samsung SM-G925T

Handset Maker

Samsung

Handset Model Name

SM-G925T

FCC ID

A3LSMG925T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 74: Samsung SM-G925R6

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G925R6

A3LSMG925V

SM-G925V

A3LSMG925V

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

782 MHz LTE

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/19/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/19/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 75: Samsung SM-J100VPP

Handset Maker

Samsung

Handset Model Name

SM-J100VPP

FCC ID

A3LSMJ100VPP

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

2.4 GHz WLAN

5.0 GHz WLAN

782 MHz LTE

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 76: Samsung SM-N900A

Handset Maker

Samsung

Handset Model Name

SM-N900A

FCC ID

A3LSMN900A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 03/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 77: Samsung SM-N900P

Handset Maker

Samsung

Handset Model Name

SM-N900P

FCC ID

A3LSMN900P

Air Interfaces/Frequency Bands

800 MHz GSM
800 MHz CDMA

850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 78: Samsung SM-N900R4

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N900R4

A3LSMN900R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 09/14

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 79: Samsung SM-N900T

Handset Maker

Samsung

Handset Model Name

SM-N900T

FCC ID

A3LSMN900T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 02/15

Ratings

M-Rating: M3

M-Rating Certification Date: 09/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/10/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 80: Samsung SM-N900V

Handset Maker

Samsung

Handset Model Name

SM-N900V

FCC ID

A3LSMN900V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN
782 MHz LTE

Dates

This handset model was offered from: 07/14 to 03/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/10/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/10/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 81: Samsung SM-N910A

Handset Maker

Samsung

Handset Model Name

SM-N910A

FCC ID

A3LSMN910A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 82: Samsung SM-N910P

Handset Maker

Samsung

Handset Model Name

SM-N910P

FCC ID

A3LSMN910P

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

2.5 GHz LTE

5.0 GHz WLAN

820 MHz CDMA

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/11/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 83: Samsung SM-N910R4

Handset Maker

Samsung

Handset Model Name

SM-N910R4

FCC ID

A3LSMN910R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 84: Samsung SM-N910T

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-N910T

A3LSMN910T

SM-N910T2

A3LSMN910T

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

1900 MHz LTE

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 11/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 85: Samsung SM-N910V

Handset Maker

Samsung

Handset Model Name

SM-N910V

FCC ID

A3LSMN910V

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

782 MHz LTE

Dates

This handset model was offered from: 09/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/12/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 86: Samsung SM-N915A

Handset Maker

Samsung

Handset Model Name

SM-N915A

FCC ID

A3LSMN915A

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 87: Samsung SM-N915P

Handset Maker

Samsung

Handset Model Name

SM-N915P

FCC ID

A3LSMN915P

Air Interfaces/Frequency Bands

800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
2.5 GHz LTE
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 10/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 88: Samsung SM-N915R4

Handset Maker

Samsung

Handset Model Name

SM-N915R4

FCC ID

A3LSMN915R4

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
800 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 11/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 89: Samsung SM-N915T

Handset Maker

Samsung

Handset Model Name

SM-N915T

FCC ID

A3LSMN915T

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz EDGE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 10/14 to 06/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/08/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/08/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 90: Samsung SM-N915V

Handset Maker

Samsung

Handset Model Name

SM-N915V

FCC ID

A3LSMN915V

Air Interfaces/Frequency Bands

800 MHz CDMA

850 MHz GSM

850 MHz WCDMA

850 MHz EDGE

1700 MHz LTE

1900 MHz GSM

1900 MHz CDMA

1900 MHz WCDMA

1900 MHz EDGE

2.4 GHz WLAN

5.0 GHz WLAN

782 MHz LTE

Dates

This handset model was offered from: 11/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 11/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 11/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 91: Samsung SM-G310R5

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G310R5	A3LSMS765C
SM-S765C	A3LSMS765C
SM-S766C	A3LSMS765C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 92: Samsung SM-S777C

Handset Maker

Samsung

Handset Model Name

SM-S777C

FCC ID

A3LSMS777C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz WLAN

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 03/20/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/20/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 93: Samsung SM-W750V

Handset Maker

Samsung

Handset Model Name

SM-W750V

FCC ID

A3LSMW750V

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 11/14

Ratings

M-Rating: M4

M-Rating Certification Date: 02/07/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/07/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 94: Samsung SPH-L710

Handset Maker

Samsung

Handset Model Name

SPH-L710

FCC ID

A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz LTE
2.4 GHz WLAN
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 08/14

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 95: Samsung SPH-L710T

Handset Maker

Samsung

Handset Model Name

SPH-L710T

FCC ID

A3LSPHL710T

Air Interfaces/Frequency Bands

800 MHz CDMA

800 MHz LTE

850 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

2.4 GHz WLAN

5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 06/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 96: Samsung SPH-L720T

Handset Maker

Samsung

Handset Model Name

SPH-L720T

FCC ID

A3LSPHL720T

Air Interfaces/Frequency Bands

800 MHz CDMA
800 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz EDGE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
1900 MHz EDGE
2.4 GHz WLAN
2.5 GHz LTE
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 04/15

Ratings

M-Rating: M3

M-Rating Certification Date: 10/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 97: Samsung SPH-M830

Handset Maker

Samsung

Handset Model Name

SPH-M830

FCC ID

A3LSPHM830

Air Interfaces/Frequency Bands

1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M4

M-Rating Certification Date: 07/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 98: Samsung SPH-M840

Handset Maker

Samsung

Handset Model Name

SPH-M840

FCC ID

A3LSPHM840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz WLAN
5.0 GHz WLAN
820 MHz CDMA

Dates

This handset model was offered from: 07/14 to 07/14

Ratings

M-Rating: M4

M-Rating Certification Date: 04/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager
07/15/2015 02:11 PM