



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007095033

Filing Deadline: January 15, 2016

FRN: 0001623321

Filing Date: 01/13/2016 11:42 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Custer Telephone Cooperative, Inc.
Brand Names: Custer Telephone Wireless
PO Box: 324
Street Address: 1101 East Main Avenue
City: Challis
State: ID
Zip Code: 83226

Contact Name: Dennis Thornock
Contact Phone: (208) 879-2281
Contact Fax: (208) 879-5211
Contact Email: gm@custertel.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Blooston Mordkofsky Dickens Duffy & Prendergast LLP
PO Box:
Street Address: 2120 L Street NW
City: Washington
State: DC

Contact Name: Harold Mordkofsky
Contact Phone: (202) 828-5520
Contact Fax:
Contact Email: halmor@bloostonlaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://www.custertel.net>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Hearing-aid compatible handsets are described on our web site and in pamphlets available at point of sale. All advertising states the availability of hearing-aid compatible handsets.

Methodology for Functionality Levels

BASIC - Entry level devices that are offered at low cost or for free.

FEATURE - Devices with more advanced capabilities.

Report Remarks

It is becoming more difficult to obtain basic phones as manufacturers have moved to the production of smartphones. Many of our elderly customers that wear hearing aids desire only a basic phone.

You have reported the following handset model summary information.

Total number of handsets offered: 24

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	23	96%	1	4%			24
WCDMA	2	100%					2
LTE	10	91%	1	9%			11
Wi-Fi	16	94%	1	6%			17
AWS	13	93%	1	7%			14

Handset 1: Kyocera E6782

Handset Maker

Kyocera

Handset Model Name

E6782

FCC ID

V65E6782

Air Interfaces/Frequency Bands

- 850 MHz CDMA
- 1900 MHz CDMA
- 2.4 GHz Wi-Fi
- 5.0 GHz Wi-Fi

Dates

This handset model was offered from: 04/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 2: LG AN430 Wine II

Handset Maker

LG

Handset Model Name

AN430 Wine II

FCC ID

BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 3: LG AS730 Optimus Select

Handset Maker

LG

Handset Model Name

AS730 Optimus Select

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 4: LG AS876 F90

Handset Maker

LG

Handset Model Name

AS876 F90

FCC ID

ZNFVS876

Air Interfaces/Frequency Bands

700 MHz AWS
850 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 5: LG AS985 G3

Handset Maker

LG

Handset Model Name

AS985 G3

FCC ID

ZNFVS985

Air Interfaces/Frequency Bands

700 MHz AWS
800 MHz CDMA
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 6: LG Exchange/LGAN270

Handset Maker

LG

Handset Model Name

Exchange/LGAN270

FCC ID

BEJVN270

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 7: LG G4 AS986

Handset Maker

LG

Handset Model Name

G4 AS986

FCC ID

ZNFVS986

Air Interfaces/Frequency Bands

700 MHz AWS

800 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

2.5 GHz AWS

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 8: Motorola Quantico W845

Handset Maker

Motorola

Handset Model Name

Quantic W845

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1700 MHz AWS
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

FEATURE

Remarks

Handset 9: Motorola XT1050

Handset Maker

Motorola

Handset Model Name

XT1050

FCC ID

IHDT56PB1

Air Interfaces/Frequency Bands

700 MHz AWS
850 MHz CDMA
850 MHz WCDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 10: Motorola XT1250 Maxx

Handset Maker

Motorola

Handset Model Name

XT1250 Maxx

FCC ID

IHDT56PK1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 02/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 11: Motorola XT1529E**Handset Maker**

Motorola

Handset Model Name

XT1529E

FCC ID

IHDT56QC8

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 08/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 12: Samsung Admire R720

Handset Maker

Samsung

Handset Model Name

Admire R720

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 13: Samsung Chrono 2

Handset Maker

Samsung

Handset Model Name

Chrono 2

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz AWS
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 14: Samsung Chrono 2 R270

Handset Maker

Samsung

Handset Model Name

Chrono 2 R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 15: Samsung Chrono R261

Handset Maker

Samsung

Handset Model Name

Chrono R261

FCC ID

A3LSCHR261

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 16: Samsung Freeform 4 R390**Handset Maker**

Samsung

Handset Model Name

Freeform 4 R390

FCC ID

A3LSCHR390

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1700 MHz AWS
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

BASIC

Remarks

Handset 17: Samsung G360R6 Core Prime

Handset Maker

Samsung

Handset Model Name

FCC ID

G360R6 Core Prime

A3LSMG360V

Air Interfaces/Frequency Bands

700 MHz AWS

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 18: Samsung G900R7 Galaxy S5

Handset Maker

Samsung

Handset Model Name

G900R7 Galaxy S5

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

700 MHz AWS

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 19: Samsung Galaxy S4

Handset Maker

Samsung

Handset Model Name

Galaxy S4

FCC ID

A3LSCHI545

Air Interfaces/Frequency Bands

700 MHz AWS

850 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 20: Samsung Galaxy S4 Mini

Handset Maker

Samsung

Handset Model Name

Galaxy S4 Mini

FCC ID

A3LSCH1435

Air Interfaces/Frequency Bands

700 MHz AWS
850 MHz CDMA
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 21: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

700 MHz AWS
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 06/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 22: Samsung N920R6 Note 5

Handset Maker

Samsung

Handset Model Name

N920R6 Note 5

FCC ID

A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz AWS
850 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 23: Samsung SM-G920R6

Handset Maker

Samsung

Handset Model Name

SM-G920R6

FCC ID

A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz AWS
800 MHz CDMA
1700 MHz LTE
1800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Handset 24: Samsung SM-G925V S6 Ed

Handset Maker

Samsung

Handset Model Name

FCC ID

SM-G925V S6 Ed

A3LSMG925V

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

SMARTPHONE

Remarks

Certification

This Report has been certified by:

Dennis L Thornock CEO / General Manager

01/13/2016 11:42 AM

Reference Copy