



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007097817

Filing Deadline: January 15, 2016

FRN: 0015991664

Filing Date: 01/15/2016 12:03 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: PR Wireless Inc.

Brand Names: Open Mobile

PO Box:

Street Address: 1 Street, Suite 300, Chrysler Bldg., Metro Office Park

City: Guaynabo

State: PR

Zip Code: 00968

Contact Name: Adrian Gonzalez

Contact Phone: (787) 554-6736

Contact Fax: (787) 782-8621

Contact Email: adrian.gonzalez@openmobilepr.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? No

Explain: Only the UNIMAX U671 does not include labeling. The rating is posted at our website.

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

N/A

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://www.openmobilepr.com/equipos/beneficio/politica-de-accesibilidad>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Open Mobile's compliant handset models are publicly identified for consumers. Compliant models are listed on Open Mobile's website, which also includes a complete explanation of the hearing-aid ratings and capabilities. Also Open Mobile educate its retail sales people regarding digital wireless capabilities and hearing-aid compliance.

Methodology for Functionality Levels

Open Mobile's handset offering are divided into five (5) categories considering their characteristics, features and retail prices. These categories go from a Low Tier category to a Smartphone category. Each category and category subdivision is assigned a letter and a number based on functionality levels and hearing-aid capabilities. Categories range from A1 to E6. For example, the Low Tier handsets are A1 for those handsets rated at least M3 but not T3, and A2 those handsets rated T3 and M3. For Medium and higher categories, functionality levels are assigned accordingly.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 35

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	34	97%	1	3%			35
LTE	26	96%	1	4%			27

Handset 1: Alcatel POP 4

Handset Maker

Alcatel

Handset Model Name

POP 4

FCC ID

RAD535

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 2: Alcatel Shockwave

Handset Maker

Alcatel

Handset Model Name

Shockwave

FCC ID

RAD284

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 12/13 to 08/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 3: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 01/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 4: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 5: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 6: Apple iPhone 6

Handset Maker

Apple

Handset Model Name

iPhone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 7: Apple iPhone 6+

Handset Maker

Apple

Handset Model Name

iPhone 6+

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/15

Ratings

M-Rating: M3
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 8: Apple IPHONE 6S**Handset Maker**

Apple

Handset Model Name**FCC ID**

IPHONE 6S

BCG-E2946A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 9: Apple IPHONE 6S PLUS

Handset Maker

Apple

Handset Model Name

FCC ID

IPHONE 6S PLUS

BCG-E2944A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E4

Remarks

Handset 10: Coolpad 3700A DIAMANTE

Handset Maker

Coolpad

Handset Model Name

FCC ID

3700A DIAMANTE

R38YL3700A

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 11/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 11: Coolpad Quattro II 4G**Handset Maker**

Coolpad

Handset Model Name**FCC ID**

Quattro II 4G

R38YL801EM

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/13 to 11/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 12: HTC Desire 526

Handset Maker

HTC

Handset Model Name

Desire 526

FCC ID

NM80PM3100

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 13: HTC DESIRE 612

Handset Maker

HTC

Handset Model Name

DESIRE 612

FCC ID

NM80P90300

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/14 to 12/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 14: HTC Desire C

Handset Maker

HTC

Handset Model Name

FCC ID

Desire C

NM8PL01210

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 01/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 15: LG AN170

Handset Maker

LG

Handset Model Name

AN170

FCC ID

ZNFVN170

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A3

Remarks

Handset 16: LG F 90

Handset Maker

LG

Handset Model Name

F 90

FCC ID

ZNFVS876

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 09/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 17: LG Optimus F5

Handset Maker

LG

Handset Model Name

Optimus F5

FCC ID

ZNFVS870

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 08/13 to 01/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 18: Motorola Moto E

Handset Maker

Motorola

Handset Model Name

Moto E

FCC ID

iHDT56QC8

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 19: Motorola Moto G

Handset Maker

Motorola

Handset Model Name

Moto G

FCC ID

IHDT56PF3

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks**Handset 20: Motorola Moto X****Handset Maker**

Motorola

Handset Model Name**FCC ID**

Moto X

IHDT56QA2

Air Interfaces/Frequency Bands

700 MHz LTE

1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 21: Motorola MOTO X 1

Handset Maker

Motorola

Handset Model Name

MOTO X 1

FCC ID

iHDT56QA2

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 12/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 22: Motorola Moto X Play

Handset Maker

Motorola

Handset Model Name

Moto X Play

FCC ID

iHDT56UB1

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 23: Pantech ADR8995(Breakout)**Handset Maker**

Pantech

Handset Model Name**FCC ID**

ADR8995(Breakout)

JYCAPACHE

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E6

Remarks

Handset 24: Pantech ADR910L (Marauder)

Handset Maker

Pantech

Handset Model Name

ADR910L (Marauder)

FCC ID

JYCSTARQ

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 10/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 25: Samsung Core Prime

Handset Maker

Samsung

Handset Model Name

Core Prime

FCC ID

A3LSMG360V

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M3
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 26: Samsung Galaxy S4**Handset Maker**

Samsung

Handset Model Name**FCC ID**

Galaxy S4

A3LSCHR970

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 06/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E1

Remarks

Handset 27: Samsung Galaxy S5

Handset Maker

Samsung

Handset Model Name

Galaxy S5

FCC ID

A3LSMG900V

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 07/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 28: Samsung Note 5

Handset Maker

Samsung

Handset Model Name

Note 5

FCC ID

A3LSMN920V

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 12/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 29: Samsung R270**Handset Maker**

Samsung

Handset Model Name

R270

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 03/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

A6

Remarks

Handset 30: Samsung S4 Mini

Handset Maker

Samsung

Handset Model Name

S4 Mini

FCC ID

A3LSCHI435

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 02/14 to 03/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 31: Samsung S6

Handset Maker

Samsung

Handset Model Name

S6

FCC ID

A3LSMG920V

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 32: Samsung S6 Edge**Handset Maker**

Samsung

Handset Model Name**FCC ID**

S6 Edge

A3LSMG925V

Air Interfaces/Frequency Bands

700 MHz LTE
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Handset 33: Unimax MXC 450

Handset Maker

Unimax

Handset Model Name

MXC 450

FCC ID

P46-U675

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 06/14 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E3

Remarks

Handset 34: Unimax U671C

Handset Maker

Unimax

Handset Model Name

U671C

FCC ID

P46-U670C

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 10/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

No Labeling

Handset 35: ZTE Groove (X501)

Handset Maker

ZTE

Handset Model Name

Groove (X501)

FCC ID

Q78-X501

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 09/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

E5

Remarks

Certification

This Report has been certified by:

JOHN RANIERI CFO
01/15/2016 12:03 PM