



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007093242

Filing Deadline: January 15, 2016

FRN: 0016344368

Filing Date: 01/12/2016 11:21 AM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Easy Telephone Services Company

Brand Names: Easy Wireless

PO Box:

Street Address: 4352 SE 95th Street

City: Ocala

State: FL

Zip Code: 34480

Contact Name: Tina Allen

Contact Phone: (352) 233-2717

Contact Fax: (352) 233-2709

Contact Email: tallen@telecomservicebureau.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Telecom Service Bureau, Inc.

PO Box:

Street Address: 4352 SE 95th Street

City: Ocala

State: FL

Contact Name: Tina Allen
Contact Phone: (352) 233-2717
Contact Fax: (352) 233-2709
Contact Email: tallen@telecomservicebureau.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.MyEasyWireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Customers can obtain new service by calling the company customer service number or by applying via the company website. The company also has many store and tent locations in Oklahoma where the customer can sign up for service.

Methodology for Functionality Levels

Company used Phone Scoop, FCC ID lookup, and Manufacturer's information, where available, to determine the

functionality of its handsets.

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 133

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	108	81%	25	19%			133

Handset 1: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 2: Apple iPhone 5

Handset Maker

Apple

Handset Model Name

iPhone 5

FCC ID

BCG-E2599A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 3: Apple iPhone4

Handset Maker

Apple

Handset Model Name

iPhone4

FCC ID

BCG-E2422A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 4: HTC 0PCV1 (Desire 510)

Handset Maker

HTC

Handset Model Name

0PCV1 (Desire 510)

FCC ID

NM80PCV100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 5: HTC 801C (WH Xcvr)

Handset Maker

HTC

Handset Model Name

801C (WH Xcvr)

FCC ID

NM8PN07200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 6: HTC A7373 (EVO Shift 4G)**Handset Maker**

HTC

Handset Model Name**FCC ID**

A7373 (EVO Shift 4G)

NM8PG06100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 7: HTC A9292 (EVO 4G)

Handset Maker

HTC

Handset Model Name

A9292 (EVO 4G)

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 8: HTC C715C (EVO Design 4G)

Handset Maker

HTC

Handset Model Name

C715C (EVO Design 4G)

FCC ID

NM8PH44100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 9: HTC Hero A6227

Handset Maker

HTC

Handset Model Name

Hero A6227

FCC ID

NM8HOT

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 10: HTC Hero A6277

Handset Maker

HTC

Handset Model Name

Hero A6277

FCC ID

NM8HOT

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 11: HTC T7575 (Arrive)

Handset Maker

HTC

Handset Model Name

T7575 (Arrive)

FCC ID

NM8PC93100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 12: HTC X325C (EVO 4G LTE)

Handset Maker

HTC

Handset Model Name

X325C (EVO 4G LTE)

FCC ID

IHDT56JW1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 13: HTC X515C (EVO 3D)

Handset Maker

HTC

Handset Model Name

X515C (EVO 3D)

FCC ID

NM8PG86100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 14: Kyocera C5120 MILANO

Handset Maker

Kyocera

Handset Model Name

C5120 MILANO

FCC ID

V65C5120

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 15: Kyocera C5133 (Event)**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

C5133 (Event)

V65C5133

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 16: Kyocera C5155 (Rise)

Handset Maker

Kyocera

Handset Model Name

FCC ID

C5155 (Rise)

V65C5155A1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 17: Kyocera C5170 (Hydro)

Handset Maker

Kyocera

Handset Model Name

FCC ID

C5170 (Hydro)

V65C5170

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 18: Kyocera C5215 (EDGE)

Handset Maker

Kyocera

Handset Model Name

C5215 (EDGE)

FCC ID

V65C5215

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 19: Kyocera E4210 (DuraCore)

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4210 (DuraCore)

V65E4210

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 20: Kyocera E4233 (DuraPlus)

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4233 (DuraPlus)

V65E4233

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 21: Kyocera E4255 (DuraMax)

Handset Maker

Kyocera

Handset Model Name

E4255 (DuraMax)

FCC ID

V65E4255

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 22: Kyocera E4277 (DuraXT)

Handset Maker

Kyocera

Handset Model Name

FCC ID

E4277 (DuraXT)

V65E4255

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 23: Kyocera S1310

Handset Maker

Kyocera

Handset Model Name

FCC ID

S1310

OVF-K33BIC04

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 24: Kyocera S2151

Handset Maker

Kyocera

Handset Model Name

S2151

FCC ID

V65S2150

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 25: Kyocera S3015 (Brio)

Handset Maker

Kyocera

Handset Model Name

FCC ID

S3015 (Brio)

V65S3015

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 04/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 26: LG 150

Handset Maker

LG

Handset Model Name

FCC ID

150

BEJLX150

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 27: LG 225

Handset Maker

LG

Handset Model Name

225

FCC ID

BEJCG225

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 28: LG 265 (Rumor2)

Handset Maker

LG

Handset Model Name

265 (Rumor2)

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 29: LG 670

Handset Maker

LG

Handset Model Name

670

FCC ID

BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 05/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 30: LG LG730 (Venice)**Handset Maker**

LG

Handset Model Name**FCC ID**

LG730 (Venice)

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 31: LG LN240 (Remarq)

Handset Maker

LG

Handset Model Name

LN240 (Remarq)

FCC ID

BEJLN240

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 32: LG LN272 (Rumor Reflex)

Handset Maker

LG

Handset Model Name

LN272 (Rumor Reflex)

FCC ID

ZNFAN272

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 33: LG LN272S (Rumor Reflex)

Handset Maker

LG

Handset Model Name

FCC ID

LN272S (Rumor Reflex)

ZNFLN272

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 34: LG LN510 (Rumor Touch)

Handset Maker

LG

Handset Model Name

FCC ID

LN510 (Rumor Touch)

BEJLN510

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 35: LG LS670 (Optimus S)

Handset Maker

LG

Handset Model Name

FCC ID

LS670 (Optimus S)

BEJLS670

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 36: LG LS696 (Elite)**Handset Maker**

LG

Handset Model Name**FCC ID**

LS696 (Elite)

ZNFLS696

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 37: LG LS840 (Viper)

Handset Maker

LG

Handset Model Name

LS840 (Viper)

FCC ID

ZNFLS840

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 38: LG LS855 (Marquee)

Handset Maker

LG

Handset Model Name

LS855 (Marquee)

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 39: LG LS860 (Mach)**Handset Maker**

LG

Handset Model Name**FCC ID**

LS860 (Mach)

ZNFLS860

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 40: LG LS970 (Optimus G)

Handset Maker

LG

Handset Model Name

LS970 (Optimus G)

FCC ID

ZNFLS970

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 41: LG LS995 (G Flex)

Handset Maker

LG

Handset Model Name

LS995 (G Flex)

FCC ID

ZNFLS995

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 10/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 42: LG LX150

Handset Maker

LG

Handset Model Name

LX150

FCC ID

BEJLX150

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 02/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 43: LG LX160 (Flare)

Handset Maker

LG

Handset Model Name

FCC ID

LX160 (Flare)

BEJLX160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 44: LG LX260 (Rumor Scoop)

Handset Maker

LG

Handset Model Name

FCC ID

LX260 (Rumor Scoop)

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 45: LG LX265 (Rumor2)

Handset Maker

LG

Handset Model Name

FCC ID

LX265 (Rumor2)

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 46: LG LX370

Handset Maker

LG

Handset Model Name

LX370

FCC ID

BEJLX370

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 02/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 47: LG LX570 (Muziq)

Handset Maker

LG

Handset Model Name

LX570 (Muziq)

FCC ID

BEJLX570

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/15 to 06/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 48: LG LX600 (Lotus)

Handset Maker

LG

Handset Model Name

FCC ID

LX600 (Lotus)

BEJLX600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 49: LG LX610 (Lotus Elite)

Handset Maker

LG

Handset Model Name

FCC ID

LX610 (Lotus Elite)

BEJLX610

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 50: Motorola C290

Handset Maker

Motorola

Handset Model Name

FCC ID

C290

IHDT56FX1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 51: Motorola K1M (KRZR)**Handset Maker**

Motorola

Handset Model Name**FCC ID**

K1M (KRZR)

IHDT56GH1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 52: Motorola MB612 XPRT

Handset Maker

Motorola

Handset Model Name

MB612 XPRT

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 53: Motorola MB855 (Photon 4G)

Handset Maker

Motorola

Handset Model Name

MB855 (Photon 4G)

FCC ID

IHDP56MD1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 54: Motorola V3m RAZR**Handset Maker**

Motorola

Handset Model Name

V3m RAZR

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 55: Motorola V950 (Renegade)

Handset Maker

Motorola

Handset Model Name

V950 (Renegade)

FCC ID

IHDT56JA1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 56: Motorola XT1019 (Moto E)

Handset Maker

Motorola

Handset Model Name

XT1019 (Moto E)

FCC ID

IHDT56PJ1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/15 to 12/15

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 57: Motorola XT1031 MoTo G

Handset Maker

Motorola

Handset Model Name

FCC ID

XT1031 MoTo G

IHDT56PF3

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 58: Motorola XT603 (Admiral)

Handset Maker

Motorola

Handset Model Name

XT603 (Admiral)

FCC ID

IHDT56MP1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 59: Motorola XT897 (Photon Q 4G L)

Handset Maker

Motorola

Handset Model Name

XT897 (Photon Q 4G L)

FCC ID

IHDT56NL2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 60: Nokia 6016i

Handset Maker

Nokia

Handset Model Name

6016i

FCC ID

QMNRH-55

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 61: SHARP CORPORATION 306SH (Aquos Crystal)

Handset Maker

SHARP CORPORATION

Handset Model Name

306SH (Aquos Crystal

FCC ID

APYHRO00204

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 62: UNIMAX COMMUNICATIONS LLC MXE-675

Handset Maker

UNIMAX COMMUNICATIONS LLC

Handset Model Name

MXE-675

FCC ID

P46-U675

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 63: Palm 650**Handset Maker**

Palm

Handset Model Name

650

FCC ID

O8FCAGEMS

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 64: Palm 690

Handset Maker

Palm

Handset Model Name

690

FCC ID

O8F-747

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 65: Palm 700

Handset Maker

Palm

Handset Model Name

700

FCC ID

O8FJIMI

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 66: Palm 700w

Handset Maker

Palm

Handset Model Name

700w

FCC ID

O8FJIMI

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 67: Palm 755p

Handset Maker

Palm

Handset Model Name

755p

FCC ID

O8F-895

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 68: Palm Treo 650

Handset Maker

Palm

Handset Model Name

Treo 650

FCC ID

O8FMADECA

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 69: Samsung A640**Handset Maker**

Samsung

Handset Model Name**FCC ID**

A640

A3LSPHA640S

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 70: Samsung A920

Handset Maker

Samsung

Handset Model Name

A920

FCC ID

A3LSPHA920

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 01/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 71: Samsung D600

Handset Maker

Samsung

Handset Model Name

D600

FCC ID

A3LSPHD600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 72: Samsung D720 (Nexus)

Handset Maker

Samsung

Handset Model Name

D720 (Nexus)

FCC ID

A3LSPHD720

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 73: Samsung M220

Handset Maker

Samsung

Handset Model Name

M220

FCC ID

A3LSPHM220

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 05/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 74: Samsung M240

Handset Maker

Samsung

Handset Model Name

M240

FCC ID

A3LSPHM240

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 75: Samsung M300

Handset Maker

Samsung

Handset Model Name

M300

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 76: Samsung M320

Handset Maker

Samsung

Handset Model Name

M320

FCC ID

A3LSPHM320

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 77: Samsung M330

Handset Maker

Samsung

Handset Model Name

M330

FCC ID

A3LSPHM330

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 78: Samsung M350 (Seek)

Handset Maker

Samsung

Handset Model Name

M350 (Seek)

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 79: Samsung M360

Handset Maker

Samsung

Handset Model Name

M360

FCC ID

A3LSPHM360

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 80: Samsung M370

Handset Maker

Samsung

Handset Model Name

M370

FCC ID

A3LSPHM370

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 81: Samsung M380

Handset Maker

Samsung

Handset Model Name

M380

FCC ID

A3LSPHM380

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 82: Samsung M390 (Array)

Handset Maker

Samsung

Handset Model Name

FCC ID

M390 (Array)

A3LSPHM390

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 83: Samsung M400

Handset Maker

Samsung

Handset Model Name

FCC ID

M400

A3LSPHM400

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 84: Samsung M520

Handset Maker

Samsung

Handset Model Name

M520

FCC ID

A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 85: Samsung M540 (Rant)

Handset Maker

Samsung

Handset Model Name

M540 (Rant)

FCC ID

A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 86: Samsung M550 (Exclaim)

Handset Maker

Samsung

Handset Model Name

M550 (Exclaim)

FCC ID

A3LSPHM550

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 87: Samsung M560 (Reclaim)**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M560 (Reclaim)

A3LSPHM560

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 88: Samsung M570 (Restore)

Handset Maker

Samsung

Handset Model Name

M570 (Restore)

FCC ID

A3LSPHM570

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 89: Samsung M580

Handset Maker

Samsung

Handset Model Name

M580

FCC ID

A3LSPHM580

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 90: Samsung M630 (Highnote)

Handset Maker

Samsung

Handset Model Name

M630 (Highnote)

FCC ID

A3LSPHM630

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 06/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 91: Samsung M800 Instinct

Handset Maker

Samsung

Handset Model Name

M800 Instinct

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 92: Samsung M810 Instinct S30

Handset Maker

Samsung

Handset Model Name

M810 Instinct S30

FCC ID

A3LSPHM810

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M4
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 93: Samsung M830 (Galaxy Rush)

Handset Maker

Samsung

Handset Model Name

M830 (Galaxy Rush)

FCC ID

A3LSPHM830

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 94: Samsung M850 (Instinct HD)

Handset Maker

Samsung

Handset Model Name

M850 (Instinct HD)

FCC ID

A3LSPHM850

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 95: Samsung M900 Moment

Handset Maker

Samsung

Handset Model Name

M900 Moment

FCC ID

A3LSPHM900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 96: Samsung M910**Handset Maker**

Samsung

Handset Model Name

M910

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 97: Samsung M920

Handset Maker

Samsung

Handset Model Name

M920

FCC ID

A3LSPHM920

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 98: Samsung M930 (Transform Ultr

Handset Maker

Samsung

Handset Model Name

M930 (Transform Ultr

FCC ID

A3LSPHM930

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 99: Samsung SPH-D700 (Epic 4G)

Handset Maker

Samsung

Handset Model Name

SPH-D700 (Epic 4G)

FCC ID

A3LSPHD700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 100: Samsung SPH-D710 (Galaxy S I

Handset Maker

Samsung

Handset Model Name FCC ID

SPH-D710 (Galaxy S I A3LSPHD710

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 101: Samsung SPH-L300 (Galaxy Vic

Handset Maker

Samsung

Handset Model Name FCC ID

SPH-L300 (Galaxy Vic A3LSPHL300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 102: Samsung SPH-L520

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-L520

A3LSPHL520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 103: Samsung SPH-L700 (Galaxy Nex

Handset Maker

Samsung

Handset Model Name FCC ID

SPH-L700 (Galaxy Nex A3LSPHL700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 104: Samsung SPH-L710 (Galaxy S I

Handset Maker

Samsung

Handset Model Name FCC ID

SPH-L710 (Galaxy S I A3LSPHL710

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 105: Samsung SPH-L900 (Galaxy Not

Handset Maker

Samsung

Handset Model Name

FCC ID

SPH-L900 (Galaxy Not

A3LSPHL900

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 03/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 106: Sanyo 6750X

Handset Maker

Sanyo

Handset Model Name

6750X

FCC ID

JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 03/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 107: Sanyo M9300

Handset Maker

Sanyo

Handset Model Name

M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 108: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name

Pro 200

FCC ID

AEZSCP-PRO200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 109: Sanyo Pro 700

Handset Maker

Sanyo

Handset Model Name

Pro 700

FCC ID

AEZSCP-PRO700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 110: Sanyo SCP-2300

Handset Maker

Sanyo

Handset Model Name

SCP-2300

FCC ID

AEZSCP-23H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 111: Sanyo SCP-2400**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-2400

AEZSCP-24H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 05/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 112: Sanyo SCP-2500 (S1)

Handset Maker

Sanyo

Handset Model Name

SCP-2500 (S1)

FCC ID

AEZSCP-25H

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 08/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 113: Sanyo SCP-2700 Juno

Handset Maker

Sanyo

Handset Model Name

SCP-2700 Juno

FCC ID

V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 114: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name

SCP-3100

FCC ID

AEZSCP-31H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 07/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 115: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name

SCP-3200

FCC ID

AEZSCP-32H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 116: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name

SCP-3800

FCC ID

AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 117: Sanyo SCP-3810 Mirro

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-3810 Mirro

V65SCP-3810

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 118: Sanyo SCP-3820 (Vero)

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-3820 (Vero)

V65SCP-3820

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 119: Sanyo SCP-6600 (Katana)

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-6600 (Katana)

AEZSCP-66H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 120: Sanyo SCP-6650

Handset Maker

Sanyo

Handset Model Name

SCP-6650

FCC ID

AEZSCP-6650

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 11/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 121: Sanyo SCP-6760 (Incognito)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6760 (Incognito) V65SCP-6760

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 122: Sanyo SCP-6780 (Innuendo)

Handset Maker

Sanyo

Handset Model Name FCC ID

SCP-6780 (Innuendo) V65SCP-6780

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 05/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 123: Sanyo SCP-8400

Handset Maker

Sanyo

Handset Model Name

SCP-8400

FCC ID

AEZSCP-84H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 02/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 124: Sanyo SCP-8500

Handset Maker

Sanyo

Handset Model Name

SCP-8500

FCC ID

AEZSCP-85H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/15 to 05/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 125: Sanyo SCP-8600 (Zio)

Handset Maker

Sanyo

Handset Model Name

SCP-8600 (Zio)

FCC ID

V65SCP-8600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 126: Sanyo SCP-E4100 (Taho)**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

SCP-E4100 (Taho)

V65E4100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 127: Sanyo SCP-M9300

Handset Maker

Sanyo

Handset Model Name

SCP-M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 128: Sanyo SCP6750X

Handset Maker

Sanyo

Handset Model Name

SCP6750X

FCC ID

JOYSCP-6750

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 02/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 129: UT Starcom PPC-6800**Handset Maker**

UT Starcom

Handset Model Name

PPC-6800

FCC ID

NM8TITA100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 130: ZTE N850 (Fury)

Handset Maker

ZTE

Handset Model Name

N850 (Fury)

FCC ID

Q78-ZTEN850

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 131: ZTE N860 (Warp)

Handset Maker

ZTE

Handset Model Name

N860 (Warp)

FCC ID

Q78-ZTEN860

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 132: ZTE N861 (Warp Sequent)

Handset Maker

ZTE

Handset Model Name

N861 (Warp Sequent)

FCC ID

Q78-ZTEN861

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/15 to 10/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 133: ZTE N9500 (Flash)

Handset Maker

ZTE

Handset Model Name

N9500 (Flash)

FCC ID

Q78-ZTEN9500

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Certification

This Report has been certified by:

Joseph Fernandez President

01/12/2016 11:21 AM