



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007097822

Filing Deadline: January 15, 2016

FRN: 0005061437

Filing Date: 01/15/2016 12:15 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Hayneville Fiber Transport, Inc.

Brand Names: Motorola
Kyocera
Palm
LG
HTC

PO Box: 129

Street Address: 180 Greenville Bypass

City: Greenville

State: AL

Zip Code: 36037

Contact Name: Tammy Williams

Contact Phone: (334) 371-3000

Contact Fax: (334) 371-3001

Contact Email: cctammyw@camelliacom.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: WWW.CAMELLIACOM.COM

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: message on billing to educate customers run yearly

Methodology for Functionality Levels

Manufacturers specifications

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 13

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	3	100%					3
CDMA	11	85%	2	15%			13
WCDMA	1	100%					1
LTE	2	100%					2

Handset 1: Apple Apple 6s Plus

Handset Maker

Apple

Handset Model Name

FCC ID

Apple 6s Plus	BCG-E2944A
Apple iPhone 6	BCG-E2816A
Apple iPhone 6 Plus	BCG-E2817A
I PHONE 5S 64 GB	BCG-E2642A
I PHONE 6 64GB	BCG-E2817A
iPhone 4 (A1349)	BCG-E2422A
iPhone 4S (A1387)	BCG-E2430A
IPHONE 6S	BCG-E2946A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
900 MHz GSM
1700 MHz CDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.5 GHz LTE

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

N/A

Remarks

Handset 2: IPHONE 5S IPHONE 5S

Handset Maker

IPHONE 5S

Handset Model Name

FCC ID

IPHONE 5S

BCG-E2642A

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1700 MHz CDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/15 to 12/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

N/A

Remarks

Handset 3: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

FCC ID

E3100 Rio	OVF-K5402
G2GO M2000	OVF-K4801, OVF-K4802
Luno	OVF-K5501, OVF-K5502
S2300	OVF-K5302

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 4: LG ENLIGHTEN

Handset Maker

LG

Handset Model Name

ENLIGHTEN

FCC ID

BEJVS700, BEJLS700, ZNFL55C

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 5: LG VS750

Handset Maker

LG

Handset Model Name

VS750

FCC ID

BEJVS750

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 6: LG VX9200 EnV3

Handset Maker

LG

Handset Model Name

VX9200 EnV3

FCC ID

BEJWX9200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 7: Motorola W385

Handset Maker

Motorola

Handset Model Name

W385

FCC ID

IHDT56HC1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 12/15

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 8: Palm Palm Pixi**Handset Maker**

Palm

Handset Model Name**FCC ID**

Palm Pixi

O8F-PIXE

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 9: Samsung GALAXY NOTE 5

Handset Maker

Samsung

Handset Model Name

FCC ID

GALAXY NOTE 5	A3LSMN920V, A3LSMN920R4, A3LSMN920P
GALAXY S5 ACTIVE	A3LSMG870A
Galaxy S6 Active	A3LSMG890A
GALAXY S6 EDGE	A3LSMG925V, A3LSMG925P, A3LSMG925R4
Galaxy S6 Edge Plus	A3LSMG928V, A3LSMG928R4, A3LSMG928P

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz LTE
5.0 GHz LTE

Dates

This handset model was offered from: 10/15 to 12/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

N/A

Remarks

Handset 10: Samsung GUSTOII

Handset Maker

Samsung

Handset Model Name

FCC ID

GUSTOII

A3LSCHU365

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 01/14 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 11: Samsung ILLUSION

Handset Maker

Samsung

Handset Model Name

FCC ID

ILLUSION

A3LSCHI110

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 12/15

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 12: Samsung U660 Convoy 2

Handset Maker

Samsung

Handset Model Name FCC ID

U660 Convoy 2 A3LSCHU660

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 13: UT Starcom CDM-7076

Handset Maker

UT Starcom

Handset Model Name

CDM-7076

FCC ID

PP4EZ2

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Certification

This Report has been certified by:

Tammy Williams Business Office Manager
01/15/2016 12:15 PM