



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2010 - June 30, 2011

Filing Confirmation Number: 0004801735

Filing Deadline: July 15, 2011

FRN: 0018939488

Filing Date: 07/14/2011 02:20 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: LG Electronics U.S.A Inc.

Brand Names: LG

PO Box:

Street Address: 1000 Sylvan Avenue

City: Englewood Cliffs

State: NJ

Zip Code: 07632

Contact Name: Christopher Johnson

Contact Phone: (201) 266-2419

Contact Fax:

Contact Email: chris.johnson@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: <http://www.lgmobilephones.com/hac.aspx>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We always have been doing our best to provide HAC compliance handsets with a newer design and better functionality for consumers. Specifically, we're focusing on 2G/3G models to provide better and more HAC compliance models to the consumers because it's difficult to meet HAC compliance for 2G/3G models. Therefore, we're expecting HAC compliance models will be more than this year. Additionally, we'll keep doing our best to meet the consumer's satisfaction relating to the HAC requirement.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 21

Report Remarks

21 Handset models have been tested for HAC during the reporting period and they have been complied with HAC requirement.

Among 21 models, 8 models have not been launched yet. 8 models: BEJVS700(CDMA), BEJLS700(CDMA), BEJLS855(CDMA), BEJMS910(CDMA/LTE), BEJLG630G(GSM), BEJLG910G(GSM), VS910(CDMA/LTE), BEJC729(WCDMA)

You have reported the following handset model summary information.

Total number of handsets offered: 59

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | |
| GSM | 8 | 35% | 1 | 4% | 14 | 61% | 23 |
| CDMA | 29 | 81% | 7 | 19% | | | 36 |
| WCDMA | 4 | 29% | 1 | 7% | 9 | 64% | 14 |

Handset 1: LG UN200

Handset Maker

LG

Handset Model Name

UN200
LG501C

FCC ID

BEJUN200
BEJUN200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 02/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Saber

Handset 2: LG UN430**Handset Maker**

LG

Handset Model Name**FCC ID**

UN430

BEJUN430

LG430

BEJUN430

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 11/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Wine II

Handset 3: LG UN510**Handset Maker**

LG

Handset Model Name**FCC ID**

UN510

BEJUN510

AN510

BEJUN510

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 07/16/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 07/16/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Banter Touch

Handset 4: LG UX310

Handset Maker

LG

Handset Model Name

FCC ID

| | |
|-------|----------|
| UX310 | BEJUX310 |
| LW310 | BEJUX310 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 11/10

Ratings

M-Rating: M4
M-Rating Certification Date: 04/11/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 04/11/09
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: LG LG700

Handset Maker

LG

Handset Model Name FCC ID

LG700 BEJUX700

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 12/10

Ratings

M-Rating: M4

M-Rating Certification Date: 04/06/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/06/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: LG VM101

Handset Maker

LG

Handset Model Name FCC ID

VM101 BEJVM101

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 02/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: LG VM510**Handset Maker**

LG

Handset Model Name

VM510

FCC ID

BEJVM510

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: LG VM670**Handset Maker**

LG

Handset Model Name

VM670

FCC ID

BEJVM670

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently

have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 12/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 10/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/07/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: LG VN250

Handset Maker

LG

Handset Model Name

FCC ID

VN250

BEJVN250

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 02/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Cosmos

Handset 10: LG VN270 Cosmos Touch

Handset Maker

LG

Handset Model Name

FCC ID

VN270 Cosmos Touch

BEJVN270

UN270

BEJVN270

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/18/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/18/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Cosmos Touch

Handset 11: LG VN530 Octane

Handset Maker

LG

Handset Model Name

VN530 Octane

FCC ID

BEJVN530

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Octane

Handset 12: LG VP200

Handset Maker

LG

Handset Model Name

VP200

FCC ID

BEJVP200

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 04/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: LG VS660 Vortex

Handset Maker

LG

Handset Model Name

VS660 Vortex

FCC ID

BEJVS660

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Vortex

Handset 14: LG VS740**Handset Maker**

LG

Handset Model Name**FCC ID**

VS740

BEJVS740

US740

BEJVS740

AS740

BEJVS740

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Ally, Apex

Handset 15: LG US760**Handset Maker**

LG

Handset Model Name**FCC ID**

US760

BEJVS760

Air Interfaces/Frequency Bands

800 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 03/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Genesis

Handset 16: LG VX11K**Handset Maker**

LG

Handset Model Name

VX11K

FCC ID

BEJVK11000

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 09/10

Ratings

M-Rating: M4

M-Rating Certification Date: 03/17/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/17/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

enV Touch

Handset 17: LG VX5600**Handset Maker**

LG

Handset Model Name

VX5600

FCC ID

BEJVK5600

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4
 M-Rating Certification Date: 09/30/09
 Version of the ANSI C63.19 standard used during the certification process: 2007
 T-Rating: T4
 T-Rating Certification Date: 09/30/09
 Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Accolade

Handset 18: LG VX8575**Handset Maker**

LG

Handset Model Name**FCC ID**

| | |
|--------|------------|
| VX8575 | BEJ VX8575 |
| LG8575 | BEJ VX8575 |

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 05/11

Ratings

M-Rating: M4
 M-Rating Certification Date: 09/03/09
 Version of the ANSI C63.19 standard used during the certification process: 2007
 T-Rating: T4
 T-Rating Certification Date: 09/03/09
 Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Chocolate Touch

Handset 19: LG VX9200

Handset Maker

LG

Handset Model Name FCC ID

| | |
|---------|------------|
| VX9200 | BEJ VX9200 |
| VX9200M | BEJ VX9200 |
| LG9250 | BEJ VX9200 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 02/20/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

enV 3

Handset 20: LG LG9600

Handset Maker

LG

Handset Model Name FCC ID

| | |
|--------|------------|
| LG9600 | BEJ VX9600 |
|--------|------------|

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 07/10

Ratings

M-Rating: M4

M-Rating Certification Date: 12/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: LG LG320G**Handset Maker**

LG

Handset Model Name**FCC ID**

LG320G

BEJLG320G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 22: LG LG420G**Handset Maker**

LG

Handset Model Name**FCC ID**

LG420G

BEJLG420G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 04/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/12/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: LG LG500G**Handset Maker**

LG

Handset Model Name**FCC ID**

LG500G

BEJLG500G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 04/11 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: LG LG620G**Handset Maker**

LG

Handset Model Name**FCC ID**

LG620G

BEJLG620G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 04/13/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 04/13/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: LG LG265

Handset Maker

LG

Handset Model Name

LG265

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 11/10

Ratings

M-Rating: M3
M-Rating Certification Date: 01/21/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 01/21/09
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Rumor2

Handset 26: LG LG840

Handset Maker

LG

Handset Model Name FCC ID

LG840 BEJAX840

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 07/10

Ratings

M-Rating: M4

M-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Tristan

Handset 27: LG LG100C

Handset Maker

LG

Handset Model Name FCC ID

LG100C BEJLG100C
LG100 BEJLG100C
LG102 BEJLG100C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 28: LG UX220**Handset Maker**

LG

Handset Model Name**FCC ID**

UX220

BEJLG220C

LG220C

BEJLG220C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 29: LG LG230**Handset Maker**

LG

Handset Model Name**FCC ID**

LG230

BEJLG231C

LG231C

BEJLG231C

Air Interfaces/Frequency Bands

800 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 01/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 30: LG LN240

Handset Maker

LG

Handset Model Name

LN240

FCC ID

BEJLN240

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Remarq

Handset 31: LG LN510

Handset Maker

LG

Handset Model Name

LN510

FCC ID

BEJLN510

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 10/29/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 10/29/09
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Rumor Touch

Handset 32: LG US670**Handset Maker**

LG

Handset Model Name**FCC ID**

| | |
|-------|----------|
| US670 | BEJLS670 |
| LS670 | BEJLS670 |

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 07/14/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 07/14/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Optimus U, Optimus S

Handset 33: LG MN510

Handset Maker

LG

Handset Model Name FCC ID

MN510 BEJLW510

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating: M4
M-Rating Certification Date: 02/09/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 02/09/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Banter Touch

Handset 34: LG LG290C

Handset Maker

LG

Handset Model Name FCC ID

LG290C BEJLX295

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 05/28/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/28/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 35: LG LX610****Handset Maker**

LG

Handset Model Name**FCC ID**

LX610

BEJLX610

UN610

BEJLX610

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 01/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Lotus

Handset 36: LG MN180**Handset Maker**

LG

Handset Model Name**FCC ID**

MN180

BEJMN180

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 09/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Select

Handset 37: LG MN240

Handset Maker

LG

Handset Model Name

MN240

FCC ID

BEJMN240

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 04/11

Ratings

M-Rating: M3

M-Rating Certification Date: 01/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 38: LG MS690 Optimus M

Handset Maker

LG

Handset Model Name

FCC ID

MS690 Optimus M
LW690

BEJMS690
BEJMS690

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Optimus M

Handset 39: LG MT375

Handset Maker

LG

Handset Model Name

FCC ID

MT375

BEJMT375

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/27/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Lyric

Handset 40: LG UN150**Handset Maker**

LG

Handset Model Name

UN150

FCC ID

BEJUN150

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 06/11 to 06/11

Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 41: LG LG800G**Handset Maker**

LG

Handset Model Name

LG800G

FCC ID

BEJLG800G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 03/11 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 42: LG LG900G****Handset Maker**

LG

Handset Model Name**FCC ID**

LG900G

BEJLG900G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 43: LG GS170****Handset Maker**

LG

Handset Model Name**FCC ID**

GS170

BEJGS170

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3
M-Rating Certification Date: 04/22/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 04/22/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 44: LG GT365

Handset Maker

LG

Handset Model Name

GT365

FCC ID

BEJGT365

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:
M-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 45: LG GS390

Handset Maker

LG

Handset Model Name

GS390

FCC ID

BEJGS390

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 12/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/30/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 46: LG GS505

Handset Maker

LG

Handset Model Name

GS505

FCC ID

BEJGS505

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Sentio

Handset 47: LG GD570**Handset Maker**

LG

Handset Model Name

GD570

FCC ID

BEJGD570

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 06/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

dLite

Handset 48: LG P509 Optimus T**Handset Maker**

LG

Handset Model Name

P509 Optimus T

FCC ID

BEJP509

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Optimus T

Handset 49: LG P999

Handset Maker

LG

Handset Model Name

P999

FCC ID

BEJP999DW

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 03/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

G2x

Handset 50: LG CF360

Handset Maker

LG

Handset Model Name

CF360

FCC ID

BEJCF360

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 09/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Neon

Handset 51: LG GW370

Handset Maker

LG

Handset Model Name

GW370

FCC ID

BEJGW370

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 07/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Neon II

Handset 52: LG P925**Handset Maker**

LG

Handset Model Name

P925

FCC ID

BEJP925

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/11 to 06/11

Ratings

M-Rating: M3

M-Rating Certification Date: 06/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 53: LG GD710****Handset Maker**

LG

Handset Model Name

GD710

FCC ID

BEJGD710

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 09/10

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Shine II

Handset 54: LG GW820

Handset Maker

LG

Handset Model Name

GW820

FCC ID

BEJGW820

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/10 to 10/10

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 55: LG GU295

Handset Maker

LG

Handset Model Name

GU295

FCC ID

BEJGU295

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 56: LG GR700

Handset Maker

LG

Handset Model Name

GR700

FCC ID

BEJGR700

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 57: LG GT550****Handset Maker**

LG

Handset Model Name

GT550

FCC ID

BEJGT550

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Encore

Handset 58: LG C900**Handset Maker**

LG

Handset Model Name

C900

FCC ID

BEJC900

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/10 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Quantum

Handset 59: LG P505

Handset Maker

LG

Handset Model Name

P505

FCC ID

BEJP505

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/11 to 06/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Phoenix

Certification

This Report has been certified by:

Christopher Johnson Senior Manager

07/14/2011 02:20 AM

Reference Copy