



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2011 - June 30, 2012

Filing Confirmation Number: 0005310298

Filing Deadline: July 16, 2012

FRN: 0006040703

Filing Date: 07/16/2012 09:30 AM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

#### Company Information

Company Name: Research In Motion Limited  
Brand Names: BlackBerry  
PO Box:  
Street Address: 1050 K Street N.W. 10th Floor, Suite 1000  
City: Washington  
State: DC  
Zip Code: 20002

Contact Name: Jeremy Wijetunge  
Contact Phone: (519) 597-9203  
Contact Fax: (519) 883-0907  
Contact Email: jwijetunge@rim.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address: [www.blackberry.com/accessibility](http://www.blackberry.com/accessibility)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: From July 2011 to June 2012, Research In Motion Limited (RIM) has participated in the following consumer outreach events. At these events, RIM provided consumers with opportunities to use various HAC-compliant BlackBerry smartphone models and/or provided consumers with information about HAC-compliant BlackBerry smartphone models and their hearing aid compatibility:

2011 Telecommunications Equipment Distribution Program Association (TEDPA) Conference (Salt Lake City, UT, October 2011): At the TEDPA conference, RIM presented and exhibited HAC compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss.

2011 M-Enabling Summit (Washington, DC, December 2011): At the summit, RIM participated on a panel discussion hosted by TDI regarding applications and services for people with hearing and speech disabilities. RIM also exhibited HAC compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss.

2012 Canadian Hard of Hearing Association (CHHA) National Conference (Ottawa, ON, Canada, May 2012): At the CHHA conference, RIM exhibited HAC compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss.

2012 Hearing Loss Association of America (HLAA) Convention (Providence, RI, June 2012): At the HLAA convention, RIM exhibited HAC compliant BlackBerry smartphone models and other BlackBerry solutions for persons with hearing loss.

This year, RIM published a customer success story with TDI that showcases examples of BlackBerry smartphone features that benefit persons who are deaf or hard of hearing, including hearing aid compatibility. The story can be found at the following link:

<http://us.blackberry.com/company/news/success/detail.tdi.html>

BlackBerry smartphone models rated for HAC have their HAC ratings listed on the Specifications tab of their respective product information pages on [www.blackberry.com](http://www.blackberry.com).

The full listing of BlackBerry devices that are HAC rated and an explanation of the HAC ratings are available from links at the following site: [www.blackberry.com/accessibility](http://www.blackberry.com/accessibility).

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 13

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	9	69%	1	8%	3	23%	13
CDMA	9	75%	3	25%			12
WCDMA	9	75%	1	8%	2	17%	12
iDEN			1	100%			1
Wi-Fi	18	69%	5	19%	3	12%	26

## Handset 1: Research In Motion Limited BlackBerry 9350a

### Handset Maker

Research In Motion Limited

### Handset Model Name      FCC ID

BlackBerry 9350a      L6ARDF30CW

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 05/12 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 12/05/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 12/05/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 2: Research In Motion Limited BlackBerry 9350d

### Handset Maker

Research In Motion Limited

### Handset Model Name      FCC ID

BlackBerry 9350d      L6ARDZ20CW

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 10/11 to 06/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

RIM has recently determined that the HAC rating for this device was inaccurately listed as M4/T4 instead of the correct M4/T3 in the product data sheet supplied to carriers, on the product boxes and on the RIM website. RIM is implementing changes to update the HAC rating on the product boxes and on the RIM website. RIM is also communicating with affected carrier partners to provide them with information to enable them to update the HAC rating on their websites and other locations where they may display the HAC rating.

### Handset 3: Research In Motion Limited BlackBerry 9550

#### Handset Maker

Research In Motion Limited

Handset Model Name	FCC ID
--------------------	--------

BlackBerry 9550	L6ARCK70CW
-----------------	------------

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 10/09 to 10/11

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

### Handset 4: Research In Motion Limited BlackBerry 9650

#### Handset Maker

Research In Motion Limited

Handset Model Name	FCC ID
--------------------	--------

BlackBerry 9650	L6ARCS70CW
-----------------	------------

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 05/10 to 12/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 05/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

## Handset 5: Research In Motion Limited Blackberry 9700

### Handset Maker

Research In Motion Limited

### Handset Model Name

Blackberry 9700

### FCC ID

L6ARCM70UW, L6ARCN70UW

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 11/09 to 11/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

FCC ID L6ARCM70UW - WCDMA bands 2 & 5;

FCC ID L6ARCN70UW - WCDMA band 4

## Handset 6: Research In Motion Limited BlackBerry 9000

### Handset Maker

Research In Motion Limited

### Handset Model Name

BlackBerry 9000

### FCC ID

L6ARBT70UW

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

5000 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 10/08 to 08/11

### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz and 5800 MHz

## Handset 7: Research In Motion Limited Blackberry 9360

### Handset Maker

Research In Motion Limited

### Handset Model Name

Blackberry 9360

### FCC ID

L6ARDD70UW, L6ARDC70UW

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 09/11 to 06/12

### Ratings

M-Rating: M3  
M-Rating Certification Date: 08/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 08/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

FCC ID L6ARDD70UW - WCDMA band 4  
  
FCC ID L6ARDC70UW - WCDMA bands 2 & 5

---

## Handset 8: Research In Motion Limited BlackBerry 9370

### Handset Maker

Research In Motion Limited

### Handset Model Name

BlackBerry 9370

### FCC ID

L6ARDR60CW

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 01/12 to 06/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

**Handset 9: Research In Motion Limited BlackBerry 9790****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

BlackBerry 9790

L6ARED70UW

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

5000 MHz Wi-Fi

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 02/12 to 06/12

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz, and 5800 MHz

## Handset 10: Research In Motion Limited BlackBerry P'9981

### Handset Maker

Research In Motion Limited

### Handset Model Name      FCC ID

BlackBerry P'9981      L6AREQ70UW

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2400 MHz Wi-Fi  
5000 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 02/12 to 06/12

### Ratings

M-Rating: M4  
M-Rating Certification Date: 12/05/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 12/05/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz, and 5800 MHz

## Handset 11: Research In Motion Limited BlackBerry 9810

### Handset Maker

Research In Motion Limited

### Handset Model Name      FCC ID

BlackBerry 9810      L6ARDM70UW, L6AREN70UW

### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/11 to 06/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 07/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 12: Research In Motion Limited BlackBerry 8350i****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

BlackBerry 8350i

L6ARCD20IN

**Air Interfaces/Frequency Bands**

800 MHz iDEN

900 MHz iDEN

2400 MHz Wi-Fi

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 11/08 to 12/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 11/12/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 13: Research In Motion Limited Blackberry 9850****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

Blackberry 9850

L6ARDH70CW

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA  
2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 08/11 to 06/12

#### Ratings

M-Rating: M3

M-Rating Certification Date: 07/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 14: Research In Motion Limited Blackberry 8520

#### Handset Maker

Research In Motion Limited

#### Handset Model Name

Blackberry 8520

#### FCC ID

L6ARCG40GW

#### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/09 to 02/12

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

## Handset 15: Research In Motion Limited BlackBerry 8530

### Handset Maker

Research In Motion Limited

### Handset Model Name

BlackBerry 8530

### FCC ID

L6ARCL20CW

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 11/09 to 02/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 11/05/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/05/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 16: Research In Motion Limited BlackBerry 9780

### Handset Maker

Research In Motion Limited

### Handset Model Name

BlackBerry 9780

### FCC ID

L6ARCM70UW, L6ARCN70UW

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 11/10 to 03/12

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

FCC ID L6ARCM70UW - WCDMA bands 2 & 5;

FCC ID L6ARCN70UW - WCDMA band 4

**Handset 17: Research In Motion Limited BlackBerry 9800****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

BlackBerry 9800

L6ARCY70UW

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/10 to 11/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 08/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 18: Research In Motion Limited BLACKBERRY 9100****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

BLACKBERRY 9100

L6ARCV70UW, L6ARCX70UW

**Air Interfaces/Frequency Bands**

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/10 to 01/12

#### Ratings

M-Rating: M3  
M-Rating Certification Date: 05/10/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

FCC ID L6ARCV70UW - WCDMA bands 2 & 5

FCC ID L6ARCX70UW - WCDMA band 4

### Handset 19: Research In Motion Limited BlackBerry 9300

#### Handset Maker

Research In Motion Limited

#### Handset Model Name

BlackBerry 9300

#### FCC ID

L6ARDA70UW, L6ARDB70UW

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
1700 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA  
2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 08/10 to 03/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

FCC ID L6ARDA70UW - WCDMA bands 2 & 5

FCC ID L6ARDB70UW - WCDMA band 4

## Handset 20: Research In Motion Limited 9330

### Handset Maker

Research In Motion Limited

### Handset Model Name

9330

### FCC ID

L6ARCL20CW

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 08/10 to 03/12

### Ratings

M-Rating: M4

M-Rating Certification Date: 08/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/20/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

## Handset 21: Research In Motion Limited 9670

### Handset Maker

Research In Motion Limited

### Handset Model Name

9670

### FCC ID

L6ARCU20CW

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA  
2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 10/10 to 01/12

#### Ratings

M-Rating: M4

M-Rating Certification Date: 09/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/24/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

### Handset 22: Research In Motion Limited Blackberry 9860

#### Handset Maker

Research In Motion Limited

#### Handset Model Name

Blackberry 9860

#### FCC ID

L6ARDQ70UW, L6ARDP70UW

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 10/11 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

FCC ID L6ARDQ70UW - WCDMA band 4

FCC ID L6ARDP70UW - WCDMA bands 2 & 5

## Handset 23: Research In Motion Limited BLACKBERRY 9900

### Handset Maker

Research In Motion Limited

### Handset Model Name

### FCC ID

BLACKBERRY 9900

L6ARDE70UW, L6ARDV70UW

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

2400 MHz Wi-Fi

5000 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 08/11 to 06/12

### Ratings

M-Rating: M3

M-Rating Certification Date: 07/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz and 5800 MHz

FCC ID L6ARDE70UW - WCDMA bands 2 & 5

FCC ID L6ARDV70UW - WCDMA band 4

## Handset 24: Research In Motion Limited Blackberry 9930

### Handset Maker

Research In Motion Limited

### Handset Model Name

Blackberry 9930

### FCC ID

L6ARDU70CW

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2400 MHz Wi-Fi  
5000 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 08/11 to 06/12

### Ratings

M-Rating: M3  
M-Rating Certification Date: 07/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 07/11/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

Only CDMA bands are available for use in standard out-of-box configuration. GSM bands are not available for use in standard out-of-box configuration.

Wi-Fi frequency band of 5000 MHz comprised of three sub-bands with transmitting frequency range: 5200 MHz, 5500 MHz and 5800 MHz.

## Handset 25: Research In Motion Limited Blackberry 9350

### Handset Maker

Research In Motion Limited

### Handset Model Name

Blackberry 9350

### FCC ID

L6ARDS40CW

### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
2400 MHz Wi-Fi

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/11 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 26: Research In Motion Limited BlackBerry 9310****Handset Maker**

Research In Motion Limited

**Handset Model Name****FCC ID**

BlackBerry 9310

L6AREY20CW

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

2400 MHz Wi-Fi

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 06/12 to 06/12

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Certification****This Report has been certified by:**

David Dougall Director, Sustainability & Accessibility

07/16/2012 09:30 AM