



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2011 - June 30, 2012

Filing Confirmation Number: 0005311466

Filing Deadline: July 16, 2012

FRN: 0005810205

Filing Date: 07/16/2012 08:22 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: Samsung Telecommunications America

Brand Names: Samsung

PO Box:

Street Address: 1301 E. Lookout Drive

City: Richardson

State: TX

Zip Code: 75082

Contact Name: Kendra M. Green

Contact Phone: (972) 761-7123

Contact Fax:

Contact Email: k.green@samsung.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address:

http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung participated in industry efforts to educate consumers by providing a booth showing hearing aid compatible phones at the Hearing Loss Association of America's 2012 convention. Samsung has a website for accessibility that includes a list HAC ratings for and posting estimated M1/M2 information for non-HAC devices. Samsung's website also provides information that enables customers to contact and speak to a designated agent for HAC. Samsung's website also helps to explain the meaning of M and T-coil ratings.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 48

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 111

| Air Interface | Fully Hearing Aid Compatible | | Acoustic Coupling Compatible Only | | Non-Compliant Handsets | | Total by Air Interface |
|---------------|------------------------------|---------|-----------------------------------|---------|------------------------|---------|------------------------|
| | Number | Percent | Number | Percent | Number | Percent | |
| GSM | 22 | 42% | 16 | 31% | 14 | 27% | 52 |
| CDMA | 42 | 71% | 16 | 27% | 1 | 2% | 59 |
| WCDMA | 12 | 30% | 16 | 40% | 12 | 30% | 40 |
| LTE | 5 | 36% | 8 | 57% | 1 | 7% | 14 |
| WIMAX | 2 | 50% | 1 | 25% | 1 | 25% | 4 |

Handset 1: Samsung SCH-R260

Handset Maker

Samsung

Handset Model Name

SCH-R260

FCC ID

A3LSCHR260

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 2: Samsung R261****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R261

A3LSCHR261

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 3: Samsung SCH-R330****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R330

A3LSCHR330

SCH-R335C

A3LSCHR330

Air Interfaces/Frequency Bands

800 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 01/12

Ratings

M-Rating: M4

M-Rating Certification Date: 11/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 4: Samsung SCH-R355****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R355

A3LSCHR355

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 09/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 5: Samsung SCH-R380****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R380

A3LSCHR380

Air Interfaces/Frequency Bands

800 MHz CDMA
 1700 MHz CDMA
 1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
 M-Rating Certification Date: 04/22/11
 Version of the ANSI C63.19 standard used during the certification process: 2007
 T-Rating: T4
 T-Rating Certification Date: 04/22/11
 Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 6: Samsung SCH-R451****Handset Maker**

Samsung

Handset Model Name

SCH-R451

FCC ID

A3LSCHR451

Air Interfaces/Frequency Bands

800 MHz CDMA
 1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 10/11

Ratings

M-Rating: M4
 M-Rating Certification Date: 06/11/09
 Version of the ANSI C63.19 standard used during the certification process: 2007
 T-Rating:
 T-Rating Certification Date:
 Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Samsung R580

Handset Maker

Samsung

Handset Model Name

R580

FCC ID

A3LSCHR580

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 11/11

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Samsung R631 Messenger Touch

Handset Maker

Samsung

Handset Model Name

R631 Messenger Touch

FCC ID

A3LSCHR631

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 08/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Samsung SCH-R710**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R710

A3LSCHR710

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 07/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Samsung SCH-R910**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R910

A3LSCHR910

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating: M4
M-Rating Certification Date: 02/04/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 02/04/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Samsung SCH-R915

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R915

A3LSCHR915

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M4
M-Rating Certification Date: 03/22/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 03/22/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Samsung SCH-U320

Handset Maker

Samsung

Handset Model Name

SCH-U320

FCC ID

A3LSCHU320

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Samsung SGH-S390G

Handset Maker

Samsung

Handset Model Name

SGH-S390G

FCC ID

A3LSGHS390G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Samsung SCH-U485**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-U485

A3LSCHU485

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/28/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 15: Samsung SCH-I100**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-I100

A3LSCHI100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 16: Samsung SCH-i400 Continuum

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-i400 Continuum

A3LSCHI400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 17: Samsung SCH-I500 Mesmerize

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-I500 Mesmerize

A3LSCHI500

SCH-i500 Fascinate
i500 Galaxy Showcase

A3LSCHI500
A3LSCHI500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 07/14/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Samsung SCH-I510

Handset Maker

Samsung

Handset Model Name

SCH-I510

FCC ID

A3LSCHI510

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 03/01/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 03/01/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Samsung Prevail

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|---------|------------|
| Prevail | A3LSPHM820 |
| M828C | A3LSPHM820 |

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Samsung Contour R250

Handset Maker

Samsung

Handset Model Name

FCC ID

| | |
|--------------|------------|
| Contour R250 | A3LSCHR250 |
|--------------|------------|

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Samsung SCH-U360**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-U360

A3LSCHU360

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: Samsung SCH-U370**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-U370

A3LSCHU820

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 04/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/31/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 23: Samsung Intensity U460**Handset Maker**

Samsung

Handset Model Name FCC ID

Intensity U460

A3LSCHU460

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/29/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 24: Samsung SCH-u640**Handset Maker**

Samsung

Handset Model Name FCC ID

SCH-u640

A3LSCHU640

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 09/11

Ratings

M-Rating: M4
M-Rating Certification Date: 06/10/09
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 06/10/09
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Samsung SGH-A107

Handset Maker

Samsung

Handset Model Name

SGH-A107

FCC ID

A3LSGHA107

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3
M-Rating Certification Date: 03/18/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 03/18/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 26: Samsung A197

Handset Maker

Samsung

Handset Model Name

A197

FCC ID

A3LSGHA197

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 07/11

Ratings

M-Rating: M3

M-Rating Certification Date: 08/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 27: Samsung SGH-A667

Handset Maker

Samsung

Handset Model Name

SGH-A667

SGH-S425G

FCC ID

A3LSGHA667

A3LSGHA667

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 28: Samsung SGH-A687**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-A687

A3LSGHA687

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 09/11

Ratings

M-Rating: M3

M-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 29: Samsung SGH-A817**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-A817

A3LSGHA817

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 02/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 30: Samsung SGH-A777

Handset Maker

Samsung

Handset Model Name

SGH-A777

FCC ID

A3LSGHA777

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 09/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 31: Samsung SGH-A847

Handset Maker

Samsung

Handset Model Name

SGH-A847

FCC ID

A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 32: Samsung SGH-A927

Handset Maker

Samsung

Handset Model Name

SGH-A927

FCC ID

A3LSGHA927

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 33: Samsung SGH-I897**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-I897

A3LSGHI897

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 34: Samsung I917**Handset Maker**

Samsung

Handset Model Name**FCC ID**

I917

A3LSGHI917

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 02/12

Ratings

M-Rating: M3

M-Rating Certification Date: 11/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 35: Samsung SGH-T259

Handset Maker

Samsung

Handset Model Name

SGH-T259

FCC ID

A3LSGHT259

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 12/28/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/28/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 36: Samsung SGH-T359

Handset Maker

Samsung

Handset Model Name

SGH-T359

FCC ID

A3LSGHT359

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 37: Samsung SGH-T499

Handset Maker

Samsung

Handset Model Name

SGH-T499

FCC ID

A3LSGHT499

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 06/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 38: Samsung SGH-T589**Handset Maker**

Samsung

Handset Model Name

SGH-T589

FCC ID

A3LSGHT589

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 39: Samsung SGH-T669**Handset Maker**

Samsung

Handset Model Name

SGH-T669

FCC ID

A3LSGHT669

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 40: Samsung SGH-T759

Handset Maker

Samsung

Handset Model Name

SGH-T759

FCC ID

A3LSGHT759

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 04/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 41: Samsung SGH-T959V

Handset Maker

Samsung

Handset Model Name

SGH-T959V

FCC ID

A3LSGHT959V

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 42: Samsung SGHT105G

Handset Maker

Samsung

Handset Model Name

SGHT105G

FCC ID

A3LSGHT105G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 43: Samsung SGH-T155G**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-T155G

A3LSGHT155G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating: M3

M-Rating Certification Date: 11/13/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/13/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 44: Samsung t139**Handset Maker**

Samsung

Handset Model Name**FCC ID**

t139

A3LSGHT139

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 45: Samsung t369****Handset Maker**

Samsung

Handset Model Name**FCC ID**

t369

A3LSGHT369

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 06/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 46: Samsung t249 Gina S****Handset Maker**

Samsung

Handset Model Name**FCC ID**

t249 Gina S

A3LSGHT249

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M3
M-Rating Certification Date: 07/22/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 07/22/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 47: Samsung SGH-T404G

Handset Maker

Samsung

Handset Model Name

SGH-T404G

FCC ID

A3LSGHT404G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 04/12

Ratings

M-Rating: M3
M-Rating Certification Date: 06/20/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 06/20/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 48: Samsung SGH-T479

Handset Maker

Samsung

Handset Model Name

SGH-T479

FCC ID

A3LSGHT479

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 07/11

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 49: Samsung SPH-A310

Handset Maker

Samsung

Handset Model Name

SPH-A310

FCC ID

A3LSPHA310

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 04/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/01/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/01/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 50: Samsung SPH-D700**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-D700

A3LSPHD700

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2500 MHz WIMAX

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 04/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 51: Samsung SPH-D720**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-D720

A3LSPHD720

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA
2500 MHz WIMAX

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 52: Samsung SPH-M260

Handset Maker

Samsung

Handset Model Name

SPH-M260

FCC ID

A3LSPHM260

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 53: Samsung SPH-M910

Handset Maker

Samsung

Handset Model Name

SPH-M910

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 04/12

Ratings

M-Rating: M4
M-Rating Certification Date: 04/30/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 04/30/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 54: Samsung SPH-M920**Handset Maker**

Samsung

Handset Model Name

SPH-M920

FCC ID

A3LSPHM920

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 09/11

Ratings

M-Rating: M4
M-Rating Certification Date: 08/16/10
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 08/16/10
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 55: Samsung SGH-T839

Handset Maker

Samsung

Handset Model Name

SGH-T839

FCC ID

A3LSGHT839

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 03/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 56: Samsung SCH-R350 FREEFORM

Handset Maker

Samsung

Handset Model Name

SCH-R350 FREEFORM

FCC ID

A3LSCHR350

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 07/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 57: Samsung T340G**Handset Maker**

Samsung

Handset Model Name

T340G

FCC ID

A3LSGHT340G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 11/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 58: Samsung T330G**Handset Maker**

Samsung

Handset Model Name

T330G

FCC ID

A3LSGHT330G

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 11/11

Ratings

M-Rating: M3

M-Rating Certification Date: 01/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 59: Samsung SPH-M360****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M360

A3LSPHM360

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 12/11

Ratings

M-Rating: M4

M-Rating Certification Date: 06/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/30/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 60: Samsung SPH-M380****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-M380

A3LSPHM380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 03/12

Ratings

M-Rating: M4
M-Rating Certification Date: 03/31/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 03/31/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 61: Samsung SPH-M575

Handset Maker

Samsung

Handset Model Name

SPH-M575

FCC ID

A3LSPHM575

Air Interfaces/Frequency Bands

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 02/16/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 02/16/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 62: Samsung SPH-M580

Handset Maker

Samsung

Handset Model Name

SPH-M580

FCC ID

A3LSPHM580

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 63: Samsung SCH-R920

Handset Maker

Samsung

Handset Model Name

SCH-R920

FCC ID

A3LSCHR920

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 12/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 12/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 64: Samsung SCH-R930**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R930

A3LSCHR930

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

800 MHz LTE

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 65: Samsung SCH-U365**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-U365

A3LSCHU365

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 01/30/12
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 01/30/12
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 66: Samsung SCH-U380**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-U380

A3LSCHU380

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 06/10/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 67: Samsung CONVOY 2

Handset Maker

Samsung

Handset Model Name

CONVOY 2

FCC ID

A3LSCHU660

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 68: Samsung SGH-A157

Handset Maker

Samsung

Handset Model Name

SGH-A157

FCC ID

A3LSGHA157

Air Interfaces/Frequency Bands

800 MHz WCDMA

850 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 02/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 69: Samsung SGH-I577**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-I577

A3LSGHI577

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 02/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 70: Samsung SGH-I667**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-I667

A3LSGHI667

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating:
M-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 71: Samsung SGH-I677

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-I677

A3LSGHI677

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 72: Samsung SGH-I717**Handset Maker**

Samsung

Handset Model Name

SGH-I717

FCC ID

A3LSGHI717

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

1700 MHz LTE

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 73: Samsung SGH-I727**Handset Maker**

Samsung

Handset Model Name

SGH-I727

FCC ID

A3LSGHI727

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M3
M-Rating Certification Date: 09/01/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 74: Samsung SGH-I747

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-I747

A3LSGHI747

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 05/26/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 75: Samsung SGH-I827**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-I827

A3LSGHI827

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/27/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 76: Samsung SGH-I847**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-I847

A3LSGHI847

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/10/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 77: Samsung SGH-I857

Handset Maker

Samsung

Handset Model Name

SGH-I857

FCC ID

A3LSGHI857

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 09/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 78: Samsung SGH-I927

Handset Maker

Samsung

Handset Model Name

SGH-I927

FCC ID

A3LSGHI927

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 79: Samsung I937

Handset Maker

Samsung

Handset Model Name

I937

FCC ID

A3LSGHI937

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 80: Samsung SGH-T379**Handset Maker**

Samsung

Handset Model Name

SGH-T379

FCC ID

A3LSGHT379

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 07/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 81: Samsung T528G**Handset Maker**

Samsung

Handset Model Name

T528G

FCC ID

A3LSGHT528G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 82: Samsung SGH-T679

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-T679

A3LSGHT679

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 05/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 83: Samsung SGH-T769

Handset Maker

Samsung

Handset Model Name

SGH-T769

FCC ID

A3LSGHT769

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 02/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 84: Samsung SGH-T999

Handset Maker

Samsung

Handset Model Name

SGH-T999

FCC ID

A3LSGHT999

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 05/18/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 85: Samsung SGH-T989**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SGH-T989

A3LSGHT989

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1700 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 86: Samsung T245G**Handset Maker**

Samsung

Handset Model Name**FCC ID**

T245G

A3LSGHT255G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 87: Samsung SGH-S125G

Handset Maker

Samsung

Handset Model Name

FCC ID

SGH-S125G

A3LSGHS125G

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 88: Samsung Conquer D600

Handset Maker

Samsung

Handset Model Name

Conquer D600

FCC ID

A3LSPHD600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA
2500 MHz WIMAX

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 89: Samsung SPH-D710

Handset Maker

Samsung

Handset Model Name

SPH-D710

FCC ID

A3LSPHD710

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2500 MHz WIMAX
820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 90: Samsung SPH-L700**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-L700

A3LSPHL700

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

1900 MHz LTE

820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 91: Samsung SPH-L710**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SPH-L710

A3LSPHL710

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA
1900 MHz LTE
820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 92: Samsung SPH-M370

Handset Maker

Samsung

Handset Model Name

SPH-M370

FCC ID

A3LSPHM370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 11/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 10/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 93: Samsung SPH-M930

Handset Maker

Samsung

Handset Model Name

SPH-M930

FCC ID

A3LSPHM930

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
820 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 07/27/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 94: Samsung SGH-I777

Handset Maker

Samsung

Handset Model Name

SGH-I777

FCC ID

A3LSGHI777

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 09/11 to 06/12

Ratings

M-Rating: M3

M-Rating Certification Date: 07/28/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 95: Samsung GTI-9250M****Handset Maker**

Samsung

Handset Model Name**FCC ID**

GTI-9250M

A3LGTI9250M

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 02/12 to 04/12

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 96: Samsung GT-I9020a Nexus S****Handset Maker**

Samsung

Handset Model Name**FCC ID**

GT-I9020a Nexus S

A3LGTI9020A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 11/11

Ratings

M-Rating: M3

M-Rating Certification Date: 02/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 97: Samsung SCH-i110

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-i110

A3LSCHI110

SCH-S720C

A3LSCHI110

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 98: Samsung SCH-i405

Handset Maker

Samsung

Handset Model Name

SCH-i405

FCC ID

A3LSCHI405

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 10/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/06/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 99: Samsung SCH-i515

Handset Maker

Samsung

Handset Model Name

SCH-i515

FCC ID

A3LSCHI515

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 11/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 100: Samsung SCH-I535****Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-I535

A3LSCHI535

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 06/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks**Handset 101: Samsung R375C****Handset Maker**

Samsung

Handset Model Name**FCC ID**

R375C

A3LSCHR375C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 11/11 to 05/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/14/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 102: Samsung SCH-R390

Handset Maker

Samsung

Handset Model Name

FCC ID

SCH-R390

A3LSCHR390

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 05/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 103: Samsung SCH-R270

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 05/12 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 04/23/12
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 04/23/12
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 104: Samsung SCH-R220**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R220

A3LSCHR220

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 04/12 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 01/31/12
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T4
T-Rating Certification Date: 01/31/12
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 105: Samsung SCH-455C

Handset Maker

Samsung

Handset Model Name

SCH-455C

FCC ID

A3LSCHR455C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 12/11 to 05/12

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 106: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

R640 Character

FCC ID

A3LSCHR640

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 107: Samsung SCH-R680**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R680

A3LSCHR680

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 11/11 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 09/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 108: Samsung R720 Admire**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R720 Admire

A3LSCHR720

Vitality (R720)

A3LSCHR720

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 06/12

Ratings

M-Rating: M4
M-Rating Certification Date: 06/22/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 06/22/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 109: Samsung Transfix (R730)

Handset Maker

Samsung

Handset Model Name

Transfix (R730)

FCC ID

A3LSCHR730

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 08/11 to 03/12

Ratings

M-Rating: M4
M-Rating Certification Date: 08/18/11
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 08/18/11
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 110: Samsung SCH-R760

Handset Maker

Samsung

Handset Model Name

SCH-R760

FCC ID

A3LSCHR760

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 111: Samsung I997

Handset Maker

Samsung

Handset Model Name

I997

FCC ID

A3LSGHI997

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

Dates

This handset model was offered from: 07/11 to 05/12

Ratings

M-Rating: M3

M-Rating Certification Date: 03/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Kendra M Green Regulatory Compliance Manager

07/16/2012 08:22 PM