



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005575427

Filing Deadline: January 15, 2013

FRN: 0020411062

Filing Date: 12/27/2012 07:30 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Belmont Telecom, Inc

Brand Names: OneSimCard.com

PO Box:

Street Address: 130 Trapelo Rd

City: Belmont

State: MA

Zip Code: 02478

Contact Name: Alex Filippov

Contact Phone: (617) 489-5952

Contact Fax:

Contact Email: fcc@belmontel.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.onesimcard.com/hac/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: OneSimCard website shows information on hearing aid-compatible models offered for sale, the HAC ratings of those models, and an explanation of the rating system.

Methodology for Functionality Levels

Low Tier: Basic Camera, SMS Texting, Color Screen. Price ranges \$29.00-\$100.00

Mid Tier: Camera, SMS/MMS messaging, Bluetooth, MP3, Radio, upgradable memory, video recording. Price ranges \$101.00-\$200.00

High Tier: PDAs or Smartphones capabilities, advance camera, stereo bluetooth, WiFi, SMS/MMS/E-mail sync, video recording, MP3, MP4, video call, upgradable memory. Price ranges \$201 and up.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	8	50%	1	6%	7	44%		16
WCDMA	6	55%	1	9%	4	36%		11

Handset 1: BLU BLU DeeJay T200

Handset Maker

BLU

Handset Model Name

BLU DeeJay T200

FCC ID

YHLBLUDJ

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 2: BLU Samba Q

Handset Maker

BLU

Handset Model Name

Samba Q

FCC ID

YHLBLUSAMBAQ

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 3: Motorola V3

Handset Maker

Motorola

Handset Model Name

FCC ID

V3

IHDT56EU1, IHDT56EU2, IHDT56EU3, IHDT56GN1, IHDT56HJ1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 02/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Available in telecoil coupling mode

Remarks

Handset 4: Motorola KRZR K1

Handset Maker

Motorola

Handset Model Name

KRZR K1

FCC ID

IHDT56GT1

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 03/12 to 06/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Available in telecoil coupling mode. ANSI C63.19 standard used during certification process: 2007

Remarks

Handset 5: Motorola EX-119

Handset Maker

Motorola

Handset Model Name

EX-119

FCC ID

IHDT56MK2

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 6: Sony Ericsson TM717

Handset Maker

Sony Ericsson

Handset Model Name

TM717

FCC ID

PY7A3880030

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Best

Remarks

Handset 7: Nokia C2-01

Handset Maker

Nokia

Handset Model Name

C2-01

FCC ID

PPIRM-722

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 8: Nokia C3-00

Handset Maker

Nokia

Handset Model Name

C3-00

FCC ID

QTLRM-614

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 9: Samsung Galaxy 5

Handset Maker

Samsung

Handset Model Name

Galaxy 5

FCC ID

A3LGTI5500

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 10: Samsung Nexus S

Handset Maker

Samsung

Handset Model Name

Nexus S

FCC ID

A3LGTI9020A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Low Tier

Remarks

Handset 11: Apple iPhone 4S

Handset Maker

Apple

Handset Model Name

iPhone 4S

FCC ID

BCG-E2430A

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

N/A

Remarks

Handset 12: Apple iPhone 4 (A1332)

Handset Maker

Apple

Handset Model Name

iPhone 4 (A1332)

FCC ID

BCG-E2380A, BCG-E2380B

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 01/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

High Tier

Remarks

Handset 13: Motorola ATRIX 4G

Handset Maker

Motorola

Handset Model Name

ATRIX 4G

FCC ID

IHDP56LS1

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1800 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 06/12 to 07/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

High Tier

Remarks

Handset 14: Samsung A847

Handset Maker

Samsung

Handset Model Name

A847

FCC ID

A3LSGHA847

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 03/12 to 04/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Mid Tier

Remarks

Handset 15: Verykool S810

Handset Maker

Verykool

Handset Model Name

S810

FCC ID

WA6S810

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 05/12 to 05/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Functionality Level

Mid Tier

Remarks

Handset 16: Nokia E5-00

Handset Maker

Nokia

Handset Model Name

E5-00

FCC ID

QTKRM-634

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 02/12 to 03/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Mid Tier

Remarks

Certification

This Report has been certified by:

Alex Filippov CEO
12/27/2012 07:30 PM

Reference Copy