



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005605530

Filing Deadline: January 15, 2013

FRN: 0014194476

Filing Date: 01/15/2013 06:55 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: MetroPCS Communications, Inc.

Brand Names: MetroPCS

PO Box:

Street Address: 2250 Lakeside Boulevard

City: Richardson

State: TX

Zip Code: 75082

Contact Name: Garreth Sarosi

Contact Phone: (469) 330-4784

Contact Fax: (866) 715-8790

Contact Email: gsarosi@metropcs.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: http://www.metropcs.com/metro/browse/compatible_phones.jsp

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Describe consumer outreach efforts in the past 12 months: MetroPCS' compliant handset models are publicly identified for consumers. Compliant models are listed on the MetroPCS website, and MetroPCS trains its retail salespeople regarding which digital wireless phones are compliant.

Methodology for Functionality Levels

Low - retail price of \$59 or below

Medium - retail price between \$60 and \$159

High - retail price \$160 or above

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 28

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	27	96%			1	4%		28

Handset 1: Huawei M835

Handset Maker

Huawei

Handset Model Name

FCC ID

M835

QISM835

M835 tokidoki

QISM835

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Medium

Remarks

Handset 2: LG MS910 Esteem

Handset Maker

LG

Handset Model Name

FCC ID

MS910 Esteem

BEJMS910

Air Interfaces/Frequency Bands

850 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 3: LG MN270 Beacon

Handset Maker

LG

Handset Model Name

MN270 Beacon

FCC ID

BEJMN270

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Medium

Remarks

Handset 4: Huawei M635 Pinnacle

Handset Maker

Huawei

Handset Model Name

M635 Pinnacle

FCC ID

QISC6071

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 10/11 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 5: Kyocera Presto

Handset Maker

Kyocera

Handset Model Name

Presto

FCC ID

OVFS13503CB

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 09/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 6: Samsung Freeform III

Handset Maker

Samsung

Handset Model Name

FCC ID

Freeform III

A3LSCHR380

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 06/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 7: Samsung Galaxy Indulge

Handset Maker

Samsung

Handset Model Name

Galaxy Indulge

FCC ID

A3LSCHR910

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 02/11 to 02/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 8: Huawei M735

Handset Maker

Huawei

Handset Model Name

M735

FCC ID

QISM735

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 06/11 to 10/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 9: Blackberry 8530 Curve

Handset Maker

Blackberry

Handset Model Name

8530 Curve

FCC ID

L6ARCL20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 07/10 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 10: LG MN180 Select

Handset Maker

LG

Handset Model Name

MN180 Select

FCC ID

BEJMN180

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 04/10 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 11: Samsung SCH-r900 Craft

Handset Maker

Samsung

Handset Model Name

SCH-r900 Craft

FCC ID

A3LSCHR900

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 09/10 to 02/12

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 12: HTC Wildfire S

Handset Maker

HTC

Handset Model Name

Wildfire S

FCC ID

NM8PG76210

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 13: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/11 to 07/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 14: Samsung R250 Contour

Handset Maker

Samsung

Handset Model Name

R250 Contour

FCC ID

A3LSCHR250

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 12/11 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 15: Samsung r920

Handset Maker

Samsung

Handset Model Name

r920

FCC ID

A3LSCHR920

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 16: ZTE X500M

Handset Maker

ZTE

Handset Model Name

X500M

FCC ID

Q78-X500

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 17: LG MS695

Handset Maker

LG

Handset Model Name

MS695

FCC ID

ZNFMS695

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 18: Huawei M920

Handset Maker

Huawei

Handset Model Name

M920

FCC ID

QISM920

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 06/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 19: LG MS770

Handset Maker

LG

Handset Model Name

MS770

FCC ID

ZNFMS770

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 20: Coolpad 5860EM

Handset Maker

Coolpad

Handset Model Name

5860EM

FCC ID

R38YL5860E

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 21: Huawei M636

Handset Maker

Huawei

Handset Model Name

M636

FCC ID

QISM636

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 22: Samsung R940

Handset Maker

Samsung

Handset Model Name

R940

FCC ID

A3LSCHR940

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 23: Huawei M570

Handset Maker

Huawei

Handset Model Name

M570

FCC ID

QISM570

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low

Remarks

Handset 24: Samsung Galaxy SIII

Handset Maker

Samsung

Handset Model Name

FCC ID

Galaxy SIII

A3LSCHR530M

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 25: Samsung r820

Handset Maker

Samsung

Handset Model Name

r820

FCC ID

A3LSCHR820

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 26: ZTE N910

Handset Maker

ZTE

Handset Model Name

N910

FCC ID

Q78-ZTEN910

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Handset 27: LG MS840

Handset Maker

LG

Handset Model Name

MS840

FCC ID

ZNFMS840

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2100 MHz CDMA
2100 MHz LTE

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High

Remarks

Handset 28: ZTE N9120

Handset Maker

ZTE

Handset Model Name

N9120

FCC ID

Q78-ZTEN9120

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid

Remarks

Certification

This Report has been certified by:

Paul Burns Product Manager
01/15/2013 06:55 PM