



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005604564

Filing Deadline: January 15, 2013

FRN: 0018868786

Filing Date: 01/15/2013 12:54 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 04/10

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Allied Wireless Communications Corporation

Brand Names: Alltel

PO Box:

Street Address: 1001 Technology Drive

City: Little Rock

State: AR

Zip Code: 72223

Contact Name: Rohan Ranaraja

Contact Phone: (501) 448-1249

Contact Fax: (501) 448-1580

Contact Email: rohanranaraja@awcc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.alltelwireless.com/misc/accessibility.html>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Allied Wireless' compliant handset devices are publicly available on the company website. The information on the company website includes a listing of each handset device and its M/T Rating. A description of the ANSI Standard (M/T Ratings) and the functionality of each handset are also included.

Sales personnel at Allied Wireless are familiarized with HAC requirements and ratings. A mandatory computer based training program is conducted for all retail store and customers service employees annually. Employees are also provided access to HAC requirements and ratings on the company intranet so that Allied Wireless' employees can respond to customer inquiries promptly and accurately.

All price tags of handsets in retail stores clearly identify the M/T Ratings for each device. Customers are provided a 15-day trial period during which a customer may try out a handset device and determine whether the handset device works well with the customer's hearing aid.

Allied Wireless also provides contact information on the company's website that customers may use to have any questions answered.

Methodology for Functionality Levels

Allied Wireless has categorized its handset devices into three tiers based on functionality.

Tier 1 - Basic Phones are generally devices that provide voice service and texting functionality only. If a basic phone is equipped with data functionality, it utilizes 1X RTT Technology.

Tier 2 - Advanced Phones offer EVDO in addition to voice and texting functionality. Devices are EVDO capable and offer faster data rates using 1X EVDO technology.

Tier 3 - Smart Phones not only offer voice and texting functionality, but also offer more advanced computer like features such as full featured e-mail, personal organizer, MP3 player, enhanced camera/video capability and in many cases the ability to add customer applications.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 48

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	40	83%	8	17%				48

Handset 1: Research In Motion Limited BlackBerry 9650

Handset Maker

Research In Motion Limited

Handset Model Name

BlackBerry 9650

FCC ID

L6ARCS70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/10 to 05/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone - Tier 3

Remarks

Handset 2: Research In Motion Limited Blackberry9330 Curve

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry9330 Curve

FCC ID

L6ARDU70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Smart Phone - Tier 3

Remarks

Handset 3: Research In Motion Limited BlackBerry 8530**Handset Maker**

Research In Motion Limited

Handset Model Name

BlackBerry 8530

FCC ID

L6ARCL20CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 04/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 4: Research In Motion Limited Blackberry 9670

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry 9670

FCC ID

L6ARCU20CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 5: Research In Motion Limited Blackberry9850 Torch

Handset Maker

Research In Motion Limited

Handset Model Name

Blackberry9850 Torch

FCC ID

L6ARDH70CW

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 6: HTC MWP6885**Handset Maker**

HTC

Handset Model Name**FCC ID**

MWP6885

NM8PC93100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 7: HTC 6275 Desire

Handset Maker

HTC

Handset Model Name

6275 Desire

FCC ID

NM8PB99400

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/10 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 8: HTC 6250 HERO

Handset Maker

HTC

Handset Model Name

6250 HERO

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/10 to 10/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 9: HTC One V 6290

Handset Maker

HTC

Handset Model Name

One V 6290

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 10: HTC 6225 Wildfire

Handset Maker

HTC

Handset Model Name

6225 Wildfire

FCC ID

NM8PD06100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/10 to 03/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 11: HTC 6325 Merge

Handset Maker

HTC

Handset Model Name

6325 Merge

FCC ID

NM8PD42100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/11 to 09/12

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 12: LG AX8370**Handset Maker**

LG

Handset Model Name

AX8370

FCC ID

BEJ VX8370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/10 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 13: LG AX265

Handset Maker

LG

Handset Model Name

AX265

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 11/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 14: LG AX300

Handset Maker

LG

Handset Model Name

AX300

FCC ID

BEJAX300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 02/12

Ratings

M-Rating: M3
T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 15: LG AX310**Handset Maker**

LG

Handset Model Name**FCC ID**

AX310

BEJAX310

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 16: LG AN270 Exchange

Handset Maker

LG

Handset Model Name

AN270 Exchange

FCC ID

BEJVN270

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 17: LG AS855

Handset Maker

LG

Handset Model Name

AS855

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 07/12

Ratings

M-Rating: M4
T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 18: LG LG680 Optimus 2**Handset Maker**

LG

Handset Model Name**FCC ID**

LG680 Optimus 2

ZNFAS680

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 05/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 19: LG LG695 Optimus Plus

Handset Maker

LG

Handset Model Name

FCC ID

LG695 Optimus Plus

ZNFAS695

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 20: LG 740 Axis

Handset Maker

LG

Handset Model Name

FCC ID

740 Axis

BEJVS740

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 21: LG AN200 SABER**Handset Maker**

LG

Handset Model Name**FCC ID**

AN200 SABER

BEJUN200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 22: Motorola A854 Milestone

Handset Maker

Motorola

Handset Model Name

A854 Milestone

FCC ID

IHDP56KC1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/10 to 06/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 23: Motorola XT609 Milestone Plus

Handset Maker

Motorola

Handset Model Name

XT609 Milestone Plus

FCC ID

IHDP56LK1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 24: Motorola MB809 Milestone X

Handset Maker

Motorola

Handset Model Name

FCC ID

MB809 Milestone X

IHDT56LB1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/11 to 03/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 25: Motorola Milestone x2

Handset Maker

Motorola

Handset Model Name

Milestone x2

FCC ID

IHDT56MJ1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 26: Motorola Quantico W845

Handset Maker

Motorola

Handset Model Name

Quantico W845

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 27: Pantech CDM 2030**Handset Maker**

Pantech

Handset Model Name**FCC ID**

CDM 2030

PP4RAP

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 28: Samsung R640 Character

Handset Maker

Samsung

Handset Model Name

FCC ID

R640 Character

A3LSCHR640

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 29: Samsung R261 Chrono

Handset Maker

Samsung

Handset Model Name

FCC ID

R261 Chrono

A3LSCHR261

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 30: Samsung U450 DoubleTake

Handset Maker

Samsung

Handset Model Name

FCC ID

U450 DoubleTake

A3LSCHU450

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 05/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 31: Samsung R760 (Galaxy S2)

Handset Maker

Samsung

Handset Model Name

FCC ID

R760 (Galaxy S2)

A3LSCHR760

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 32: Samsung i100 Gem

Handset Maker

Samsung

Handset Model Name

FCC ID

i100 Gem

A3LSCHI100

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 33: Samsung R600 Hue II**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R600 Hue II

A3LSCHR600

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/10 to 05/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 34: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 11/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 35: Samsung Repp R680

Handset Maker

Samsung

Handset Model Name

Repp R680

FCC ID

A3LSCHR680

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 36: Samsung i500 Showcase**Handset Maker**

Samsung

Handset Model Name**FCC ID**

i500 Showcase

A3LSCHI500

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 37: Samsung R631

Handset Maker

Samsung

Handset Model Name

R631

FCC ID

A3LSCHR631

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/10 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 38: Samsung R580 Profile

Handset Maker

Samsung

Handset Model Name

R580 Profile

FCC ID

A3LSCHR580

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 39: Unimax 560

Handset Maker

Unimax

Handset Model Name

560

FCC ID

U46-M560

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 40: SONIM XP3400 Armor

Handset Maker

SONIM

Handset Model Name

XP3400 Armor

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 2

Remarks

Handset 41: Sony Ericsson R800X Xperia Play

Handset Maker

Sony Ericsson

Handset Model Name

R800X Xperia Play

FCC ID

PY7A6880004

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 42: Unimax 570**Handset Maker**

Unimax

Handset Model Name

570

FCC ID

U46-M570

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 43: Samsung R390

Handset Maker

Samsung

Handset Model Name

R390

FCC ID

A3LSCHR390A

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 1

Remarks

Handset 44: Motorola Milestone 3

Handset Maker

Motorola

Handset Model Name

Milestone 3

FCC ID

IHDT56MF1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 45: Alcatel One Touch Ultra 960C**Handset Maker**

Alcatel

Handset Model Name FCC ID

One Touch Ultra 960C RAD278

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 46: Motorola Razr MAXX

Handset Maker

Motorola

Handset Model Name

Razr MAXX

FCC ID

IHDP56ME1

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 47: LG Optimus

Handset Maker

LG

Handset Model Name

Optimus

FCC ID

BEJMN180

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Handset 48: Huawei M886**Handset Maker**

Huawei

Handset Model Name

M886

FCC ID

QISM866

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Tier 3

Remarks

Certification

This Report has been certified by:

Rohan M Ranaraja Director - Regulatory Compliance
01/15/2013 12:54 PM