



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005601485

Filing Deadline: January 15, 2013

FRN: 0019409788

Filing Date: 01/13/2013 04:16 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 03/11

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Absolute Home Phones, Inc

Brand Names: Absolute Mobile

PO Box: 830010

Street Address:

City: Ocala

State: FL

Zip Code: 34483

Contact Name: Chris Peltier

Contact Phone: (352) 233-2700

Contact Fax:

Contact Email: cpeltier.compliance@absolutehomephones.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Telecom Service Bureau

PO Box: 831478

Street Address:

City: Ocala

State: FL

Contact Name: Tina Allen
Contact Phone: (352) 233-2717
Contact Fax:
Contact Email: tallen@telecomservicebureau.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?
N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.AbsoluteMobilePhones.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Outreach events

Methodology for Functionality Levels

Device Manual, FCC ID Lookup, PhoneScoop

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 39

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	27	69%	12	31%				39

Handset 1: Research In Motion 8130

Handset Maker

Research In Motion

Handset Model Name

8130

FCC ID

L6ARBS20CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 05/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 2: LG LN240 (Remarq)

Handset Maker

LG

Handset Model Name

LN240 (Remarq)

FCC ID

BEJLN240

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 03/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 3: Motorola IC502 (Buzz)

Handset Maker

Motorola

Handset Model Name

FCC ID

IC502 (Buzz)

AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 4: Sanyo SCP-3100

Handset Maker

Sanyo

Handset Model Name

SCP-3100

FCC ID

AEZSCP-31H

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 5: Research In Motion 8330

Handset Maker

Research In Motion

Handset Model Name

8330

FCC ID

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 6: Motorola Q

Handset Maker

Motorola

Handset Model Name

FCC ID

Q

IHDT56FQ1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 07/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 7: Sanyo SCP-3800

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-3800

AEZSCP-3800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 8: Samsung M800 (Instinct)

Handset Maker

Samsung

Handset Model Name

M800 (Instinct)

FCC ID

A3LSPHM800

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 9: Research In Motion 8830

Handset Maker

Research In Motion

Handset Model Name

8830

FCC ID

L6ARBK40CG

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 05/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 10: UT Starcom CDM-120

Handset Maker

UT Starcom

Handset Model Name

CDM-120

FCC ID

O6Y-CDM7025

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 07/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 11: Motorola V3M (Razor)

Handset Maker

Motorola

Handset Model Name

V3M (Razor)

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 10/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 12: Sanyo SCP-3200

Handset Maker

Sanyo

Handset Model Name

SCP-3200

FCC ID

AEZSCP-32H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 06/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 13: LG LX160 (Flare)

Handset Maker

LG

Handset Model Name

LX160 (Flare)

FCC ID

BEJLX160

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 05/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 14: Sanyo SCP-6650

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-6650

AEZSCP-6650

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 15: Palm 755p

Handset Maker

Palm

Handset Model Name

755p

FCC ID

O8F-895

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 16: LG M510

Handset Maker

LG

Handset Model Name

M510

FCC ID

A3LSPHM510

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 17: Sanyo SCP-2700 (Juno)

Handset Maker

Sanyo

Handset Model Name

FCC ID

SCP-2700 (Juno)

V65SCP-27H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 18: Samsung M350 (Seek)

Handset Maker

Samsung

Handset Model Name

M350 (Seek)

FCC ID

A3LSPHM350

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 08/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 19: Sanyo SCP-6780 (Innuendo)

Handset Maker

Sanyo

Handset Model Name

SCP-6780 (Innuendo)

FCC ID

V65SCP-6780

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 20: LG LX260 (Rumor Scoop)

Handset Maker

LG

Handset Model Name

FCC ID

LX260 (Rumor Scoop)

BEJLX260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T3 Compatibility

Remarks

Handset 21: Samsung M330

Handset Maker

Samsung

Handset Model Name

M330

FCC ID

A3LSPHM330

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 22: Samsung M610

Handset Maker

Samsung

Handset Model Name

M610

FCC ID

A3LSPHM610

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 09/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 23: Samsung M540 (Rant)**Handset Maker**

Samsung

Handset Model Name**FCC ID**

M540 (Rant)

A3LSPHM540

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 24: Motorola IC402 (Blend)

Handset Maker

Motorola

Handset Model Name

IC402 (Blend)

FCC ID

AZ489FT7019

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Handset 25: Samsung M300

Handset Maker

Samsung

Handset Model Name

M300

FCC ID

A3LSPHM300

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 26: Palm 690**Handset Maker**

Palm

Handset Model Name

690

FCC ID

O8F-747

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 27: Samsung M220

Handset Maker

Samsung

Handset Model Name

M220

FCC ID

A3LSPHM220

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 28: LG LX600 (Lotus)

Handset Maker

LG

Handset Model Name

LX600 (Lotus)

FCC ID

BEJLX600

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 08/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 29: Samsung M550 (Exclaim)

Handset Maker

Samsung

Handset Model Name

M550 (Exclaim)

FCC ID

A3LSPHM550

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 08/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 30: Samsung M910

Handset Maker

Samsung

Handset Model Name

M910

FCC ID

A3LSPHM910

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 09/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T3 Compatibility

Remarks

Handset 31: Samsung M260 (Factor)

Handset Maker

Samsung

Handset Model Name

M260 (Factor)

FCC ID

A3LSPHM260

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 32: Sanyo SCP-2300

Handset Maker

Sanyo

Handset Model Name

SCP-2300

FCC ID

AEZSCP-23H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 10/12

Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 Compatibility

Remarks

Handset 33: Sanyo SCP-2400

Handset Maker

Sanyo

Handset Model Name

SCP-2400

FCC ID

AEZSCP-24H

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 34: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name

Pro 200

FCC ID

AEZSCP-PRO200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 35: Motorola VE20 (Razor)

Handset Maker

Motorola

Handset Model Name

VE20 (Razor)

FCC ID

IHDT56JM1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 10/12 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 36: LG 265 (Rumor2)

Handset Maker

LG

Handset Model Name

265 (Rumor2)

FCC ID

BEJAX265

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 11/12

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M3 & T4 Compatibility

Remarks

Handset 37: Sanyo Pro 700

Handset Maker

Sanyo

Handset Model Name

Pro 700

FCC ID

AEZSCP-PRO700

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 38: Motorola V950 (Renegade)

Handset Maker

Motorola

Handset Model Name

V950 (Renegade)

FCC ID

IHDT56JA1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 11/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 & T4 Compatibility

Remarks

Handset 39: Samsung M520

Handset Maker

Samsung

Handset Model Name

M520

FCC ID

A3LSPHM520

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

M4 Compatibility

Remarks

Certification

This Report has been certified by:

Christopher Peltier President
01/13/2013 04:16 PM