



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858033

Filing Deadline: July 15, 2013

FRN: 0018941682

Filing Date: 07/15/2013 12:27 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: HTC Corporation

Brand Names: HTC

PO Box:

Street Address: 13920 SE Eastgate Way, Suite 200

City: Bellevue

State: WA

Zip Code: 98005

Contact Name: Daniel O'Brien

Contact Phone: (425) 679-5393

Contact Fax: (425) 861-1715

Contact Email: daniel_obrien@htc.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.htc.com/us/accessibility/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HTC has conducted outreach events with the hearing loss community in order to better understand the smartphone needs of individuals with hearing loss. In addition to meeting with members of hearing loss associations, HTC has established a committee to conduct future outreach. Also, our customer support organization provides consumers with information about accessibility features online and during customer support calls. HTC provides input from outreach events, customers, and potential customers to our user research team for analysis and possible design improvements.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 13

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 26

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	16	100%						16
CDMA	14	100%						14
WCDMA	16	100%						16

Handset 1: HTC PG76200

Handset Maker

HTC

Handset Model Name

PG76200

FCC ID

NM8PG76200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/07/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: HTC PH39100

Handset Maker

HTC

Handset Model Name

PH39100

FCC ID

NM8PH39100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 10/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: HTC PH44100

Handset Maker

HTC

Handset Model Name

PH44100

FCC ID

NM8PH44100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: HTC PH85110

Handset Maker

HTC

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 08/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/02/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: HTC PI06110**Handset Maker**

HTC

Handset Model Name

PI06110

FCC ID

NM8PI06110

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 09/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: HTC PI86100

Handset Maker

HTC

Handset Model Name

PI86100

FCC ID

NM8PI86100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 02/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: HTC PJ40110

Handset Maker

HTC

Handset Model Name

PJ40110

FCC ID

NM8PJ40110

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 04/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: HTC PJ53100

Handset Maker

HTC

Handset Model Name

PJ53100

FCC ID

NM8PJ53100

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: HTC PJ75100

Handset Maker

HTC

Handset Model Name

PJ75100

FCC ID

NM8PJ75100

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 04/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/23/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/23/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: HTC PJ83100

Handset Maker

HTC

Handset Model Name

PJ83100

FCC ID

NM8PJ83100

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 05/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: HTC PK76300

Handset Maker

HTC

Handset Model Name

PK76300

FCC ID

NM8PK76300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: HTC PK76310

Handset Maker

HTC

Handset Model Name

PK76310

FCC ID

NM8PK76310

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2100 MHz CDMA

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/15/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: HTC PL01200

Handset Maker

HTC

Handset Model Name

PL01200

FCC ID

NM8PL01200

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 10/12 to 12/12

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: HTC PL01210

Handset Maker

HTC

Handset Model Name

PL01210

FCC ID

NM8PL01210

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 03/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/10/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: HTC PL80110

Handset Maker

HTC

Handset Model Name

PL80110

FCC ID

NM8PL80110

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 12/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: HTC PL80120

Handset Maker

HTC

Handset Model Name

PL80120

FCC ID

NM8PL80120

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

2100 MHz CDMA

Dates

This handset model was offered from: 12/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 10/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: HTC PL83200

Handset Maker

HTC

Handset Model Name

PL83200

FCC ID

NM8PL83200

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: HTC PM23100

Handset Maker

HTC

Handset Model Name

PM23100

FCC ID

NM8PM23100

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
900 MHz GSM

900 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/17/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: HTC PM23220

Handset Maker

HTC

Handset Model Name

PM23220

FCC ID

NM8PM23220

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 10/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/04/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: HTC PM23300

Handset Maker

HTC

Handset Model Name

PM23300

FCC ID

NM8PM23300

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/08/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: HTC PM33100

Handset Maker

HTC

Handset Model Name

PM33100

FCC ID

NM8PM33100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/08/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/08/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 22: HTC PM36100

Handset Maker

HTC

Handset Model Name

PM36100

FCC ID

NM8PM36100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/10/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/10/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: HTC PM63100

Handset Maker

HTC

Handset Model Name

PM63100

FCC ID

NM8PM63100

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 11/12 to 04/13

Ratings

M-Rating: M3

M-Rating Certification Date: 07/25/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/25/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: HTC PN07120

Handset Maker

HTC

Handset Model Name

PN07120

FCC ID

NM8PN07120

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/29/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 25: HTC PN07130

Handset Maker

HTC

Handset Model Name

PN07130

FCC ID

NM8PN07130

Air Interfaces/Frequency Bands

850 MHz GSM
1700 MHz WCDMA
1900 MHz GSM
2100 MHz WCDMA

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 26: HTC PN07200

Handset Maker

HTC

Handset Model Name

PN07200

FCC ID

NM8PN07200

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/25/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/25/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Daniel O'Brien Director, Product Compliance
07/15/2013 12:27 PM