



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005827533

Filing Deadline: July 15, 2013

FRN: 0019013663

Filing Date: 06/20/2013 07:12 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: verykool USA Inc
Brand Names: verykool
PO Box:
Street Address: 3636 Nobel Drive Suite 325
City: San Diego
State: CA
Zip Code: 92122

Contact Name: Sunny Choi
Contact Phone: (858) 373-1635
Contact Fax:
Contact Email: sunny.choi@infosonics.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.verykool.net

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: We have improved labeling on handset and package with HAC disclaimer, also continuously update our website with most recent handset information.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 10

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 15

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	8	53%			7	47%		15
WCDMA	4	80%			1	20%		5

Handset 1: Verykool i121C

Handset Maker

Verykool

Handset Model Name

i121C

FCC ID

WA6i121

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 02/13 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 2: Verykool i125

Handset Maker

Verykool

Handset Model Name

i125

FCC ID

WA6i125

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 10/12 to 02/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Verykool i310

Handset Maker

Verykool

Handset Model Name

i310

FCC ID

WA6I310

Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 12/11 to 07/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: Verykool i320

Handset Maker

Verykool

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/12 to 12/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: Verykool i605**Handset Maker**

Verykool

Handset Model Name

i605

FCC ID

WA6i605

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 09/12 to 10/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 6: Verykool i607

Handset Maker

Verykool

Handset Model Name

i607

FCC ID

WA6i607

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Verykool R23

Handset Maker

Verykool

Handset Model Name

R23

FCC ID

WA6R23

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 12/11 to 12/12

Ratings

M-Rating: M3

M-Rating Certification Date: 01/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Verykool R25

Handset Maker

Verykool

Handset Model Name

R25

FCC ID

WA6R25

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 02/13 to 05/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/15/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/15/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Verykool R620

Handset Maker

Verykool

Handset Model Name

R620

FCC ID

WA6R620

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/11 to 03/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/04/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Verykool R623

Handset Maker

Verykool

Handset Model Name

R623

FCC ID

WA6R623

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/13/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/13/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Verykool S135

Handset Maker

Verykool

Handset Model Name

S135

FCC ID

WA6S135

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/12 to 04/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Verykool s635

Handset Maker

Verykool

Handset Model Name

s635

FCC ID

WA6S635

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/12 to 03/13

Ratings

M-Rating: M3

M-Rating Certification Date: 09/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Verykool s735

Handset Maker

Verykool

Handset Model Name

s735

FCC ID

WA6S735

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Verykool s757

Handset Maker

Verykool

Handset Model Name

s757

FCC ID

WA6S757

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 10/12 to 02/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/11/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Verykool s758

Handset Maker

Verykool

Handset Model Name

s758

FCC ID

WA6S758

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 04/13 to 05/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Vern Loforti CFO
06/20/2013 07:12 PM