



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005849903

Filing Deadline: July 15, 2013

FRN: 0017617366

Filing Date: 07/08/2013 05:02 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Kyocera Communications, Inc.

Brand Names: Kyocera

PO Box:

Street Address: 9520 Towne Centre Drive

City: San Diego

State: CA

Zip Code: 92121

Contact Name: Chiu Li

Contact Phone: (858) 882-3945

Contact Fax:

Contact Email: chiu.li@kyocera.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://kyocera-wireless.com/accessible-solutions/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: HAC and Accessibility information are available to consumers at Kyocera Website.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 21

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 21

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	21	100%						21

Handset 1: Kyocera C5120 MILANO

Handset Maker

Kyocera

Handset Model Name

C5120 MILANO

FCC ID

V65C5120

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/09/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/09/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Kyocera C5121 Milano**Handset Maker**

Kyocera

Handset Model Name**FCC ID**

C5121 Milano

OVFC51213CD

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/02/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/02/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Kyocera C5133

Handset Maker

Kyocera

Handset Model Name

C5133

FCC ID

V65C5133

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Kyocera C5155

Handset Maker

Kyocera

Handset Model Name

C5155

FCC ID

V65C5155A1, V65C5155

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/06/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/06/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Kyocera C5170

Handset Maker

Kyocera

Handset Model Name

C5170

FCC ID

V65C5170

Air Interfaces/Frequency Bands

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Kyocera C5171

Handset Maker

Kyocera

Handset Model Name

C5171

FCC ID

V65C5171

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Kyocera C5215

Handset Maker

Kyocera

Handset Model Name

C5215

FCC ID

V65C5215

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Kyocera C6721

Handset Maker

Kyocera

Handset Model Name

C6721

FCC ID

V65C6721A1

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Kyocera E3100 Rio

Handset Maker

Kyocera

Handset Model Name

E3100 Rio

FCC ID

OVF-K5402

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/23/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Kyocera E4210

Handset Maker

Kyocera

Handset Model Name

E4210

FCC ID

V65E4210

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Kyocera E4233

Handset Maker

Kyocera

Handset Model Name

E4233

FCC ID

V65E4233

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Kyocera E4277

Handset Maker

Kyocera

Handset Model Name

E4277

FCC ID

V65E4255

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Kyocera E6710

Handset Maker

Kyocera

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 14: Kyocera M9300****Handset Maker**

Kyocera

Handset Model Name

M9300

FCC ID

V65M9300

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Kyocera S1310

Handset Maker

Kyocera

Handset Model Name

S1310

FCC ID

OVF-K33BIC06, OVF-K33BIC04

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/19/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/19/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Kyocera S1350

Handset Maker

Kyocera

Handset Model Name

S1350

FCC ID

OVFS13503CB

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: Kyocera S2100

Handset Maker

Kyocera

Handset Model Name

S2100

FCC ID

OVF-K5501, OVF-K5502

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/25/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/25/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: Kyocera S2150

Handset Maker

Kyocera

Handset Model Name

S2150

FCC ID

V65S2150

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 10/02/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/02/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Kyocera S2151

Handset Maker

Kyocera

Handset Model Name

S2151

FCC ID

V65S2151

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 01/03/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/03/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Kyocera S3015

Handset Maker

Kyocera

Handset Model Name

S3015

FCC ID

V65S3015

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/29/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/29/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Kyocera SCP-6780

Handset Maker

Kyocera

Handset Model Name

SCP-6780

FCC ID

V65SCP-6780

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/26/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

CK Li Director of Regulatory Engineering

07/08/2013 05:02 PM

Reference Copy