



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005857331

Filing Deadline: July 15, 2013

FRN: 0019402742

Filing Date: 07/14/2013 09:23 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Pantech Wireless
Brand Names: PANTECH
PO Box:
Street Address: 5607 Glenridge Dr. Suite 500
City: Atlanta
State: GA
Zip Code: 30342

Contact Name: Sang Kim
Contact Phone: (678) 681-6327
Contact Fax:
Contact Email: fcc@pantech.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.pantechusa.com/hearing-aid-compatibility/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: In order to inform consumers of HAC compatibility on devices, Pantech utilizes in-box marketing materials and the corporate website. All original packaging (gift boxes) for handsets is marked on the outside with the Hearing Aid Compliance information, user manuals contain detailed information to educate consumers on their device's compliance level, and our corporate website (PantechUSA.com) has HAC information on all Pantech handsets available to the general public.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 2

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 18

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	14	100%						14
CDMA	5	83%	1	17%				6
WCDMA	13	100%						13

Handset 1: Pantech ADR8995(Breakout)

Handset Maker

Pantech

Handset Model Name

ADR8995(Breakout)

FCC ID

JYCAPACHE

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/12/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/12/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Pantech ADR910L (Marauder)

Handset Maker

Pantech

Handset Model Name

ADR910L (Marauder)

FCC ID

JYCSTARQ

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/16/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/16/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 3: Pantech ADR930L (Perception)

Handset Maker

Pantech

Handset Model Name FCC ID

ADR930L (Perception) JYCPREMIAV

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
900 MHz GSM
900 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi
5000 MHz Wi-Fi

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 09/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Pantech CDM8992(Hotshot)

Handset Maker

Pantech

Handset Model Name

CDM8992(Hotshot)

FCC ID

JYCBLADE

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 10/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/26/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/26/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Pantech P2020(Ease)

Handset Maker

Pantech

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 900 MHz GSM
 1800 MHz GSM
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 06/10 to 07/12

Ratings

M-Rating: M3

M-Rating Certification Date: 03/16/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 6: Pantech P2030(Breeze III)****Handset Maker**

Pantech

Handset Model Name

P2030(Breeze III)

FCC ID

JYCP2030

Air Interfaces/Frequency Bands

850 MHz GSM
 850 MHz WCDMA
 900 MHz GSM
 1800 MHz GSM
 1900 MHz GSM
 1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 03/30/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/30/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Pantech P5000(Link II)

Handset Maker

Pantech

Handset Model Name

P5000(Link II)

FCC ID

JYCP5000

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 10/11 to 11/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/08/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/08/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Pantech P6010(Pursuit II)

Handset Maker

Pantech

Handset Model Name

P6010(Pursuit II)

FCC ID

JYCP6010

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 07/11 to 01/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/09/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/09/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 9: Pantech P6020(Swift)

Handset Maker

Pantech

Handset Model Name

P6020(Swift)

FCC ID

JYCP6020

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 06/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/11/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Pantech P6030 (Renue)

Handset Maker

Pantech

Handset Model Name

P6030 (Renue)

FCC ID

JYCP6030

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 11: Pantech P7040

Handset Maker

Pantech

Handset Model Name

FCC ID

P7040

JYCP7040

P7040p

JYCP7040

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 04/10 to 09/12

Ratings

M-Rating: M3

M-Rating Certification Date: 11/03/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/03/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Pantech P8000(Crossover)

Handset Maker

Pantech

Handset Model Name

P8000(Crossover)

FCC ID

JYCP8000

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/11 to 08/12

Ratings

M-Rating: M3

M-Rating Certification Date: 12/09/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 12/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Pantech P8010 (Flex)

Handset Maker

Pantech

Handset Model Name

P8010 (Flex)

FCC ID

JYCP8010

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz LTE
1800 MHz GSM

1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: Pantech P9060(Pocket)

Handset Maker

Pantech

Handset Model Name

P9060(Pocket)

FCC ID

JYCP9060

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 11/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 08/19/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Pantech P9070(Burst)

Handset Maker

Pantech

Handset Model Name

P9070(Burst)

FCC ID

JYCP9070

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 12/15/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/15/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Pantech P9090 (Discover)

Handset Maker

Pantech

Handset Model Name

P9090 (Discover)

FCC ID

JYCP9090

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz LTE

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

5000 MHz Wi-Fi

Dates

This handset model was offered from: 01/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/03/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/03/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: Pantech TXT8035

Handset Maker

Pantech

Handset Model Name

TXT8035

FCC ID

JYCTOW

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/11 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 11/04/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 18: Pantech TXT8045(Jest 2)

Handset Maker

Pantech

Handset Model Name

FCC ID

TXT8045(Jest 2)
TXT8045(Verse)

JYCBUDDY
JYCBUDDY

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/17/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Sang S Kim Director
07/14/2013 09:23 PM