



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005856106

Filing Deadline: July 15, 2013

FRN: 0018914416

Filing Date: 07/12/2013 12:41 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: Huawei Device USA, Inc f/k/a Futurewei Technologies, Inc.

Brand Names: Huawei

PO Box:

Street Address: 5700 Tennyson Parkway, Suite 600

City: Plano

State: TX

Zip Code: 75024

Contact Name: Jorge Fabrega Sanchez

Contact Phone: (858) 736-0154

Contact Fax:

Contact Email: jordi.fabrega@huawei.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.huaweidevice.com/resource/mini/200910205473/hac

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Consumer outreach was via the website and staff training to answer inquiries.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 18

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 29

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	9	60%	2	13%	4	27%		15
CDMA	14	100%						14
WCDMA	9	60%	2	13%	4	27%		15

Handset 1: Huawei Ascend II (M865)

Handset Maker

Huawei

Handset Model Name

Ascend II (M865)

FCC ID

QISM865

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/11 to 01/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Huawei Ascend P1

Handset Maker

Huawei

Handset Model Name

Ascend P1

FCC ID

QISU9200

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 10/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 11/27/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Huawei Ascend Q (M660)

Handset Maker

Huawei

Handset Model Name

FCC ID

Ascend Q (M660)

QISM660

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 05/22/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/22/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Huawei AT&T FUSION 2

Handset Maker

Huawei

Handset Model Name

AT&T FUSION 2

FCC ID

QISU8665

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 08/12 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 5: Huawei H866C

Handset Maker

Huawei

Handset Model Name

H866C

FCC ID

QISM866

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 04/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/12/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/12/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 6: Huawei H867G

Handset Maker

Huawei

Handset Model Name

FCC ID

H867G

QISH867G

U8687

QISH867G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 01/21/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/21/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Huawei H868C

Handset Maker

Huawei

Handset Model Name

H868C

FCC ID

QISH868C

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 12/04/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/04/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Huawei H881C

Handset Maker

Huawei

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 11/30/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/30/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks**Handset 9: Huawei H882L****Handset Maker**

Huawei

Handset Model Name

H882L

FCC ID

QISH882L

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/16/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Huawei H883G

Handset Maker

Huawei

Handset Model Name

H883G

W1

FCC ID

QISH883G

QISH883G

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 04/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/20/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Huawei Impulse 4G by AT&T

Handset Maker

Huawei

Handset Model Name

Impulse 4G by AT&T

FCC ID

QISU8800-51

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 08/11 to 11/12

Ratings

M-Rating: M3

M-Rating Certification Date: 07/19/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/19/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 12: Huawei M570

Handset Maker

Huawei

Handset Model Name

M570

FCC ID

QISM570

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 13: Huawei M615

Handset Maker

Huawei

Handset Model Name

M615

FCC ID

QISC6070

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/11 to 11/12

Ratings

M-Rating: M4

M-Rating Certification Date: 05/20/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/20/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 14: Huawei M635 Pinnacle

Handset Maker

Huawei

Handset Model Name

M635 Pinnacle

FCC ID

QISC6071

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/11 to 07/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/21/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Huawei M636

Handset Maker

Huawei

Handset Model Name

M636

FCC ID

QISM636

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/12 to 12/12

Ratings

M-Rating: M4

M-Rating Certification Date: 04/09/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/09/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 16: Huawei M866 Ascend Y

Handset Maker

Huawei

Handset Model Name

M866 Ascend Y

FCC ID

QISM866

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 06/14/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 17: Huawei M886

Handset Maker

Huawei

Handset Model Name

M886

FCC ID

QISM886

Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 11/11 to 12/12

Ratings

M-Rating: M4

M-Rating Certification Date: 10/05/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/05/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 18: Huawei M920

Handset Maker

Huawei

Handset Model Name

M920

FCC ID

QISM920

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 05/11 to 08/12

Ratings

M-Rating: M4

M-Rating Certification Date: 01/05/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/05/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 19: Huawei M931

Handset Maker

Huawei

Handset Model Name

M931

FCC ID

QISM931

Air Interfaces/Frequency Bands

800 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/13 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 12/21/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/21/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 20: Huawei myTouch

Handset Maker

Huawei

Handset Model Name

myTouch

FCC ID

QISU8680

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/20/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/20/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 21: Huawei myTouch Q

Handset Maker

Huawei

Handset Model Name

myTouch Q

FCC ID

QISU8730

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 07/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/24/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/24/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 22: Huawei Prism

Handset Maker

Huawei

Handset Model Name

Prism

FCC ID

QISU8651T

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 04/12 to 04/13

Ratings

M-Rating: M3

M-Rating Certification Date: 03/07/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/07/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 23: Huawei Prism 2

Handset Maker

Huawei

Handset Model Name

Prism 2

FCC ID

QISU8686

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 05/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 02/28/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/28/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 24: Huawei Summit

Handset Maker

Huawei

Handset Model Name

Summit

FCC ID

QISU8651S

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1700 MHz WCDMA
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 10/12 to 02/13

Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/31/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 25: Huawei U2800A**Handset Maker**

Huawei

Handset Model Name

U2800A

FCC ID

QISU2800A

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 08/11 to 10/12

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 26: Huawei U3900

Handset Maker

Huawei

Handset Model Name

U3900

FCC ID

QISU3900

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 06/13 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/22/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/22/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 27: Huawei U8185-5

Handset Maker

Huawei

Handset Model Name

U8185-5

FCC ID

QISU8185-5

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 12/12 to 01/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 28: Huawei U8652

Handset Maker

Huawei

Handset Model Name

U8652

FCC ID

QISU8652

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 02/12 to 08/12

Ratings

M-Rating: M3

M-Rating Certification Date: 08/23/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/23/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 29: Huawei U8815-51

Handset Maker

Huawei

Handset Model Name

U8815-51

FCC ID

QISU8815-51

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Dates

This handset model was offered from: 12/12 to 01/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification

This Report has been certified by:

Jorge Fabrega Sanchez FCC Compliance Officer
07/12/2013 12:41 PM